

KOHLER AI Bathroom Intelligence - Structured Prompts

Exact prompts used/provided for the structured catalogue, lookbook, colour-intelligence, and frontend-design workflows.
Wording is preserved.

Prompt 01 --- Catalogue PDF → CSV

KOHLER AI Bathroom & Kitchen Intelligence

Pass 1 --- Exhaustive SKU-Level Catalogue Extraction

OBJECTIVE

Create an **exhaustive, SKU-by-SKU structured CSV dataset** from the provided **KOHLER India Price Book 2026 --- June Edition**.

This is **PASS 1 ONLY**.

The purpose of Pass 1 is to capture the catalogue's **factual, source-grounded product data** so that it can later power:

- PostgreSQL product database
- Product retrieval/RAG
- Budget calculation
- Dimension and space validation
- Product compatibility engine
- Bathroom design optimization
- Kitchen design optimization
- Finish/colour intelligence
- AI-assisted product recommendations

Do **not** perform AI design reasoning, style inference, colour recommendations, aesthetic scoring, or inferred compatibility in this pass.

1. SOURCE OF TRUTH

Use the supplied KOHLER catalogue as the primary source.

Extract information exactly as represented in the catalogue.

Rules

1. Capture **every identifiable sellable SKU/product code**.
2. Do not intentionally omit low-cost accessories, fittings, drains, valves, installation components, cleaning products, etc.
3. Preserve catalogue terminology.
4. Do not invent missing values.
5. If a field is not present, leave it blank/NULL.
6. Do not infer dimensions.
7. Do not infer compatibility.
8. Do not infer installation requirements.
9. Do not infer style.
10. Do not infer colour properties such as HEX/RGB/LAB.

11. Do not infer whether a product is in stock.
 12. Do not infer availability.
 13. Do not infer that two products are compatible merely because they belong to the same collection.
 14. Preserve catalogue evidence for every relationship.
 15. Preserve the catalogue page number whenever available.
-

2. REQUIRED CSV COLUMNS

Create ONE master CSV with the following columns.

A. IDENTIFICATION

sku

Exact catalogue product code.

Example: K-25758IN-4ND-CP

This is the most important field.

product_name

Catalogue product/model name.

Example: ModernLife Edge

collection

Collection/family name if explicitly stated.

Example: ModernLife Edge

family_id

Normalized internal family identifier.

Example: modernlife-edge-basin-faucet

If family grouping cannot be confidently established from the catalogue, leave blank.

product_type

Specific product type.

Examples:

- basin_faucet
- vessel_basin
- one_piece_toilet
- wall_hung_toilet
- smart_toilet
- bidet_seat
- mirror
- vanity
- rainhead
- showerhead
- steam_generator

- shower_enclosure
- bathtub
- kitchen_sink
- kitchen_faucet
- angle_valve
- bottle_trap
- cleaning_solution

Do not invent a type that cannot be supported by the catalogue.

3. CLASSIFICATION

domain

Allowed values:

- bathroom
- kitchen
- bathing
- commercial
- maintenance
- design_system

category

Use the catalogue's major category.

Examples:

- toilets
- mirrors
- vanities
- wash_basins
- faucets
- showering
- steam
- shower_enclosures
- fittings
- accessories
- vibrant_finishes
- kitchen_sinks
- kitchen_faucets
- bathtubs
- bath_fillers
- commercial_products
- cleaning_solutions

subcategory

Use the most specific catalogue-supported classification.

Examples:

- smart_toilet
 - electronic_bidet_seat
 - manual_bidet_seat
 - bidet_attachment
 - wall_hung_toilet
 - one_piece_toilet
 - vessel_basin
 - undercounter_basin
 - basin_faucet
 - basin_faucet_trim
 - rainhead
 - showerhead
 - thermostatic_valve
 - steam_generator
 - shower_enclosure_hardware
 - vanity
 - kitchen_sink
 - kitchen_faucet
-

4. PRODUCT DESCRIPTION**raw_description**

Copy the catalogue description as faithfully as possible.

Do not rewrite marketing language.

Do not summarize.

Do not add information.

Example:

Single-control tall basin faucet without drain in polished chrome

raw_catalogue_text

If practical, include the relevant raw catalogue text from which the product record was extracted.

This is useful for auditing and correcting extraction errors.

5. COMMERCIAL DATA**mrp**

Numeric MRP only.

Example:

33100

Do not include:

₹33,100

currency

For this catalogue:

INR

tax_included

Use:

true

if the catalogue states the listed price includes taxes.

price_note

Capture relevant catalogue notes such as:

- price variation
- site-dependent pricing
- configuration-dependent pricing
- price subject to change
- non-stock product
- price not applicable to certain configuration

Do not invent notes.

6. APPEARANCE

finish_code

Exact finish code where available.

Examples:

- CP
- AF
- BL
- BV
- RGD
- BRD

finish_name

Exact catalogue finish name.

Examples:

- Polished Chrome
- French Gold
- Matte Black

- Brushed Bronze
- Rose Gold
- Brushed Rose Gold

colour_name

Exact colour name where explicitly stated.

Examples:

- White
- Honed Black
- Light Taupe
- Natural Oak

colour_family

ONLY populate if the catalogue itself clearly identifies a colour family.

Do NOT convert colours into generic categories unless explicitly supported.

appearance_notes

Any additional appearance information explicitly stated in the catalogue.

7. DIMENSIONS

Capture dimensions exactly and normalize them into separate fields whenever possible.

dimension_raw

Original catalogue dimension text.

Example:

600mm x 396mm

width_mm

Numeric width if explicitly available.

depth_mm

Numeric depth if explicitly available.

height_mm

Numeric height if explicitly available.

diameter_mm

For circular products where diameter is explicitly provided.

length_mm

For products where length is the relevant dimension.

min_width_mm

For configurable/range-based products.

max_width_mm

For configurable/range-based products.

min_depth_mm

For configurable/range-based products.

max_depth_mm

For configurable/range-based products.

min_height_mm

For configurable/range-based products.

max_height_mm

For configurable/range-based products.

dimension_type

Allowed values:

- fixed
- range
- maximum
- minimum
- custom
- site_dependent
- not_specified

Never convert an unspecified dimension into zero.

8. TECHNICAL SPECIFICATIONS

Create columns for explicitly stated technical specifications where relevant.

Possible fields include:

Toilets

- trap_type
- rough_in_mm
- toilet_configuration
- flush_type
- seat_included
- bidet_function
- smart_features

Basins

- basin_type
- faucet_hole_count
- mounting_type
- overflow
- material

Faucets

- mounting_type
- control_type
- faucet_type
- drain_included
- hand_shower
- diverter
- spout_type
- touchless
- sensor_type

Showers

- shower_type
- function_count
- outlet_count
- mounting_type
- control_type

Steam

- power_kw
- steam_type
- control_type

Kitchen sinks

- material
- bowl_count
- bowl_configuration
- mounting_type
- tap_hole_count
- included_accessories

Bathtubs

- bath_type
- installation_type
- shape
- material
- hydrotherapy_features

Only populate fields supported by the catalogue.

If a field does not apply, leave it blank.

9. COMPONENTS

included_components

List components explicitly stated as included with the product.

Separate multiple components using ;

Example:

Strainer; Drain Pipe; Colander; Chopping Board

Do NOT charge included components separately.

required_components

List components that the catalogue explicitly says are required/must be ordered.

Example:

K-5679IN-NA

Do not infer requirements.

order_with_components

List products/components explicitly marked by the catalogue as "Order With".

This is NOT automatically equivalent to "required".

10. COMPATIBILITY

compatible_skus

List SKUs explicitly identified by the catalogue as compatible.

Separate using ;

Example:

K-4187IN-WD-0;10614IN-0;15545IN-0

Do not infer compatibility.

compatibility_notes

Copy relevant catalogue compatibility notes.

11. RELATIONSHIP DATA

For every explicit product relationship, capture:

relationship_type

Allowed values:

- requires
- compatible_with
- included_component
- contains
- order_with
- variant_of
- finish_variant_of

- accessory_for
- configuration_component
- optional_upgrade

relationship_skus

Target SKU(s).

relationship_requirement

Allowed values:

- mandatory
- compatible
- recommended
- included
- optional
- configuration
- unknown

relationship_evidence

Short factual statement explaining what the catalogue says.

Example:

Catalogue states trim is for use with valve K-5679IN-NA.

relationship_page

Catalogue page where the relationship appears.

12. CONFIGURABLE PRODUCTS

Some products are not simple fixed SKUs.

Examples include:

- shower enclosures
- glass configurations
- site-dependent products
- configurable hardware

For these:

is_configurable

true or false

configuration_type

Examples:

- shower_enclosure
- glass_option
- site_dimension
- orientation

- finish
- unknown

configuration_options

Record explicitly stated options.

orientation

Examples:

- left
- right
- reversible
- not_specified

site_dependent

true only when explicitly stated.

configuration_notes

Catalogue-supported configuration information.

Do not create fake SKUs for every possible configuration.

13. SOURCE / PROVENANCE

Every row must contain:

catalogue_id

Use:

kohler-india-pricebook-2026-june

catalogue_name

KOHLER India Price Book 2026 June Edition

catalogue_year

2026

catalogue_edition

June Edition

source_page

Page number where the product is listed.

source_type

For this dataset:

catalogue

extraction_confidence

Use:

- high
- medium

- low

Use high when the SKU/product information is clearly readable.

Use medium when minor formatting/OCR ambiguity exists.

Use low when the record requires human verification.

review_required

true or false

Set to true when any important field is ambiguous.

review_reason

Explain what needs checking.

14. SKU NORMALIZATION

Normalize formatting errors without changing the actual product code.

For example:

K- 73050T-B7-AF

may be normalized to:

K-73050T-B7-AF

ONLY when the catalogue clearly establishes that this is the same SKU.

Never:

- invent missing characters
- change digits
- change suffixes
- guess unclear characters

If uncertain, preserve the raw value and mark:

review_required = true

15. DUPLICATE HANDLING

Do NOT automatically delete duplicates.

First determine whether duplicate-looking rows represent:

1. same SKU repeated on multiple pages
2. different finish variant
3. different colour variant
4. different configuration
5. different product
6. extraction duplication

Add:

duplicate_status

Allowed values:

- unique
- repeated_same_sku
- possible_duplicate
- variant
- unclear

duplicate_group

Use a common identifier when applicable.

16. IMPORTANT DISTINCTIONS

Preserve these distinctions exactly:

requires

A product cannot be properly configured/installed according to the catalogue without the referenced component.

compatible_with

Catalogue explicitly identifies another product as compatible.

order_with

Catalogue recommends ordering another product but does not necessarily state that it is mandatory.

included_component

Already included with the product.

variant_of

Different SKU representing a variant of the same product family.

finish_variant_of

Same product differentiated by finish.

Do not merge these relationship types.

17. BUNDLED PRODUCTS

If a product is sold as a bundle, preserve it as its own SKU.

Example:

A smart toilet may contain:

- toilet
- electronic seat
- remote

Do NOT split the bundle into independent sellable products unless those components also have their own catalogue SKUs.

Record the relationship using:

contains

or

included_component

as supported by the catalogue.

18. CLEANING PRODUCTS

Do not exclude cleaning solutions.

Capture:

- SKU
- product name
- description
- quantity
- format
- usage area
- MRP
- source page

Use:

domain = maintenance

and

category = cleaning_solutions

19. KITCHEN PRODUCTS

The dataset must include the entire kitchen section.

Capture:

- kitchen sinks
- sink variants
- sink accessories
- included accessories
- kitchen faucets
- touchless faucets
- pulldown faucets
- finish variants
- compatibility relationships

Do not restrict extraction to bathroom products.

20. COMMERCIAL PRODUCTS

Include commercial products in the master dataset.

Set:

domain = commercial

Do not remove them simply because the main application is residential.

This allows future filtering by application.

21. DO NOT PERFORM PASS 2

Do NOT generate:

- style tags
- Minimalist Modern classification
- Classic Luxury classification
- Japanese Zen classification
- aesthetic scores
- colour harmony scores
- HEX values
- RGB values
- LAB values
- Delta-E values
- AI-generated colour recommendations
- semantic embeddings
- inferred customer preferences
- inferred compatibility
- inferred spatial suitability
- generated design explanations

Those belong to **Pass 2 --- AI enrichment and Design Intelligence**.

22. EXHAUSTIVENESS REQUIREMENT

The extraction is considered complete **ONLY** when every identifiable SKU/product code in the catalogue has been captured.

Before finishing, perform these checks:

Check 1 --- SKU completeness

Search the entire catalogue for product-code patterns such as:

K-

and other catalogue SKU formats.

Check 2 --- Page coverage

Verify that all catalogue product sections have been processed.

Check 3 --- Duplicate check

Identify repeated SKUs.

Check 4 --- Price check

Every sellable SKU should have an MRP if the catalogue provides one.

Check 5 --- Relationship check

Every referenced SKU must either:

- exist in the dataset, or
- be flagged for review.

Check 6 --- Finish check

Every finish code should correspond to a known catalogue finish where possible.

Check 7 --- Dimension check

Dimensions must be numeric where normalized and explicitly provided.

Check 8 --- No hallucination

Any field not supported by the catalogue must remain blank/NULL.

Check 9 --- Category check

Every SKU must belong to a valid catalogue category.

Check 10 --- Source check

Every row must contain a source page whenever the page can be determined.

23. OUTPUT

Produce:

Primary file

kohler_catalogue_pass1.csv

One row per product SKU/variant.

Recommended secondary files

kohler_relationships_pass1.csv

Columns:

```
source_sku
relationship_type
target_sku
requirement
evidence
source_page
confidence
review_required
```

kohler_validation_errors.csv

Columns:

```
sku
error_type
field
value
severity
reason
suggested_review
source_page
```

kohler_catalogue_sources.csv

Columns:

```
catalogue_id
catalogue_name
```

year
edition
page
section
source_text

24. FINAL QUALITY STANDARD

The resulting dataset must be suitable for direct ingestion into a production-oriented PostgreSQL database.

The dataset should be:

- exhaustive
- deterministic
- source-grounded
- auditable
- normalized
- machine-readable
- reproducible
- versionable
- free from invented information

The guiding principle is:

Pass 1 captures what KOHLER says. Pass 2 will determine what the AI can understand from it.

Do not optimize for a pretty CSV.

Optimize for **data integrity, traceability, completeness, and downstream engineering usability.**

Prompt 02 --- Lookbook PDF → Structured CSV

KOHLER PROJECT LOOKBOOK --- STRUCTURED DATA EXTRACTION

ROLE

You are a document-data extraction specialist working on the **KOHLER AI Bathroom Intelligence & Design Platform**.

You are given the complete **KOHLER Project Lookbook PDF**.

Your task is to extract structured, source-faithful information from the document that can be used to build:

1. A KOHLER design-combination knowledge base
2. Product co-occurrence relationships
3. Colour/finish combination intelligence
4. Collection/design-language relationships
5. Alternative product configurations
6. Look-level pricing validation
7. Future AI-assisted bathroom design recommendations

Do not summarize the PDF. Extract structured data.

1. SOURCE-FAITHFULNESS RULE

The PDF is the source of truth for this extraction.

Extract only information explicitly present in the document.

DO NOT:

- Invent missing SKUs
- Invent product names
- Invent prices
- Invent finishes
- Invent dimensions
- Infer compatibility without explicit evidence
- Assume two products are compatible merely because they appear together
- Correct catalogue information using internet sources
- Replace source terminology with your own terminology
- Generate colour names that are not stated
- Create fake SKUs
- Guess missing values

If information is unavailable, use:

null

If the text is unclear or ambiguous, use:

review_required

with an explanation in the relevant review field.

2. PRIMARY OBJECTIVE

Extract every **complete bathroom look/design configuration** shown in the Project Lookbook.

The key relationship is:

LOOK
↓
PRODUCTS SHOWN IN THAT LOOK
↓
SKU
↓
PRODUCT
↓
CATEGORY
↓
FINISH / COLOUR
↓
PRICE

The resulting data must allow us to reconstruct:

Which KOHLER products were intentionally presented together as part of a particular look?

3. LOOK IDENTIFICATION

For every design/look section, extract:

```
look_id
look_name
source_page
look_description
look_total_price
```

Examples of look names may include names such as:

- Aspire
- Elegance
- Harmony
- Imperial
- Luxe
- Noir
- Superior
- Sublime
- Desire

Do not assume that these are the only looks.

Scan the **entire PDF** and identify every distinct look.

Assign a stable ID:

```
look_001
look_002
look_003
...
```

Do not use the page number as the look ID.

4. PRODUCT-LEVEL EXTRACTION

For EVERY product displayed inside a look, extract one row.

Required fields:

```
look_id
look_name
source_page
product_sequence
product_name
sku
price
category
subcategory
collection
finish_code
finish_name
colour_name
dimension_text
product_description
```

If a field is not explicitly available on that page, use null.

IMPORTANT

Preserve the product name as closely as possible to the PDF.

Do not simplify:

"Veil wall hung toilet"

if the source says:

"Veil™ wall hung toilet with C3-150 electronic cleansing seat in white"

The detailed source description should remain available.

5. PRODUCT CATEGORY

Assign a category ONLY when the PDF explicitly indicates it or the product's placement/category is clearly shown in the document.

Use controlled categories where applicable:

toilet
basin
faucet
showering
showerhead
shower_trim
bath_spout
bathtub
vanity
mirror
faceplate
bidet_seat
health_faucet
accessory
drain
bottle_trap
angle_valve
in_wall_tank
urinal
soap_dispenser
hand_dryer
kitchen_sink
kitchen_faucet
other

If the category cannot be reliably determined:

category = null
review_required = true

Do not force classification.

6. COLLECTION EXTRACTION

Extract the collection name when explicitly stated.

Examples:

ModernLife Edge
Veil
Elate
Parallel
Forefront
Apt
Complementary
Bardon
etc.

Preserve the exact collection terminology from the source.

If no collection is stated:

collection = null

7. SKU EXTRACTION

Extract every SKU exactly as printed.

Examples:

```
K-25757IN-4ND-CP
K-31014IN-0
K-97258IN-CP
```

SKU rules

- Preserve hyphens.
- Preserve letters.
- Preserve numbers.
- Preserve suffixes.
- Do not normalize or modify the SKU.
- Do not merge different SKUs.
- Do not assume two similar SKUs are the same product.

If the SKU appears ambiguous:

```
sku = extracted_value
review_required = true
review_reason = "SKU text unclear"
```

8. PRICE EXTRACTION

Extract:

```
price
currency
```

Use numeric INR values.

Example:

```
₹23,000.00
```

becomes:

```
23000
```

Do not include commas or currency symbols in the numeric field.

Also extract the complete-look price when the page states:

```
GET THIS LOOK AT ₹...
```

Store it separately:

```
look_total_price
```

9. LOOK TOTAL VALIDATION DATA

For every look where both individual prices and a total look price are provided, extract:

```
look_total_price
```

Do NOT recalculate the total during extraction.

We will independently calculate it later.

However, create:

```
price_total_available = true/false
```

This allows later validation:

```
$$ CalculatedTotal = \sum ProductPrices $$
```

against:

```
$$ DocumentedLookTotal $$
```

Do not modify either value.

10. ALTERNATIVE PRODUCTS

Some looks provide alternative configurations such as:

```
GET THIS LOOK WITH [PRODUCT A] AT ₹...  
GET THIS LOOK WITH [PRODUCT B] AT ₹...
```

These are extremely important.

Extract them separately.

Required fields:

```
look_id  
alternative_group_id  
base_configuration  
alternative_product_name  
alternative_sku  
alternative_price  
alternative_total_price  
source_page
```

Example structure:

```
look_012  
alt_group_001  
base_configuration = same look  
alternative_product = ModernLife Edge faucet  
alternative_sku = K-XXXXXXX  
alternative_price = ...  
alternative_total_price = ...
```

Do not treat an alternative product as simultaneously selected with the primary product.

11. DESIGN CO-OCCURRENCE

For every look, create product-pair relationships.

If a look contains:

```
A  
B  
C  
D
```

then record:

```
A appears_with B  
A appears_with C  
A appears_with D  
B appears_with C
```

B appears_with D
C appears_with D

However, DO NOT create these relationships inside the primary product CSV.

Create a separate relationship CSV.

File:

kohler_lookbook_design_relationships.csv

Required columns:

relationship_id
look_id
look_name
source_sku
target_sku
relationship_type
source_page
evidence
confidence
review_required

Use:

relationship_type = design_co_occurrence

IMPORTANT

design_co_occurrence does NOT mean:

compatible_with

It only means:

The two products were presented together in the same KOHLER look.

12. EXPLICIT COMPATIBILITY

If the document explicitly says something like:

Product A compatible with Product B

extract it separately.

Use:

relationship_type = compatible_with

Do NOT infer compatibility merely because two products appear together.

Required:

source_sku
target_sku
relationship_type
evidence
source_page
confidence

This information will later be compared against the Price Book compatibility dataset.

13. FINISH EXTRACTION

For every product where finish information appears, extract:

```
finish_code  
finish_name
```

Examples may include:

```
CP  
AF  
RGD  
BL  
BN
```

and corresponding finish names.

Preserve exactly what the source states.

14. COLOUR EXTRACTION

Extract explicit colour descriptions such as:

```
white  
black  
polished chrome  
French Gold  
rose gold  
matte black  
etc.
```

But distinguish:

```
colour_name
```

from:

```
finish_name
```

Do not automatically assume:

```
French Gold = colour
```

if the source treats it as a finish.

Preserve the source terminology.

15. FINISH/COLOUR CO-OCCURRENCE

Create a second derived relationship dataset:

```
kohler_lookbook_finish_relationships.csv
```

For every look, identify finishes/colour treatments that occur together.

Required fields:

```
look_id  
look_name  
finish_a  
finish_b  
colour_a  
colour_b  
relationship_type  
source_page  
evidence
```

Use:

```
relationship_type = same_look_finish_cooccurrence
```

Do NOT turn this into a recommendation score.

We are collecting evidence first.

16. COLLECTION CO-OCCURRENCE

Create:

```
kohler_lookbook_collection_relationships.csv
```

For each look, identify collections appearing together.

Required:

```
look_id  
look_name  
collection_a  
collection_b  
relationship_type  
source_page  
evidence
```

Use:

```
relationship_type = collection_cooccurrence
```

17. DESIGN LANGUAGE

Extract descriptive design language from the PDF.

Examples:

```
minimal  
contemporary  
luxury  
modern  
elegant  
European  
classic  
industrial  
natural  
etc.
```

CRITICAL

Do not invent design descriptors.

Separate:

```
source_description
```

from:

```
derived_design_tags
```

If you derive a tag from the source description, mark:

```
tag_source = derived
```

If the wording is directly present:

tag_source = source

18. PRODUCT ROLE IN THE LOOK

Where possible, identify the functional role of each product:

primary_basin
basin_faucet
toilet
toilet_seat
showerhead
shower_trim
bath_spout
health_faucet
faceplate
vanity
mirror
drain
bottle_trap
tank
accessory
etc.

Do not invent a role when unclear.

19. DESIGN LOOK PRICE BAND

After extraction, calculate a descriptive price band for each look ONLY if enough price data exists.

Use:

budget
mid
premium
luxury

But do NOT arbitrarily assign thresholds.

Instead provide:

look_total_price

and allow the application to determine price bands later.

Do not make price-band judgments during extraction.

20. DIMENSIONS

Extract dimensions whenever explicitly stated.

Do not calculate dimensions from images.

Preserve the raw text:

dimension_text

Example:

332mm x 335mm x 642mm

If individual dimensions can be unambiguously parsed:

width_mm

depth_mm
height_mm

Otherwise leave them null.

21. SPECIAL PRODUCT INFORMATION

Extract additional factual information when it is explicitly present and useful for the design system.

Examples:

material
mounting_type
installation_type
technology
sensor
touchless
water_saving
lighting
defogger
glass_type
glass_thickness
configuration
orientation

Do NOT create a generic specification field containing invented interpretations.

Use:

special_attributes

only for source-supported information.

22. VANITY INFORMATION

If the document contains vanity-specific technical/design information, extract:

vanity_name
sku
material
finish
size
storage_features
water_resistance
termite_resistance
anti_fungal
load_capacity
vessel_compatibility
source_page

Only include fields supported by the source.

23. MIRROR INFORMATION

If mirror products/features appear, extract:

mirror_name
sku
lighting
colour_temperature
defogger
touchless_control
safety_features
customization

price
source_page

Again, do not invent missing values.

24. SHOWER ENCLOSURE INFORMATION

If shower enclosure products/designs appear, extract:

enclosure_name
sku
configuration
door_type
glass_type
glass_thickness
hardware_finish
hardware_style
available_finish
customization
site_dependent
source_page

Only extract what is explicitly stated.

25. PROJECT / INSTALLATION REFERENCES

If the document contains named architectural/hospitality projects, create:

kohler_project_references.csv

Fields:

project_name
location
project_type
products_or_collection_mentioned
source_page

This dataset is **reference/inspiration data**, not product compatibility data.

26. PROVENANCE

Every extracted row MUST contain:

source_document
source_page
source_section
extraction_confidence
review_required
review_reason

Use:

source_document = Projectlookbook.pdf

Never omit source page information.

27. CONFIDENCE

Use:

high
medium
low

High

Information is clearly readable and directly stated.

Medium

Information is readable but requires minor interpretation/structuring.

Low

Information is partially unclear or OCR is questionable.

If low confidence:

review_required = true

28. DO NOT DEDUPLICATE DURING EXTRACTION

If the same SKU appears in multiple looks:

KEEP ALL OCCURRENCES.

Example:

K-25757IN-4ND-CP
appears in Look A
appears in Look B
appears in Look C

These are valuable design co-occurrence observations.

Do not delete duplicates.

The later reconciliation process will compare them against the master Price Book.

29. DO NOT MERGE LOOKS

If the same product combination appears on multiple pages, preserve each source occurrence unless it is clearly the same look repeated.

If uncertain:

review_required = true

30. OUTPUT FILES

Produce these CSV files:

REQUIRED --- P0

kohler_lookbook_products.csv

One row per product occurrence in a look.

Columns:

look_id
look_name
source_page
product_sequence
product_name
sku
category
subcategory
collection
finish_code
finish_name
colour_name
price
currency
dimension_text
product_description
product_role
look_total_price
is_alternative
alternative_group_id
source_document
extraction_confidence
review_required
review_reason

REQUIRED --- P0

kohler_lookbook_design_relationships.csv

Columns:

relationship_id
look_id
look_name
source_sku
target_sku
relationship_type
source_page
evidence
confidence
review_required
review_reason

REQUIRED --- P0

kohler_lookbook_looks.csv

Columns:

look_id
look_name
source_page
look_description
look_total_price
currency
product_count
source_document
extraction_confidence
review_required
review_reason

REQUIRED --- P1

kohler_lookbook_finish_relationships.csv

REQUIRED --- P1

kohler_lookbook_collection_relationships.csv

OPTIONAL IF PRESENT

kohler_lookbook_project_references.csv
kohler_lookbook_vanity_data.csv
kohler_lookbook_mirror_data.csv
kohler_lookbook_enclosure_data.csv

31. FINAL QA

After extraction, produce:

kohler_lookbook_extraction_audit.csv

Include:

total_pages_scanned
total_looks_found
total_product_occurrences
unique_skus
total_relationships
total_finish_relationships
total_collection_relationships
total_alternative_configurations
rows_with_missing_sku
rows_with_missing_price
rows_with_missing_source_page
rows_requiring_review

Also report:

pages_scanned
pages_with_product_tables
pages_with_looks
pages_with_alternatives
pages_with_explicit_compatibility

32. CROSS-PAGE CHECK

The PDF contains paired/display pages and some pages may contain continuation information.

Therefore:

Do not treat every PDF page as an independent look.

Read the surrounding pages and determine the complete look before assigning products.

Preserve the actual source page for each product.

33. FINAL RESPONSE FORMAT

After generating the CSVs, provide a concise extraction summary:

Total pages scanned:

Total looks:
Total product occurrences:
Unique SKUs:
Design relationships:
Explicit compatibility relationships:
Finish relationships:
Collection relationships:
Alternative configurations:
Rows requiring review:

Then list:


Files created:
1. ...
2. ...
3. ...
4. ...

Do not provide a narrative summary instead of the structured files.

34. CORE PRINCIPLE

The purpose of this extraction is to create **design evidence**, not to create an AI-generated interpretation of KOHLER.

Maintain this separation:



The Project Lookbook should therefore be treated as a **design-evidence dataset**, while the KOHLER Price Book remains the authoritative source for factual product information.

Do not convert design co-occurrence into technical compatibility.

Do not convert visual examples into mandatory recommendations.

Do not invent information that is absent from the source.

Prompt 03 --- Colour Intelligence

Colour Intelligence Extraction Prompt --- KOHLER AI Bathroom Intelligence

ROLE

You are a colour-design research assistant working on a premium AI-powered bathroom and kitchen design system.

Your task is to analyze the provided colour-combination reference source and extract **useful colour-design intelligence** that can be incorporated into a GitHub repository for a KOHLER bathroom/kitchen design engine.

The goal is **NOT to reproduce the source's entire palette library**.

Instead, identify and structure colour relationships, palette characteristics, and design patterns that can be independently used to generate **KOHLER-specific design palettes**.

PROJECT CONTEXT

The system will accept user preferences such as:

- Japanese Zen
- Minimalist Modern
- Classic Luxury
- Warm natural
- Spa-like
- Dark contemporary
- Soft neutral
- High contrast
- Low contrast
- etc.

It will then:

1. Interpret the user's aesthetic preference.
2. Select an appropriate colour-design family.
3. Generate a conceptual palette.
4. Map the palette to **actual available KOHLER product finishes and colours** from the KOHLER catalogue.
5. Check product/finish availability and compatibility.
6. Use the resulting colour combination as an objective in the bathroom/kitchen optimization engine.

Therefore, the extracted information must function as **design intelligence**, not as a product catalogue.

SOURCE

Analyze the provided Figma colour-combination reference:

<https://www.figma.com/resource-library/color-combinations/>

Use only information actually supported by the source when describing its colour combinations or categories.

Do not invent palettes and do not claim that any palette is an official KOHLER recommendation.

PRIMARY OBJECTIVE

Extract the most useful colour combinations and colour relationships for these KOHLER design themes:

Bathroom

- Japanese Zen
- Minimalist Modern
- Classic Luxury

Cross-domain / future kitchen use

- Natural
- Contemporary
- Warm Minimal
- Spa
- Dark Luxury
- Soft Neutral
- High Contrast
- Earthy
- Fresh / Airy

Prioritize combinations that can realistically translate into:

- bathroom walls
- floor/background surfaces
- sanitaryware
- basins
- vanities
- faucets
- showers
- accessories
- bathtubs
- kitchen sinks
- kitchen faucets
- decorative accents

IMPORTANT: DO NOT SIMPLY COPY THE SOURCE

Do NOT produce:

"Palette 1 = these five colours, Palette 2 = these five colours..."

Instead, identify the **design principle behind useful combinations**.

For every useful combination, determine:

- colour harmony type
- dominant colour family
- supporting colour family

- accent colour
- contrast level
- saturation level
- temperature
- mood
- suitable design themes
- suitable architectural/material contexts
- which colour should be dominant
- which should be secondary
- which should be accent
- whether the combination is appropriate for a premium bathroom/kitchen

The output should allow our own system to generate new palettes using the same principles.

COLOUR HARMONY TAXONOMY

Where supported by the source, classify combinations using concepts such as:

- monochromatic
- analogous
- complementary
- split-complementary
- triadic
- tetradic
- neutral
- near-neutral
- tonal
- warm/cool contrast

Do not force a classification when the source does not support it.

If uncertain, use:

unknown

rather than guessing.

EXTRACT COLOUR ROLES

For every selected palette, convert colours into functional design roles:

BASE
SECONDARY
ACCENT
DARK / CONTRAST
MATERIAL / NATURAL ELEMENT
OPTIONAL HIGHLIGHT

Example structure:

{

```
"base": "...",
"secondary": "...",
"accent": "...",
"contrast": "...",
"material": "...",
}
```

Do not assume every palette needs all six roles.

EXTRACT DESIGN CHARACTERISTICS

For every palette, identify:

temperature:

warm | neutral | cool

saturation:

low | medium | high

contrast:

low | medium | high

mood:

calm | luxurious | natural | energetic | minimal | dramatic | fresh | etc.

visual_density:

soft | balanced | strong

material_association:

stone | wood | metal | ceramic | glass | water | earth | etc.

Only use associations that are reasonable from the source and clearly label derived interpretations.

KOHLER DESIGN-THEME MAPPING

Map useful palettes to the following design themes.

Japanese Zen

Look for:

- low saturation
- restrained contrast
- natural tones
- muted greens
- warm neutrals
- stone-like colours
- wood-associated tones
- soft blue-green
- calm visual relationships

Minimalist Modern

Look for:

- monochromatic schemes
- neutral palettes

- restrained accent colours
- strong whitespace
- simple tonal relationships
- controlled contrast

Classic Luxury

Look for:

- warm neutrals
- deeper contrast
- metallic-compatible colour relationships
- sophisticated dark/light combinations
- restrained accent colours

Do not assume a colour is luxurious simply because it is dark or metallic. Explain the underlying relationship.

HEX COLOUR HANDLING

If the source provides HEX values, preserve them accurately.

For each colour store:

```
{  
  "hex": "#XXXXXX"  
}
```

Do not modify source HEX values.

However:

HEX colours are design-reference colours, NOT KOHLER product finishes.

Do not claim that a HEX colour corresponds to a particular KOHLER finish unless that mapping is independently verified against the KOHLER catalogue.

IMPORTANT KOHLER SEPARATION

Maintain this distinction:

```
DESIGN REFERENCE  
↓  
Colour / palette concept  
↓  
COLOUR INTELLIGENCE  
↓  
KOHLER CATALOGUE  
↓  
Actual available KOHLER finishes  
↓  
Product + finish combinations  
↓  
Optimization
```

Never treat the extracted source palette as an inventory of KOHLER finishes.

Never invent KOHLER finish mappings.

PRIORITIZATION

Do not extract everything.

Select combinations that are particularly useful for a bathroom/kitchen design engine.

Prioritize:

Tier 1 --- Highly reusable

Combinations that can support multiple design themes.

Tier 2 --- Theme-specific

Strong combinations for Zen, Minimalist Modern, Classic Luxury, etc.

Tier 3 --- Experimental

Interesting combinations that could be useful for future design generation.

Avoid redundant palettes that differ only slightly.

The final dataset should be **compact, diverse, and computationally useful**.

REQUIRED OUTPUT

Produce the following sections.

1. COLOUR DESIGN PRINCIPLES

Summarize the useful colour-harmony principles found in the source.

Example:

Monochromatic:
Useful for minimalist and calm environments.

Analogous:
Useful for natural and spa-like environments.

Complementary:
Useful where controlled visual contrast is desired.

Do not copy source text verbatim. Summarize in your own words.

2. EXTRACTED PALETTE DATASET

Return a JSON array.

Use this schema:

```
[
  {
    "palette_id": "zen_natural_001",
    "name": "Natural Eucalyptus",
    "source_reference": "Figma colour-combination reference",
    "source_palette_name": null,

    "theme_fit": [
      "japanese_zen",
      "natural",
      "spa"
    ],

    "harmony_type": "analogous",

    "colours": [
      {
```

```

    "hex": "#XXXXXX",
    "role": "base"
  },
  {
    "hex": "#XXXXXX",
    "role": "secondary"
  },
  {
    "hex": "#XXXXXX",
    "role": "accent"
  },
  {
    "hex": "#XXXXXX",
    "role": "contrast"
  }
],

"characteristics": {
  "temperature": "neutral",
  "saturation": "low",
  "contrast": "low"
},

"mood": [
  "calm",
  "natural",
  "minimal"
],

"material_associations": [
  "stone",
  "wood",
  "ceramic"
],

"recommended_usage": {
  "base_surfaces": true,
  "sanitaryware": true,
  "vanity": true,
  "faucet_finish": false,
  "accent": true
},

"design_rationale": "...",

"confidence": "high"
}
]

```

Adjust fields where necessary.

3. THEME PALETTE LIBRARY

Create a compact library organized by theme:

```

Japanese Zen
├─ Natural
├─ Spa
├─ Warm Minimal
└─ Dark Zen

Minimalist Modern
├─ Monochrome
├─ Soft Neutral
├─ Warm Minimal
└─ High Contrast

Classic Luxury
├─ Warm Luxury
└─ Dark Luxury

```

└─ Neutral Metallic
└─ Deep Contrast

For each category provide the relevant palette IDs from the extracted dataset.

4. PALETTE GENERATION RULES

Derive reusable rules that our system can use to generate palettes without relying on the source every time.

Example:

```
{
  "theme": "japanese_zen",
  "rules": {
    "preferred_harmony": [
      "analogous",
      "monochromatic"
    ],
    "preferred_saturation": "low",
    "preferred_contrast": "low",
    "preferred_temperature": [
      "neutral",
      "warm"
    ],
    "preferred_colour_families": [
      "sage",
      "earth",
      "warm_neutral",
      "blue_green"
    ]
  }
}
```

These rules should represent **design tendencies**, not rigid laws.

5. COLOUR COMBINATION SCORING MODEL

Propose a simple scoring model that our optimization engine can later use.

For example:

```
PaletteScore =
  harmony_score
+ theme_match_score
+ contrast_score
+ saturation_score
+ material_match_score
```

Give each component a suggested normalized range such as 0--1.

Explain what each score means.

Do not assign arbitrary scores to source palettes unless there is a clear basis.

6. KOHLER MAPPING INTERFACE

Define the data structure that will allow a later process to map conceptual colours to actual KOHLER finishes.

Example:

```
{
  "palette_id": "zen_natural_001",
  "finish_mapping": {
```

```
"base": {
  "colour_family": "warm_neutral",
  "required_catalogue_match": true
},

"accent": {
  "colour_family": "muted_green",
  "required_catalogue_match": true
},

"metallic": {
  "preferred_finish_families": [
    "warm_metallic",
    "brass"
  ],
  "required_catalogue_match": true
}
}
```

Do NOT fill this with invented KOHLER SKUs or finishes.

The catalogue-matching layer will populate those later.

7. DATA QUALITY RULES

Provide validation rules for the resulting JSON dataset.

At minimum:

- valid HEX format
 - no duplicate palette IDs
 - no duplicate colour entries within a palette
 - every palette has a theme
 - every palette has a harmony classification where supported
 - every palette has colour roles
 - source-derived and AI-derived information are distinguishable
 - no invented KOHLER product mappings
 - no unsupported claims about KOHLER
 - no missing provenance for source-derived colours
-

8. FINAL RECOMMENDATION

At the end, identify:

1. The most reusable colour-harmony types.
 2. The most useful colour families for Japanese Zen.
 3. The most useful colour families for Minimalist Modern.
 4. The most useful colour families for Classic Luxury.
 5. Which extracted palettes are redundant and can be discarded.
 6. Which palette principles should become **generative rules** rather than stored palettes.
-

CRITICAL RULE

The final result should NOT be:

"Figma colour palettes copied into our GitHub repository."

The final result should be:

A compact, provenance-aware colour intelligence dataset derived from design references, which our AI can use to generate design palettes and which can subsequently be mapped to the actual KOHLER catalogue.

The KOHLER catalogue remains the authoritative source for actual products, finishes, SKUs, prices and availability.

Prompt 04 --- Frontend Design & Experience

Build a web app called **KOHLER AI Bathroom Intelligence** --- a constraint-aware bathroom design and planning tool. A user uploads a photo and dimensions of their bathroom, sets a budget and style preferences, and the AI returns 2--3 optimized layout options with specific KOHLER products, each with a plain-language explanation of *why* it fits (clearance, budget, plumbing, style). This is not a generic chatbot --- it should feel like a KOHLER showroom consultation, calm and material, with the AI's reasoning always visible.

Use mock/placeholder data and a simulated AI response for now (no real backend yet) --- focus entirely on getting the design system and screen flow right.

Design language --- follow this exactly, do not default to a generic SaaS look

Overall feel: editorial and material, like a high-end interiors magazine crossed with a precise planning tool. Warm and unhurried. Nearly square corners, hairline borders instead of drop shadows, generous whitespace. Grounded in kohler.co.in's own identity: bone neutrals, brushed brass, near-black ink --- never a tech-startup palette.

Hard constraint: no purple, no blue hues, no neon, anywhere --- not in charts, links, focus rings, gradients, or status colors.

Color tokens

Set these as CSS variables / Tailwind theme colors:

TokenHexUse

bg (Bone)	#F6F2E9	App background
surface	#FBF9F4	Cards, panels, inputs (Porcelain)
ink (Taupe)	#25211B	Primary text, icons --- warm near-black, never pure #000
ink-soft	#6E6455	Secondary text, captions, timestamps (Taupe)
brass	#93713F	The one accent color. Links, active states, section labels, and anything the AI authored
bronze-ink	#3C3021	Primary buttons, user chat bubbles, high-emphasis surfaces
moss	#6C7454	Positive signal only --- fit confirmed, budget on track
clay	#9B5A46	Constraint conflicts, low-confidence measurements, budget over --- warm, not alarmist red

hairline #DED3BE Borders and dividers, used instead of box-shadow

Support dark mode with a warm-dark palette (deep umber background #1B1712, warm off-white ink #F1EBDF, brighter brass #C8A26A) --- same relationships, never shift toward blue/grey darks.

Typography

- **Display/headline font:** Fraunces (serif) --- for the app name, page headings, and any moment the AI presents a finished design (e.g. "Your bathroom, planned.")
- **UI/body font:** Inter (sans) --- for everything else: forms, buttons, nav, numbers, captions

- Sentence case everywhere. No tracked-out ALL CAPS labels, no single-word accent highlighting in headlines.
- Type scale roughly: display 52px / heading 32px / body 17px / UI label 14px / caption 12.5px. Use tabular figures for all dimensions and currency numbers so they align in lists.

Component rules

- **Corners:** 3--6px radius everywhere, never fully rounded pill shapes except small tags/badges.
- **Borders over shadows:** use 1px hairline borders (hairline token) instead of soft drop shadows for cards and panels.
- **Buttons:** primary = bronze-ink fill; secondary = outline in ink; a third "brass" button style reserved specifically for AI-explanation actions like "Explain this fit."
- **AI attribution mark:** any AI-generated content (a recommendation, an explanation, a chat reply) gets a small brass-colored label/icon so users always know what the system produced vs. what they typed.
- **Status indicators:** small colored dots, not colored text blocks --- moss for "fits," brass for "needs confirmation," clay for "conflict/over budget." Never red.
- **Recommendation/product cards:** thumbnail + product name + one-sentence "why this fits" (referencing clearance, budget, or plumbing) + a thin fit-confidence bar.
- **Chat panel:** AI bubbles are surface with a hairline border and a small brass "AI · [what it checked]" meta line underneath (e.g. "AI · spatial check"); user bubbles are solid bronze-ink with light text, right-aligned.

Layout

- Generous margins, left-aligned content (not centered marketing-page style), asymmetric hero rather than a centered headline-plus-CTA block.
- No numbered step badges (01/02/03) unless the content is genuinely sequential --- the upload → analyze → design → review flow legitimately is, so that flow specifically can use them.

Currency

- **All prices are in Indian Rupees (₹), always** --- budget slider, product prices, running totals, and the design brief. Format with Indian digit grouping (e.g. ₹1,85,000, not ₹185,000), tabular figures, and the ₹ symbol rather than "INR" or "Rs." in the UI.

Screens to build

1. **Landing / start** --- short editorial hero ("Your bathroom, planned.") paired with large, elegant photography of KOHLER-style bathrooms: marble or stone surfaces, brushed brass fixtures, soft warm lighting, uncluttered composition --- the kind of imagery kohler.co.in itself uses, not a generic app screenshot or icon illustration. Use high-quality stock photography as a placeholder (source real KOHLER photography later); avoid any image with a blue- or purple-toned cast, cool white lighting, or a cluttered/staged-influencer look. One clear CTA to start a project, and a brief explanation of the four-step flow (Upload → Analyze → Design → Review).
2. **Upload & constraints** --- photo upload, dimension inputs (width/depth/height, door/window position), budget slider. Style preference should be more than one row of tags --- give it real customization:
 - **Aesthetic** (multi-select, pick up to 2): Minimal, Classic, Warm, Spa-like, Contemporary, Industrial-warm, Transitional, Rustic-luxe
 - **Fixture finish** (single-select): Brushed brass, Matte black, Polished chrome, Brushed nickel
 - **Mood intensity** (slider): Subtle neutral tones ↔ Bold accent contrast Combine these three into the palette/style profile that later drives the colour-scheme suggestion, rather than a single flat tag. Show a running "confidence" note once dimensions are estimated from a photo, with a way to confirm/correct them.
3. **AI reasoning / chat panel** --- persistent side panel where the AI explains what it detected (clearances, fixed obstacles) and the user can ask follow-up questions or request "show me with a bathtub instead," etc.
4. **Design results** --- 2--3 layout options as cards/tabs, each showing a simple 2D layout preview, the selected KOHLER products with fit-confidence bars, a running budget total against the ceiling, and a one-line "why" per product.
5. **What-if exploration** --- sliders for budget and preference weight (more luxury / more space-efficient / more sustainable) that visibly re-rank or swap products in the current design.
6. **Design brief / handoff** --- a clean, printable summary screen (dimensions, chosen products with IDs, budget breakdown, rationale per item, flagged uncertain measurements) meant to be handed to a dealer or architect.

Make it fully responsive down to mobile, with visible keyboard focus states using the brass color, and respect prefers-reduced-motion.

Use placeholder KOHLER-style product names and prices (mock data, not scraped) and label the data as prototype/demo data somewhere unobtrusive (e.g. footer).

Prompt 05 — Demo Video Voiceover (Generated with ElevenLabs)

Narration script used to generate the demo video voiceover audio via ElevenLabs text-to-speech. Wording is preserved as submitted to the tool.

[0:00 – 0:18 | Introduction / Landing Page]

Designing a bathroom is not simply about choosing individual products.

Customers need to consider their available space, budget, aesthetic preferences, functionality, and most importantly, whether all the selected products work together.

This is where our solution, KOHLER AI Bathroom Designer & Planner, comes in.

It is an AI-powered design assistant that converts these customer constraints into an optimized, catalogue-backed bathroom product bundle.

[0:18 – 0:32 | Product Overview / Workflow]

The workflow is divided into four major stages: Explore, Analyze, Optimize, and Review.

The system first understands the customer's bathroom and preferences, analyzes the available design possibilities, optimizes the product combination, and finally presents an explainable recommendation.

[0:32 – 0:48 | Bathroom Space Input]

We start by describing the bathroom.

The user can provide the bathroom dimensions or a layout or image of the space.

In this example, we provide the room dimensions along with the door and window information.

This information is important because the system should not recommend products that cannot realistically fit into the available space.

[0:48 – 1:10 | Design Preferences]

Next, we define what the customer actually wants.

The user can select preferences such as the design direction, aesthetic theme, colour and finish preferences, and the desired level of modernity.

For this example, we are designing around a Classic Luxury direction.

We also provide the available budget and adjust the importance of different factors such as space efficiency, luxury, sustainability, and cost.

This transforms a subjective design request into structured constraints that the system can process.

[1:10 – 1:30 | AI Planning / Candidate Generation]

Once the inputs are confirmed, the system generates possible design configurations.

Instead of simply searching for individual products, our approach considers the entire bathroom bundle.

This includes products such as faucets, toilets, showers, and vanities.

The objective is to find combinations that satisfy the customer's constraints while maintaining design and product compatibility.

[1:30 – 1:48 | Generated Design Direction]

The system then presents multiple design directions.

For example, we can see different concepts based on the selected aesthetic and material direction.

This gives the customer alternatives rather than forcing a single predefined design.

Each concept is associated with a calculated price and supporting design information.

[1:48 – 2:08 | Selected Products / Catalogue Evidence]

Now we move to the actual recommended products.

An important part of our implementation is that the system is catalogue-grounded.

The recommendation engine does not invent product SKUs.

The selected products are mapped back to verified KOHLER catalogue information, including product identity, specifications, pricing, and available finishes wherever applicable.

This makes the recommendation much more practical for a real-world commerce workflow.

[2:08 – 2:25 | Design Evidence / Lookbook]

We also introduce a Lookbook and design-evidence layer.

Instead of evaluating products in isolation, the system uses design relationships and product co-occurrence information to understand which products work well together visually.

This information contributes to the overall compatibility score of a proposed bathroom bundle.

[2:25 – 2:42 | Spatial + Constraint Validation]

The next layer is spatial and constraint validation.

The system considers the bathroom geometry and fixture placement before finalizing a recommendation.

This allows us to check practical constraints such as available space, placement, and required clearances.

So a product is not recommended only because it looks good or fits the budget — it also needs to work within the physical bathroom.

[2:42 – 2:58 | Optimization]

All these signals are then brought together by the optimization engine.

The optimizer balances multiple objectives: cost, spatial feasibility, aesthetic compatibility, product compatibility, and customer preferences.

Rather than optimizing for only one variable, we use a multi-objective approach to generate feasible configurations and identify suitable trade-offs.

[2:58 – 3:10 | Explainability / Validation]

The final recommendation is therefore explainable.

The user can see the selected products, their pricing, the design rationale, and the factors that contributed to the recommendation.

This makes the system more transparent than a simple black-box product recommender.

[3:10 – 3:21 | Closing]

In summary, KOHLER AI Bathroom Designer & Planner combines AI, catalogue intelligence, spatial reasoning, design evidence, and optimization into one workflow.

Our goal is to move bathroom planning from product-by-product selection to intelligent, personalized, and feasible bathroom configuration.

Thank you.

Note: Audio for the demo video voiceover was generated by feeding this script into ElevenLabs (text-to-speech), preserving the wording and timestamp structure exactly as written above.