Status	Finished
Started	Sunday, 11 October 2026, 10:24 PM
Completed	Sunday, 11 October 2026, 10:28 PM
Duration	3 mins 35 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. Programming
b. More Programming
c. Modular Programming ✓
d. Step Programming

Question **2**

Correct

Mark 1.00 out of 1.00

The function can be called in the program by writing function name followed by ____.

a. ( ) ✓
b. [ ]
c. { }
d. None of the mentioned

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is not the scope of variable?

a. Outside ✓
b. Local
c. None of the mentioned
d. Global

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
    if(i==0):
        return j
    else:
        return test(i-1,i+j)
print(test(4,7))
```

a. 13

b. 17 ✓

c. 7

d. Infinite loop

Question **5**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following function call?

```
def outer_fun(a, b):
    def inner_fun(c, d):
        return c + d
        return inner_fun(a, b)
    return a
result = outer_fun(5, 10)
print(result)
```

a. Syntax Error

b. 5

c. (15,5)

d. 15 ✗

Question **6**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called _____ times.

a. 3

b. Multiple times ✓

c. 2

d. 5

Question **7**

Correct

Mark 1.00 out of 1.00

def cal(n1) : What is n1?

a. Argument
b. None of the mentioned
c. Keyword
d. Parameter ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial👎 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. (n-1)*(n-2)
b. n*(n-1)
c. fact(n)*fact(n-1)
d. (n * factorial(n - 1)) ✓

Question **9**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. List
b. Tuple ✓
c. Dictionary
d. String

Question **10**

Correct

Mark 1.00 out of 1.00

Write the output of : print(abs(-45))

- a. 45 ✓
- b. None of the mentioned
- c. -45
- d. 45.0

Question **11**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

- a. [4, 5, 6]
- b. [7] ✓
- c. 7
- d. [1, 2, 3, 4]

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

- a. Keyword argument
- b. default argument
- c. Required argument
- d. initial argument ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def scan(p1, p2 = 4, p3 = 5):
- c. def sum(n1, n2, n = 3):
- d. def mul(p1, n1, m1):

Question **14**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. tuple( )

b. print( )

c. input( )

d. dictionary( ) ✓

Question **15**

Correct

Mark 1.00 out of 1.00

cal(n1) : What is n1?

a. Parameter

b. None of the mentioned

c. Keyword

d. Argument ✓