

Creating an GitHub account

TASK 1 [GIT & GITHUB] | COGNIZANCE | monkeycoder-09 (KrsH)

github.com/monkeycoder-09

Web Design | Coding | Other bookmarks

Search or jump to... Pull requests Issues Marketplace Explore

Overview Repositories 1 Projects Packages Stars

Popular repositories

You don't have any public repositories yet.

5 contributions in the last year

Contribution settings

KrsH
monkeycoder-09

Edit profile

Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb

Mon

Tue

Wed

Thu

Learn how we count contributions

Less More

Contribution activity

2022

February 2022

2021

2020

monkeycoder-09 has no activity yet for this period.

Show more activity

Install Git In Your desktop

```
MINGW64/C:/Users/khars
C:\Users\khars>git --version
git version 2.35.1.windows.2

C:\Users\khars>git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.sshLinks=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttp
path=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master

C:\Users\khars>git config --global user.name "KrsH"

C:\Users\khars>git config --global user.email "cocbase920@gmail.com"


C:\Users\khars>git config --list --show-origin
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.sshLinks=false
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttp
path=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/khars/.gitconfig user.name=KrsH
file:C:/Users/khars/.gitconfig user.email=cocbase920@gmail.com

C:\Users\khars>
```


1. Create a repository with name "Cognizance" on GitHub using Git Bash.

```
MINGW64/C:/Users/khars/Documents/Cognizance
khars@LAPTOP-UVNNDEUC MINGW64 ~
$ cd Documents
bash: cd: Documents: No such file or directory
khars@LAPTOP-UVNNDEUC MINGW64 ~
$ cd Documents
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents
$ cd Cognizance
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ git init
Initialized existing Git repository in C:/Users/khars/Documents/Cognizance/.git/
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ git remote add origin https://github.com/monkeycoder-09/Cognizance.git
error: remote origin already exists.
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ git add .
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ git commit -m "adding Task-1"
[master (root-commit) 729df43] adding Task-1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Task-1/Creating an GitHub account.docx
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 431.08 KiB | 17.24 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/monkeycoder-09/Cognizance.git
 * [new branch] master -> master
khars@LAPTOP-UVNNDEUC MINGW64 ~/Documents/Cognizance (master)
$ |
```

2. Create a folder with name "Task-1" in the repository and perform the Git operations using Git Bash.



3. Upload the screenshot of the git bash using This command in your computer.



```
MINGW64/C:/Users/Ahans
sharsBLAPTOP-DVNDQDC MINGW64 ~
$ git config --list --show-origin
error: ambiguous option: show- (could be --show-origin or --show-scope)
usage: git config [<options>]

Config file location
--global          use global config file
--system          use system config file
--local           use repository config file
--worktree        use per-worktree config file
-f, --file <file> use given config file
--blob <blob-id>  read config from given blob object

Action
--get             get value: name [value-pattern]
--get-all        get all values: key [value-pattern]
--get-regexp      get values for regexp: name-regex [value-pattern]
--get-urlmatch    get value specific for the url: section[.var] URL
--replace-all    replace all matching variables: name value [value-pattern]

--add            add a new variable: name value
--unset          remove a variable: name [value-pattern]
--unset-all      remove all matches: name [value-pattern]
--rename-section  rename section: old-name new-name
--remove-section remove a section: name
-l, --list        list all
--fixed-value     use string equality when comparing values to 'value-pattern'

-e, --edit        open an editor
--get-color       find the color configured: slot [default]
--get-colorbool   find the color setting: slot [stdout-is-atty]

type
-t, --type <type> value is given this type
--bool            value is "true" or "false"
--int             value is decimal number
--bool-or-int     value is --bool or --int
--bool-or-str     value is --bool or string
--path           value is a path (file or directory name)
--expiry-date     value is an expiry date

other
-z, --null        terminate values with NUL byte
--name-only       show variable names only
--includes        respect include directives on lookup
--show-origin     show origin of config (file, standard input, blob, command line)
--show-scope      show scope of config (worktree, local, global, system, command)
--default <value> with --get, use default value when missing entry

sharsBLAPTOP-DVNDQDC MINGW64 ~
$
```

Note:

There are already few basic operations which have been performed in the above three tasks.

Basic Operations

```
C:\Users\khars\Documents\GitHub\Cognizance>git add .
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git checkout  
Your branch is up to date with 'origin/master'.
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git clone https://github.com/monkeycoder-09/Cognizance.git  
Cloning into 'Cognizance'...  
remote: Enumerating objects: 8, done.  
remote: Counting objects: 100% (8/8), done.  
remote: Compressing objects: 100% (5/5), done.  
remote: Total 8 (delta 0), reused 8 (delta 0), pack-reused 0  
Receiving objects: 100% (8/8), 1.32 MiB | 4.79 MiB/s, done.
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git commit -a  
On branch master  
Your branch is up to date with 'origin/master'.
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git fetch  
  
C:\Users\khars\Documents\GitHub\Cognizance>
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git pull  
Already up to date.
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git push  
Everything up-to-date
```

```
C:\Users\khars\Documents\GitHub\Cognizance>git reset  
  
C:\Users\khars\Documents\GitHub\Cognizance>_
```