

COVID-19 updates

In addition to pulling COVID-19 data feeds from provincial, federal and org sites we maintain a Winnipeg Free Press COVID-19 tracker on Google Sheets.

<https://docs.google.com/spreadsheets/d/19lqfhdXQaQbCJDns3yG0EEL4TAYGRgEGKKyLeELvLNA/edit#gid=362680117>

Request edit access if you are not using the WFP group credentials.

Monday to Friday -- TJI

The weekday COVID-19 bulletin provides Winnipeg test positivity, regional case breakdowns and minimal details of the reported deaths. Some of this information is compiled and not available elsewhere.

Update the fields in the **TJI** worksheet as follows:

daily_deaths: total number of COVID-19 deaths the province is reporting

positivity_manitoba: Provincial 5-day test positivity rate

positivity_winnipeg: Winnipeg's 5-day test positivity rate

hospitalized_total: Total COVID-19 hospitalization in Manitoba **icu_total:**

Total COVID-19 ICU occupancy in Manitoba **rha_interlake:** Reported total for each health region **rha_northern:** Reported total for each health region

rha_prairiemountain: Reported total for each health region **rha_southern:**

Reported total for each health region **rha_winnipeg:** Reported total for each

health region **death_bullet**: One entry for each disclosed death, copy-paste the bullets from the bulletin and then duplicate the field name as required. Remove any unused *death_bullets*.

Update the fields and process the data using `run_tji.R` (see below).

Daily totals

The province compiles some COVID-19 data for the daily bulletin. Enter those values in the **Daily totals** worksheet and, on weekdays, the **test positivity** worksheet when Winnipeg's rate is reported.

Enter values using a combination of the bulletin and the dashboard

<https://experience.arcgis.com/experience/f55693e56018406ebbd08b3492e99771>

- new_daily_cases
- confirmed and probable
- active
- recovered
- deaths
- total_hospital
- total_ICU
- active_hospital
- active_ICU
- test to date

The blue columns calculate several daily differences and can be left mostly as-is except for the **new_daily_deaths** column which is affected when the province reports a deaths data correction. ON those days, manually enter the reported number of deaths in the field.

Once the fields are updated, proceed to `run.R` below.

Weekly Epi reports


The province publishes a weekly COVID-19 report on most Monday's. Key metrics are tracked in these worksheets. TKTK on what to update.

- health-care workers
- symptoms
- transmission source


R for analysis, graphics, notebooks and TJIs

Tracked data along with provincial, federal and org data feeds is processed and analysed using an application written in R. The code runs analysis, assembles a TJI, generates programmed graphics and produces notebooks for reporters to reference.

- Open a new browser tab for [RStudio on Digital Ocean](#) using the provided credentials. You should see a three or four pane layout.
 - Files are listed in the lower-left. Files are opened and ready to run in the upper-left. Key menu items are shown with an arrow.




-
- It is best to start with a new session to ensure a clean slate. From the RStudio menu, select **Session** and **Restart R**. Also clear the console with **CTRL-L**.




TJI

- The `run_tji.R` file should be visible in the upper-left Source pane. If not, double-click on the filename in the Files pane.
- To run the TJI code, click the **Source** icon (blue arrow pointing right) in the upper-right of the Source pane. You can also select **Source** from the **Code** menu.



The TJI code will run and output a hed and body in the **Console** pane on the right. Select the compiled text and paste it into a new TJI entry in Click, setting expiry to 24 hours and target *This just in* under *Latest*.



Generating graphics, notebooks and more with R


When all of the required fields have been filled in the relevant Google Sheets, open the `run.R` file from the file browser pane and click **Source**.

This file takes a few minutes to run. Messages will appear in the console on the right including warnings and errors. The console will also report when generated files are being uploaded to the Amazon bucket.

The cache on Amazon buckets sometimes needs to be nudged. To rerun and upload graphics without the extra data download time, source the `run_existing_data.R` file listed in the Files pane.

A message should appear in the console when the file has finished running. Updated graphics appear on the COVID-19 by the numbers page <https://stage.www.winnipegfreepress.com/special/coronavirus/COVID-19-by-the-numbers-569451931.html>

The vaccine notebook is posted to <https://wfpdata.s3.amazonaws.com/covid-19-tracker/vaccinations.html>



```
1 if (!require("upstarttr")) install.packages("upstarttr")
2 library("upstarttr")
3 run_config()
4
5
6 #####
7 # Grab and cache latest data from Google Sheets and various dahsboards.
8 # This can take a few minutes to run.
9 #####
10 source(dir_src("get.R"))
11
12
13 #####
14 # Process new data to prepare for analysis
15 #####
```

The screenshot shows the RStudio IDE with the following components:

- Menu Bar:** File, Edit, Code, View, Plots, Session, Build, Debug, Profile, Tools, Help.
- Toolbar:** Includes icons for file operations and a "Go to file/function" search bar.
- Source Pane:** Displays the R script code. A yellow arrow points to the "Source" button in the top right corner of this pane.
- Console:** Shows the execution progress, currently at line 3:1 (Top Level).
- Files Pane:** Shows the project structure with a folder named "covid19_analysis".