

TIER 3 · monkeygod.us

TIER 3 ELITE VAULT.

Tier 2 is solid. This is what sits above it.

- Elite quick reference — six settings at peak configuration
- Dual-filter stack — IP locator layer + gender filter running together
- Scan rate oscillation — dynamic tuning by session hour
- Skip-rate monitoring system — real-time threshold adjustment
- Ban avoidance at elite level — risk ratings and exact fixes
- Optimization stack — five ranked improvements with impact + cost

01 —

ELITE QUICK REFERENCE

Six settings at peak elite configuration. If any of these differ from what you are running, update them before reading the rest of this guide.

SETTING	ELITE VALUE	ELITE RATIONALE
Scan Rate	750ms peak / 1000ms off-peak	During peak hours, the match pool is larger — faster scanning means faster male rejection and faster female delivery. Off-peak: revert to 1000ms to conserve CPU.
Threshold	62% baseline, adjusted by skip-rate data	62% is marginally more precise than 60% with no measurable false-positive increase. Adjust live based on skip-rate monitoring (see Section 04).
Dual-Filter Stack	IP locator (Premium) + gender filter active simultaneously	Country targeting pre-filters by geography before gender detection fires. Reduces wasted cycles on non-target region matches.
Browser Isolation	Dedicated browser profile, no other extensions	Other extensions consume CPU and can interfere with the pipeline. Create a separate Chrome profile used only for chat sessions.
Session Logging	Active — every session tracked	Without data, optimization is guesswork. Log skip count, match count, platform, time window, and threshold per session.
VPN	US East Coast, rotated per session	Rotating to a different US East Coast server each session prevents flagging from repeated connections on the same VPN IP.

02 —

DUAL-FILTER STACK — IP LOCATOR + GENDER FILTER

Premium mode adds country/region targeting. At elite level, you run both filters simultaneously: geographic filtering eliminates non-target regions first, then gender detection runs only on region-qualified matches.

FILTER LAYER	FUNCTION
IP Locator Layer (Premium)	Detects the geographic origin of each incoming connection using IP geolocation. If country targeting is active, matches outside the target region are rejected before the gender pipeline even starts. Reduces total connections processed by 40–60% when targeting English-speaking countries.
Gender Filter Layer (Demo or Premium)	Runs the full face detection → classification pipeline on region-qualified matches only. With the IP layer handling geographic filtering, the gender pipeline has a higher-quality input pool and processes fewer total connections per session.

SETUP: In the extension premium panel, set Country Targeting to US, UK, Canada, Australia. These four regions combined cover the largest English-speaking female match pool. Targeting US only reduces quantity but maximizes demographic match quality.

03 —

SCAN RATE OSCILLATION

Elite sessions dynamically adjust scan rate based on the current match queue size. More active matches in the pool = lower scan rate needed. Fewer active matches = higher scan rate to avoid wasting CPU on an empty queue.

SESSION CONDITION	SCAN RATE	REASON
Peak hours (9PM – 1AM)	750ms	Large queue means more connections per minute. Faster scanning rejects males sooner and delivers the next female match faster. CPU tradeoff is worth it at this traffic volume.
Normal hours (Afternoon)	1000ms	Standard rate. Balanced performance and CPU load. Correct for most sessions outside of pure peak window.
Off-peak (Morning / Late night)	1250ms	Thin queue means fast scanning wastes CPU on infrequent matches. Dropping to 1250ms saves resources without any real speed penalty when matches arrive slowly.

04 —

SKIP-RATE MONITORING

Monitor your skip count during each session. Skip rate tells you whether the threshold is calibrated correctly for the current pool. Adjust in real time based on these benchmarks.

SKIPS PER 10 MINUTES	INTERPRETATION	ACTION
1–5 skips	Optimal. Filter is working perfectly at this threshold.	Hold everything exactly as it is. Document this setup — it is your peak configuration.
8–12 skips	Normal. Operating within expected range.	No adjustment needed. Continue exactly as you are.
13–20 skips	High. Pool is male-heavy or threshold may be too aggressive.	Lower threshold by 3%. Check interest tags — pool may need refreshing.
20+ skips	Critical. Wrong tag set, bad VPN server, or time window issue.	Lower threshold to 55%. Switch VPN to different server. Refresh tags to Set B or Set C. Switch platforms if issue persists.

05 —

BAN AVOIDANCE — RISK RATINGS

TRIGGER	RISK	FIX
Unlit / dark camera feed	HIGH	Use a ring light. The platform AI needs clear visual data to classify sessions. A well-lit feed reads as normal and legitimate. Dark feed increases misclassification and ban risk.
Torso / stomach exposure	HIGH	Large exposed skin areas are the primary detection zone for platform content moderation AI. Keep the frame chest-up. Cover everything below with dark clothing.
Erratic camera movement	MEDIUM	Rapid or unstable camera movement is correlated with inappropriate content in training data. Lock the camera on a fixed surface. Never hold it handheld.

Explicit text in text chat	HIGH	Text is scanned in real time in parallel to the video AI. Explicit text + video = highest combined ban confidence score. Never type explicit words. Use your mic.
Running same IP over 90 min	MEDIUM	Long sessions on one IP accumulate report weight and flag automated behavior. Switch VPN server every 90 minutes. Rotate IPs, not just sessions.
Explicit display name	MEDIUM	When reports accumulate, display names are reviewed by moderation. Neutral username only. Nothing sexual or explicit.

06 —

OPTIMIZATION STACK — RANKED BY IMPACT

OPTIMIZATION	IMPACT	COST
Gender filter + US East Coast VPN	Highest single-impact combination. Largest pool combined with most effective filter. 95%+ female matches when both are active.	Free — VPN already in use
Interest tag rotation	Prevents algorithm suppression from repeated identical tag sets. Keeps match profile fresh and maintains algorithm priority.	Free — time only
Ring light	Lighting quality has the highest visible impact on match retention after filter. A well-lit face produces dramatically fewer immediate disconnects.	Low — \$15–30
Mic-off entry	Starting visual-only reduces the pressure that causes immediate skips. Give her 3–5 seconds to see you before the mic opens.	Free — behavior change
Close competing processes	Every other open tab and application competes with the filter AI for CPU cycles. Dedicated browser profile with no other extensions + closed background apps gives the pipeline full bandwidth.	Free

→ Chrome Extension (Direct Install)	https://chromewebstore.google.com/detail/videochat-extension-ip-locator/alchldmijhnnapijdmchpkdeikibjgoi
→ Firefox Add-on	addons.mozilla.org/en-US/firefox/addon/videochat-extension-ip-locator/
→ Video Tutorial	youtube.com/watch?v=RyYSRu7cnYI
→ MonkeyGod	monkeygod.us
→ Telegram Channel	https://t.me/+6xwda1yALdk2YmFh

MG

JOIN THE FREE CHANNEL

Live updates, new methods, and community content.

<https://t.me/+6xwda1yALdk2YmFh>

This guide is for verified members only. Do not redistribute.

© MONKEYGOD — All methods personally verified. monkeygod.us