




evidencias-products-api












Products API › 4. update (completo) - cambia el id
PUT
{{baseUrl}} /api/v1/products/update/3
Send
{
"name": "Monitor 27\"",
"price": 3199.5,
"stock": 8,
"description": "Monitor Full HD",
"brand": "Samsung",
"img": "https://example.com/monitor.png"
}
200 OK · 13 ms · 449 B
{
"ok": true,
"message": "Producto actualizado",
"data": {
"id": 3,
"name": "Monitor 27\"",
"price": "3199.50",
"stock": 8,
"description": "Monitor Full HD",
"brand": "Samsung",
"img": "https://example.com/monitor.png",
"active": 1
}
}



Products API › 5. change-price
PATCH
{{baseUrl}} /api/v1/products/change-price/3
Send
{
"price": 2999.0
}
200 OK · 34 ms · 447 B
{
"ok": true,
"message": "Precio actualizado",
"data": {
"id": 3,
"name": "Monitor 27\"",
"price": "2999.00",
"stock": 8,
"description": "Monitor Full HD",
"brand": "Samsung",
"img": "https://example.com/monitor.png",
"active": 1
}
}


Products API › 6. delete (baja lógica)
DELETE
{{baseUrl}} /api/v1/products/delete/3
Send
Query Params
Key
Value
Description
200 OK · 48 ms · 282 B
{
"ok": true,
"message": "Producto dado de baja"
}


Products API > 7. getAll tras la baja
GET {{baseUrl}} /api/v1/products/getAll?active=TRUE
Send
Query Params
Key Value Description
active TRUE
Body Cookies Headers 7 Test Results
200 OK · 9 ms · 560 B
{
"ok": true,
"data": [
{
"id": 1,
"name": "Teclado mecánico",
"price": "899.90",
"stock": 25,
"description": "Teclado mecánico retroiluminado",
"brand": "Logitech",
"img": null,
"active": 1
},
{
"id": 2,
"name": "Mouse inalámbrico",
"price": "349.00",
"stock": 40,
"description": "Mouse ergonómico 2.4GHz",
"brand": "Logitech",
"img": null,
"active": 1
}
]
}
Products API > 8. getById tras la baja (404)
GET {{baseUrl}} /api/v1/products/getById/3
Send
Body Cookies Headers 7 Test Results
404 Not Found · 23 ms · 291 B
Investigate 404 error
Diagnose Decline
{
"ok": false,
"message": "Producto no encontrado"
}
Products API > 9. ID inexistente (404)
GET {{baseUrl}} /api/v1/products/getById/99999
Send
Body Cookies Headers 7 Test Results
404 Not Found · 9 ms · 291 B
Request is working as expected
Diagnose Decline
{
"ok": false,
"message": "Producto no encontrado"
}


monserrat's Workspace
Search
Invite
Upgrade
No Environment
COLLECTIONS
My Collection
Get data
Post data
Products API
1. getAll (active=TRUE)
2. getById (activo)
3. create
4. update (completo) - cambia el id
5. change-price
6. delete (baja lógica)
7. getAll tras la baja
8. getById tras la baja (404)
9. ID inexistente (404)
10. Datos inválidos: price negativo (400)
11. Datos inválidos: price texto (400)
12. Datos inválidos: id no entero (400)
Products API › 10. Datos inválidos: price negativo (400)
Save
Share
POST
{{baseUrl}} /api/v1/products/create
Send
Docs
Params
Authorization
Headers 9
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
Text
{
"name": "Monitor 24\"",
"price": -5,
"stock": 10,
"description": "Monitor Full HD",
"brand": "Samsung",
"img": "https://example.com/monitor.png"
}
Body
Cookies
Headers 7
Test Results
400 Bad Request
5 ms
337 B
Save Response
Fix the price value
Fix
Decline
JSON
Preview
Debug with AI
{
"ok": false,
"message": "price debe ser numérico, mayor que cero y con máximo 2 decimales"
}


COLLECTIONS
My Collection
Get data
Post data
Products API
1. getAll (active=TRUE)
2. getById (activo)
3. create
4. update (completo) - cambia el id
5. change-price
6. delete (baja lógica)
7. getAll tras la baja
8. getById tras la baja (404)
9. ID inexistente (404)
10. Datos inválidos: price negativo (400)
11. Datos inválidos: price texto (400)
12. Datos inválidos: id no entero (400)
Products API › 11. Datos inválidos: price texto (400)
Save
Share
PATCH
{{baseUrl}} /api/v1/products/change-price/1
Send
Docs
Params
Authorization
Headers 9
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
Text
{
"price": "abc"
}
Body
Cookies
Headers 7
Test Results
400 Bad Request
5 ms
337 B
Save Response
Fix the price field
Fix
Decline
JSON
Preview
Debug with AI
{
"ok": false,
"message": "price debe ser numérico, mayor que cero y con máximo 2 decimales"
}


COLLECTIONS
My Collection
Get data
Post data
Products API
1. getAll (active=TRUE)
2. getById (activo)
3. create
4. update (completo) - cambia el id
5. change-price
6. delete (baja lógica)
7. getAll tras la baja
8. getById tras la baja (404)
9. ID inexistente (404)
10. Datos inválidos: price negativo (400)
11. Datos inválidos: price texto (400)
12. Datos inválidos: id no entero (400)
Products API › 12. Datos inválidos: id no entero (400)
Save
Share
GET
{{baseUrl}} /api/v1/products/getById/abc
Send
Docs
Params
Authorization
Headers 7
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Body
Cookies
Headers 7
Test Results
400 Bad Request
6 ms
304 B
Save Response
Fix the product ID parameter
Fix
Decline
JSON
Preview
Debug with AI
{
"ok": false,
"message": "El id debe ser un entero positivo"
}