```
<?xml version="1.0" encoding="UTF-8"?>
<enderio:recipes xmlns:enderio="http://enderio.com/recipes" xmlns:xsi="http://www.w3.</pre>
org/2001/XMLSchema-instance" xsi:schemaLocation="http://enderio.com/recipes recipes.
xsd ">
<!--
These are the built-in recipes. You cannot change this file, it is a
reference for you only and will be generated every time the game starts.
To make changes to the recipes, copy the recipes you want to change to
a file in the 'user' folder.
You can also disable all built-in recipes with the setting "loadCoreRecipes"
in the Ender IO config file, so that only your files in the 'user' folder will
be loaded. Please be advised that a number of recipes are absolutely needed,
so you will have to copy those over into a 'user' file for the game to load.
More information on the syntax can be found in the recipes.xsd file. An
XML editor will display that as tooltips when editing this file.
 -->
  <recipe name="Potion: Floating">
    <brewing>
      <input potion="minecraft:awkward"/>
      <reagent name="eggOwl"/>
      <output potion="enderio:floating"/>
    </brewing>
  </recipe>
  <recipe name="Potion: Floating, Strong">
    <brewing>
      <input potion="enderio:floating"/>
      <reagent name="dustGlowstone"/>
      <output potion="enderio:strong_floating"/>
    </brewing>
  </recipe>
  <recipe name="Potion: Floating, Long">
```

<bre><brewing>

</brewing>
</recipe>

<brewing>

</brewing>
</recipe>

<brewing>

</brewing>
</recipe>

<brewing>

<input potion="enderio:floating"/>
<reagent name="dustRedstone"/>

<input potion="minecraft:awkward"/>
<reagent name="itemConfusingDust"/>
<output potion="enderio:confusion"/>

<recipe name="Potion: Confusion, Long">

<recipe name="Potion: Withering">

<input potion="enderio:confusion"/>
<reagent name="dustRedstone"/>

<input potion="minecraft:awkward"/>

<output potion="enderio:long_confusion"/>

<recipe name="Potion: Confusion">

<output potion="enderio:long_floating"/>