CSE 431/531: Algorithm Analysis and Design (Fall 2022)

Dynamic Programming

Lecturer: Shi Li

Department of Computer Science and Engineering
University at Buffalo

Paradigms for Designing Algorithms

Greedy algorithm

- Make a greedy choice
- Prove that the greedy choice is safe
- Reduce the problem to a sub-problem and solve it iteratively
- Usually for optimization problems

Divide-and-conquer

- Break a problem into many independent sub-problems
- Solve each sub-problem separately
- Combine solutions for sub-problems to form a solution for the original one
- Usually used to design more efficient algorithms

Paradigms for Designing Algorithms

Dynamic Programming

- Break up a problem into many overlapping sub-problems
- Build solutions for larger and larger sub-problems
- Use a table to store solutions for sub-problems for reuse

Recall: Computing the n-th Fibonacci Number

- $F_0 = 0, F_1 = 1$
- $F_n = F_{n-1} + F_{n-2}, \forall n \geq 2$
- Fibonacci sequence: $0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, \cdots$

Fib(n)

1: $F[0] \leftarrow 0$
2: $F[1] \leftarrow 1$
3: **for** $i \leftarrow 2$ to n **do**
4: $\quad F[i] \leftarrow F[i-1] + F[i-2]$
5: **return** $F[n]$

Recall: Computing the n-th Fibonacci Number

- $F_0 = 0, F_1 = 1$
- $F_n = F_{n-1} + F_{n-2}, \forall n \geq 2$
- Fibonacci sequence: $0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, \cdots$

Fib(n)

1: $F[0] \leftarrow 0$
2: $F[1] \leftarrow 1$
3: **for** $i \leftarrow 2$ to n **do**
4: $\quad F[i] \leftarrow F[i-1] + F[i-2]$
5: **return** $F[n]$

- Store each $F[i]$ for future use.

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Recall: Interval Schduling

Input: n jobs, job i with start time s_i and finish time f_i

i and j are compatible if $[s_i, f_i)$ and $[s_j, f_j)$ are disjoint

Output: a maximum-size subset of mutually compatible jobs



Recall: Interval Schduling

Input: n jobs, job i with start time s_i and finish time f_i

i and j are compatible if $[s_i, f_i)$ and $[s_j, f_j)$ are disjoint

Output: a maximum-size subset of mutually compatible jobs



Weighted Interval Scheduling

Input: n jobs, job i with start time s_i and finish time f_i

each job has a weight (or value) $v_i > 0$

i and j are compatible if $[s_i, f_i)$ and $[s_j, f_j)$ are disjoint

Output: a maximum-weight subset of mutually compatible jobs

Weighted Interval Scheduling

Input: n jobs, job i with start time s_i and finish time f_i

each job has a weight (or value) $v_i > 0$

i and j are compatible if $[s_i, f_i)$ and $[s_j, f_j)$ are disjoint

Output: a maximum-weight subset of mutually compatible jobs



Weighted Interval Scheduling

Input: n jobs, job i with start time s_i and finish time f_i

each job has a weight (or value) $v_i > 0$

i and j are compatible if $[s_i, f_i)$ and $[s_j, f_j)$ are disjoint

Output: a maximum-weight subset of mutually compatible jobs



Optimum value = 220

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time?

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights
- Job with the largest weight?

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights
- Job with the largest weight? No, we are ignoring times

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights
- Job with the largest weight? No, we are ignoring times
- Job with the largest $\frac{\text{weight}}{\text{length}}$?

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights
- Job with the largest weight? No, we are ignoring times
- Job with the largest $\frac{\text{weight}}{\text{length}}$?

  No, when weights are equal, this is the shortest job

Hard to Design a Greedy Algorithm

Q: Which job is safe to schedule?

- Job with the earliest finish time? No, we are ignoring weights
- Job with the largest weight? No, we are ignoring times
- Job with the largest $\frac{\text{weight}}{\text{length}}$?

  No, when weights are equal, this is the shortest job



Designing a Dynamic Programming Algorithm

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

Designing a Dynamic Programming Algorithm



i	$opt[i]$
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	

- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

i	$opt[i]$
0	0
1	
2	
3	
4	
5	
6	
7	
8	
9	

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

i	$opt[i]$
0	0
1	80
2	
3	
4	
5	
6	
7	
8	
9	

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

i	$opt[i]$
0	0
1	80
2	100
3	
4	
5	
6	
7	
8	
9	

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

i	$opt[i]$
0	0
1	80
2	100
3	100
4	
5	
6	
7	
8	
9	

Designing a Dynamic Programming Algorithm



- Sort jobs according to non-decreasing order of finish times
- $opt[i]$: optimal value for instance only containing jobs $\{1, 2, \cdots, i\}$

i	$opt[i]$
0	0
1	80
2	100
3	100
4	105
5	150
6	170
7	185
8	220
9	220

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Q: The value of optimal solution that does not contain i?

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Q: The value of optimal solution that contains job i?

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Q: The value of optimal solution that contains job i?

A: $v_i + opt[p_i]$, p_i = the largest j such that $f_j \leq s_i$

Designing a Dynamic Programming Algorithm



- Focus on instance $\{1, 2, 3, \cdots, i\}$,
- $opt[i]$: optimal value for the instance
- assume we have computed $opt[0], opt[1], \cdots, opt[i-1]$

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Q: The value of optimal solution that contains job i?

A: $v_i + opt[p_i]$, p_i = the largest j such that $f_j \leq s_i$

Designing a Dynamic Programming Algorithm

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Q: The value of optimal solution that contains job i?

A: $v_i + opt[p_i]$, p_i = the largest j such that $f_j \leq s_i$

Designing a Dynamic Programming Algorithm

Q: The value of optimal solution that does not contain i?

A: $opt[i-1]$

Q: The value of optimal solution that contains job i?

A: $v_i + opt[p_i]$, p_i = the largest j such that $f_j \leq s_i$

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] =$
- $opt[3] =$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] =$
- $opt[3] =$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\}$
- $opt[3] =$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] =$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\}$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\} = 100$
- $opt[4] =$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\} = 100$
- $opt[4] = \max\{opt[3], 25 + opt[1]\}$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\} = 100$
- $opt[4] = \max\{opt[3], 25 + opt[1]\} = 105$
- $opt[5] =$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\} = 100$
- $opt[4] = \max\{opt[3], 25 + opt[1]\} = 105$
- $opt[5] = \max\{opt[4], 50 + opt[3]\}$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0$
- $opt[1] = \max\{opt[0], 80 + opt[0]\} = 80$
- $opt[2] = \max\{opt[1], 100 + opt[0]\} = 100$
- $opt[3] = \max\{opt[2], 90 + opt[0]\} = 100$
- $opt[4] = \max\{opt[3], 25 + opt[1]\} = 105$
- $opt[5] = \max\{opt[4], 50 + opt[3]\} = 150$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0, \quad opt[1] = 80, \quad opt[2] = 100$
- $opt[3] = 100, \quad opt[4] = 105, \quad opt[5] = 150$

Designing a Dynamic Programming Algorithm

Recursion for $opt[i]$:

$$opt[i] = \max\{opt[i-1], v_i + opt[p_i]\}$$



- $opt[0] = 0, \quad opt[1] = 80, \quad opt[2] = 100$
- $opt[3] = 100, \quad opt[4] = 105, \quad opt[5] = 150$
- $opt[6] = \max\{opt[5], 70 + opt[3]\} = 170$
- $opt[7] = \max\{opt[6], 80 + opt[4]\} = 185$
- $opt[8] = \max\{opt[7], 50 + opt[6]\} = 220$
- $opt[9] = \max\{opt[8], 30 + opt[7]\} = 220$

Dynamic Programming

1: sort jobs by non-decreasing order of finishing times
2: compute $p_1, p_2, \cdots, p_n$
3: $opt[0] \leftarrow 0$
4: **for** $i \leftarrow 1$ to n **do**
5: $\quad opt[i] \leftarrow \max\{opt[i-1], v_i + opt[p_i]\}$

Dynamic Programming

1: sort jobs by non-decreasing order of finishing times
2: compute $p_1, p_2, \cdots, p_n$
3: $opt[0] \leftarrow 0$
4: **for** $i \leftarrow 1$ to n **do**
5: $\quad opt[i] \leftarrow \max\{opt[i-1], v_i + opt[p_i]\}$

- Running time sorting: $O(n \lg n)$
- Running time for computing p: $O(n \lg n)$ via binary search
- Running time for computing $opt[n]$: $O(n)$

How Can We Recover the Optimum Schedule?

1: sort jobs by non-decreasing order of finishing times
2: compute $p_1, p_2, \cdots, p_n$
3: $opt[0] \leftarrow 0$
4: **for** $i \leftarrow 1$ to n **do**
5: **if** $opt[i-1] \geq v_i + opt[p_i]$ **then**
6: $opt[i] \leftarrow opt[i-1]$
7:
8: **else**
9: $opt[i] \leftarrow v_i + opt[p_i]$
10:

How Can We Recover the Optimum Schedule?

1: sort jobs by non-decreasing order of finishing times
2: compute $p_1, p_2, \cdots, p_n$
3: $opt[0] \leftarrow 0$
4: **for** $i \leftarrow 1$ to n **do**
5: **if** $opt[i-1] \geq v_i + opt[p_i]$ **then**
6: $opt[i] \leftarrow opt[i-1]$
7: $b[i] \leftarrow$ N
8: **else**
9: $opt[i] \leftarrow v_i + opt[p_i]$
10: $b[i] \leftarrow$ Y

How Can We Recover the Optimum Schedule?

1: sort jobs by non-decreasing order of finishing times
2: compute $p_1, p_2, \cdots, p_n$
3: $opt[0] \leftarrow 0$
4: **for** $i \leftarrow 1$ to n **do**
5: **if** $opt[i-1] \geq v_i + opt[p_i]$ **then**
6: $opt[i] \leftarrow opt[i-1]$
7: $b[i] \leftarrow$ N
8: **else**
9: $opt[i] \leftarrow v_i + opt[p_i]$
10: $b[i] \leftarrow$ Y

1: $i \leftarrow n, S \leftarrow \emptyset$
2: **while** $i \neq 0$ **do**
3: **if** $b[i] =$ N **then**
4: $i \leftarrow i - 1$
5: **else**
6: $S \leftarrow S \cup \{i\}$
7: $i \leftarrow p_i$
8: **return** S

Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	
2	100	
3	100	
4	105	
5	150	
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	
3	100	
4	105	
5	150	
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	
4	105	
5	150	
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	
5	150	
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Recovering Optimum Schedule: Example

i	$opt[i]$	$b[i]$
0	0	$\perp$
1	80	Y
2	100	Y
3	100	N
4	105	Y
5	150	Y
6	170	Y
7	185	Y
8	220	Y
9	220	N



Dynamic Programming

- Break up a problem into many overlapping sub-problems
- Build solutions for larger and larger sub-problems
- Use a table to store solutions for sub-problems for reuse

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Subset Sum Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} w_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

Subset Sum Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} w_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

- Motivation: you have budget W, and want to buy a subset of items, so as to spend as much money as possible.

Subset Sum Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} w_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

- Motivation: you have budget W, and want to buy a subset of items, so as to spend as much money as possible.

Example:

- $W = 35, n = 5, w = (14, 9, 17, 10, 13)$

Subset Sum Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} w_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

- Motivation: you have budget W, and want to buy a subset of items, so as to spend as much money as possible.

Example:

- $W = 35, n = 5, w = (14, 9, 17, 10, 13)$
- Optimum: $S = \{1, 2, 4\}$ and $14 + 9 + 10 = 33$

Greedy Algorithms for Subset Sum

Candidate Algorithm:

- Sort according to non-increasing order of weights
- Select items in the order as long as the total weight remains below W

Greedy Algorithms for Subset Sum

Candidate Algorithm:

- Sort according to non-increasing order of weights
- Select items in the order as long as the total weight remains below W

Q: Does candidate algorithm always produce optimal solutions?

Greedy Algorithms for Subset Sum

Candidate Algorithm:

- Sort according to non-increasing order of weights
- Select items in the order as long as the total weight remains below W

Q: Does candidate algorithm always produce optimal solutions?

A: No. $W = 100, n = 3, w = (51, 50, 50)$.

Greedy Algorithms for Subset Sum

Candidate Algorithm:

- Sort according to non-increasing order of weights
- Select items in the order as long as the total weight remains below W

Q: Does candidate algorithm always produce optimal solutions?

A: No. $W = 100, n = 3, w = (51, 50, 50)$.

Q: What if we change "non-increasing" to "non-decreasing"?

Greedy Algorithms for Subset Sum

Candidate Algorithm:

- Sort according to non-increasing order of weights
- Select items in the order as long as the total weight remains below W

Q: Does candidate algorithm always produce optimal solutions?

A: No. $W = 100, n = 3, w = (51, 50, 50)$.

Q: What if we change "non-increasing" to "non-decreasing"?

A: No. $W = 100, n = 3, w = (1, 50, 50)$

Design a Dynamic Programming Algorithm

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

Q: The value of the optimum solution that does not contain i?

Design a Dynamic Programming Algorithm

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

Q: The value of the optimum solution that does not contain i?

A: $opt[i-1, W']$

Design a Dynamic Programming Algorithm

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

Q: The value of the optimum solution that does not contain i?

A: $opt[i-1, W']$

Q: The value of the optimum solution that contains i?

Design a Dynamic Programming Algorithm

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

Q: The value of the optimum solution that does not contain i?

A: $opt[i-1, W']$

Q: The value of the optimum solution that contains i?

A: $opt[i-1, W'-w_i] + w_i$

Dynamic Programming

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

$$opt[i, W'] = \begin{cases} & i = 0 \\ & i > 0, w_i > W' \\ & i > 0, w_i \leq W' \end{cases}$$

Dynamic Programming

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ & i > 0, w_i > W' \\ & i > 0, w_i \leq W' \end{cases}$$

Dynamic Programming

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ opt[i-1, W'] & i > 0, w_i > W' \\ & i > 0, w_i \leq W' \end{cases}$$

Dynamic Programming

- Consider the instance: $i, W', (w_1, w_2, \cdots, w_i)$;
- $opt[i, W']$: the optimum value of the instance

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ opt[i-1, W'] & i > 0, w_i > W' \\ \max \left\{ \begin{array}{c} opt[i-1, W'] \\ opt[i-1, W' - w_i] + w_i \end{array} \right\} & i > 0, w_i \leq W' \end{cases}$$

Dynamic Programming

1: **for** $W' \leftarrow 0$ to W **do**
2: $\quad opt[0, W'] \leftarrow 0$
3: **for** $i \leftarrow 1$ to n **do**
4: $\quad$ **for** $W' \leftarrow 0$ to W **do**
5: $\quad\quad opt[i, W'] \leftarrow opt[i-1, W']$
6: $\quad\quad$ **if** $w_i \leq W'$ and $opt[i-1, W'-w_i] + w_i \geq opt[i, W']$ **then**
7: $\quad\quad\quad opt[i, W'] \leftarrow opt[i-1, W'-w_i] + w_i$
8: **return** $opt[n, W]$

Recover the Optimum Set

1: **for** $W' \leftarrow 0$ to W **do**
2: $\quad opt[0, W'] \leftarrow 0$
3: **for** $i \leftarrow 1$ to n **do**
4: $\quad$ **for** $W' \leftarrow 0$ to W **do**
5: $\quad\quad opt[i, W'] \leftarrow opt[i-1, W']$
6: $\quad\quad b[i, W'] \leftarrow$ N
7: $\quad\quad$ **if** $w_i \leq W'$ and $opt[i-1, W'-w_i] + w_i \geq opt[i, W']$ **then**
8: $\quad\quad\quad opt[i, W'] \leftarrow opt[i-1, W'-w_i] + w_i$
9: $\quad\quad\quad b[i, W'] \leftarrow$ Y
10: **return** $opt[n, W]$

Recover the Optimum Set

1: $i \leftarrow n, W' \leftarrow W, S \leftarrow \emptyset$
2: **while** $i > 0$ **do**
3: **if** $b[i, W'] = \mathsf{Y}$ **then**
4: $W' \leftarrow W' - w_i$
5: $S \leftarrow S \cup \{i\}$
6: $i \leftarrow i - 1$
7: **return** S

Running Time of Algorithm

1: **for** $W' \leftarrow 0$ to W **do**
2: $\quad opt[0, W'] \leftarrow 0$
3: **for** $i \leftarrow 1$ to n **do**
4: $\quad$ **for** $W' \leftarrow 0$ to W **do**
5: $\quad\quad opt[i, W'] \leftarrow opt[i-1, W']$
6: $\quad\quad$ **if** $w_i \leq W'$ and $opt[i-1, W'-w_i] + w_i \geq opt[i, W']$ **then**
7: $\quad\quad\quad opt[i, W'] \leftarrow opt[i-1, W'-w_i] + w_i$
8: **return** $opt[n, W]$

Running Time of Algorithm

```
1: for W' ← 0 to W do
2:     opt[0, W'] ← 0
3: for i ← 1 to n do
4:     for W' ← 0 to W do
5:         opt[i, W'] ← opt[i − 1, W']
6:         if w_i ≤ W' and opt[i − 1, W' − w_i] + w_i ≥ opt[i, W'] then
7:             opt[i, W'] ← opt[i − 1, W' − w_i] + w_i
8: return opt[n, W]
```

- Running time is $O(nW)$

Running Time of Algorithm

1: **for** $W' \leftarrow 0$ to W **do**
2: $\quad opt[0, W'] \leftarrow 0$
3: **for** $i \leftarrow 1$ to n **do**
4: $\quad$ **for** $W' \leftarrow 0$ to W **do**
5: $\quad\quad opt[i, W'] \leftarrow opt[i-1, W']$
6: $\quad\quad$ **if** $w_i \leq W'$ and $opt[i-1, W'-w_i] + w_i \geq opt[i, W']$ **then**
7: $\quad\quad\quad opt[i, W'] \leftarrow opt[i-1, W'-w_i] + w_i$
8: **return** $opt[n, W]$

- Running time is $O(nW)$
- Running time is pseudo-polynomial because it depends on value of the input integers.

Avoiding Unncessary Computation and Memory Using Memoized Algorithm and Hash Map

compute-opt(i, W')

```
1: if opt[i, W'] ≠ ⊥ then return opt[i, W']
2: if i = 0 then r ← 0
3: else
4:     r ← compute-opt(i − 1, W')
5:     if w_i ≤ W' then
6:         r' ← compute-opt(i − 1, W' − w_i) + w_i
7:         if r' > r then r ← r'
8: opt[i, W'] ← r
9: return r
```

- Use hash map for opt

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Knapsack Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

a value $v_i > 0$ for each item i

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} v_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

Knapsack Problem

Input: an integer bound $W > 0$

a set of n items, each with an integer weight $w_i > 0$

a value $v_i > 0$ for each item i

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} v_i \qquad \text{s.t.} \sum_{i \in S} w_i \leq W.$$

- Motivation: you have budget W, and want to buy a subset of items of maximum total value

DP for Knapsack Problem

- $opt[i, W']$: the optimum value when budget is W' and items are $\{1, 2, 3, \cdots, i\}$.
- If $i = 0$, $opt[i, W'] = 0$ for every $W' = 0, 1, 2, \cdots, W$.

$$opt[i, W'] = \begin{cases} & i = 0 \\ & i > 0, w_i > W' \\ & i > 0, w_i \leq W' \end{cases}$$

DP for Knapsack Problem

- $opt[i, W']$: the optimum value when budget is W' and items are $\{1, 2, 3, \cdots, i\}$.
- If $i = 0$, $opt[i, W'] = 0$ for every $W' = 0, 1, 2, \cdots, W$.

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ & i > 0, w_i > W' \\ & i > 0, w_i \leq W' \end{cases}$$

DP for Knapsack Problem

- $opt[i, W']$: the optimum value when budget is W' and items are $\{1, 2, 3, \cdots, i\}$.
- If $i = 0$, $opt[i, W'] = 0$ for every $W' = 0, 1, 2, \cdots, W$.

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ opt[i-1, W'] & i > 0, w_i > W' \\ & \\ & i > 0, w_i \leq W' \end{cases}$$

DP for Knapsack Problem

- $opt[i, W']$: the optimum value when budget is W' and items are $\{1, 2, 3, \cdots, i\}$.
- If $i = 0$, $opt[i, W'] = 0$ for every $W' = 0, 1, 2, \cdots, W$.

$$opt[i, W'] = \begin{cases} 0 & i = 0 \\ opt[i-1, W'] & i > 0, w_i > W' \\ \max \left\{ \begin{array}{c} opt[i-1, W'] \\ opt[i-1, W' - w_i] + v_i \end{array} \right\} & i > 0, w_i \leq W' \end{cases}$$

Exercise: Items with 3 Parameters

Input: integer bounds $W > 0, Z > 0$,

a set of n items, each with an integer weight $w_i > 0$

a size $z_i > 0$ for each item i

a value $v_i > 0$ for each item i

Output: a subset S of items that

$$\text{maximizes } \sum_{i \in S} v_i \qquad \text{s.t.}$$

$$\sum_{i \in S} w_i \leq W \text{ and } \sum_{i \in S} z_i \leq Z$$

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Subsequence

- $A = bacdca$
- $C = adca$

Subsequence

- $A = bacdca$
- $C = adca$
- C is a subsequence of A

Subsequence

- $A = bacdca$
- $C = adca$
- C is a subsequence of A

Def. Given two sequences $A[1 \,..\, n]$ and $C[1 \,..\, t]$ of letters, C is called a subsequence of A if there exists integers $1 \leq i_1 < i_2 < i_3 < \ldots < i_t \leq n$ such that $A[i_j] = C[j]$ for every $j = 1, 2, 3, \cdots, t$.

Subsequence

- $A = bacdca$
- $C = adca$
- C is a subsequence of A

Def. Given two sequences $A[1 \,..\, n]$ and $C[1 \,..\, t]$ of letters, C is called a subsequence of A if there exists integers $1 \leq i_1 < i_2 < i_3 < \ldots < i_t \leq n$ such that $A[i_j] = C[j]$ for every $j = 1, 2, 3, \cdots, t$.

- Exercise: how to check if sequence C is a subsequence of A?

Longest Common Subsequence

Input: $A[1 \,..\, n]$ and $B[1 \,..\, m]$

Output: the longest common subsequence of A and B

Example:

- $A = `bacdca'$
- $B = `adbcda'$

Longest Common Subsequence

Input: $A[1 \,..\, n]$ and $B[1 \,..\, m]$

Output: the longest common subsequence of A and B

Example:

- $A = `bacdca'$
- $B = `adbcda'$
- $\mathsf{LCS}(A, B) = `adca'$

Longest Common Subsequence

Input: $A[1 \,..\, n]$ and $B[1 \,..\, m]$

Output: the longest common subsequence of A and B

Example:

- $A = `bacdca'$
- $B = `adbcda'$
- $\mathrm{LCS}(A, B) = `adca'$

- Applications: edit distance (diff), similarity of DNAs

Matching View of LCS



- Goal of LCS: find a maximum-size non-crossing matching between letters in A and letters in B.

Reduce to Subproblems

- $A = `bacdca'$
- $B = `adbcda'$

Reduce to Subproblems

- $A = `bacdca'$
- $B = `adbcda'$

Reduce to Subproblems

- $A = `bacdc'$
- $B = `adbcd'$

Reduce to Subproblems

- $A = `bacdc'$
- $B = `adbcd'$
- either the last letter of A is not matched:
- or the last letter of B is not matched:

Reduce to Subproblems

- $A = `bacdc'$
- $B = `adbcd'$
- either the last letter of A is not matched:
- need to compute LCS($`bacd', `adbcd'$)
- or the last letter of B is not matched:

Reduce to Subproblems

- $A = `bacdc'$
- $B = `adbcd'$
- either the last letter of A is not matched:
- need to compute LCS($`bacd', `adbcd'$)
- or the last letter of B is not matched:
- need to compute LCS($`bacdc', `adbc'$)

Dynamic Programming for LCS

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: length of longest common sub-sequence of $A[1 \,..\, i]$ and $B[1 \,..\, j]$.

Dynamic Programming for LCS

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: length of longest common sub-sequence of $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ or $j = 0$, then $opt[i, j] = 0$.

Dynamic Programming for LCS

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: length of longest common sub-sequence of $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ or $j = 0$, then $opt[i, j] = 0$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} & \text{if } A[i] = B[j] \\ & \text{if } A[i] \neq B[j] \end{cases}$$

Dynamic Programming for LCS

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: length of longest common sub-sequence of $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ or $j = 0$, then $opt[i, j] = 0$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} opt[i-1, j-1] + 1 & \text{if } A[i] = B[j] \\ & \\ & \text{if } A[i] \neq B[j] \end{cases}$$

Dynamic Programming for LCS

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: length of longest common sub-sequence of $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ or $j = 0$, then $opt[i, j] = 0$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} opt[i-1, j-1] + 1 & \text{if } A[i] = B[j] \\ \max \begin{cases} opt[i-1, j] \\ opt[i, j-1] \end{cases} & \text{if } A[i] \neq B[j] \end{cases}$$

Dynamic Programming for LCS

```
1:  for j ← 0 to m do
2:      opt[0, j] ← 0
3:  for i ← 1 to n do
4:      opt[i, 0] ← 0
5:      for j ← 1 to m do
6:          if A[i] = B[j] then
7:              opt[i, j] ← opt[i − 1, j − 1] + 1
8:          else if opt[i, j − 1] ≥ opt[i − 1, j] then
9:              opt[i, j] ← opt[i, j − 1]
10:         else
11:             opt[i, j] ← opt[i − 1, j]
```

Dynamic Programming for LCS

1: **for** $j \leftarrow 0$ to m **do**
2: $\quad opt[0, j] \leftarrow 0$
3: **for** $i \leftarrow 1$ to n **do**
4: $\quad opt[i, 0] \leftarrow 0$
5: $\quad$ **for** $j \leftarrow 1$ to m **do**
6: $\quad\quad$ **if** $A[i] = B[j]$ **then**
7: $\quad\quad\quad opt[i, j] \leftarrow opt[i-1, j-1] + 1$, $\pi[i, j] \leftarrow$ "$\nwarrow$"
8: $\quad\quad$ **else if** $opt[i, j-1] \geq opt[i-1, j]$ **then**
9: $\quad\quad\quad opt[i, j] \leftarrow opt[i, j-1]$, $\pi[i, j] \leftarrow$"$\leftarrow$"
10: $\quad\quad$ **else**
11: $\quad\quad\quad opt[i, j] \leftarrow opt[i-1, j]$, $\pi[i, j] \leftarrow$ "$\uparrow$"

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$						
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$					
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$				
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$			
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$		
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$						
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$					
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$				
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$			
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$		
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$						
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$					
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$				
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$			
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$		
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$						
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$					
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$				
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$			
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$		
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$						
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$					
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$				
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$			
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$		
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$						

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$					

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$				

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$			

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$		

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	

Example

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Example: Find Common Subsequence

	1	2	3	4	5	6
A	b	a	c	d	c	a
B	a	d	b	c	d	a

	0	1	2	3	4	5	6
0	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$	0 $\perp$
1	0 $\perp$	0 $\leftarrow$	0 $\leftarrow$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$
2	0 $\perp$	1 $\nwarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$
3	0 $\perp$	1 $\uparrow$	1 $\leftarrow$	1 $\leftarrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$
4	0 $\perp$	1 $\uparrow$	2 $\nwarrow$	2 $\leftarrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$
5	0 $\perp$	1 $\uparrow$	2 $\uparrow$	2 $\leftarrow$	3 $\nwarrow$	3 $\leftarrow$	3 $\leftarrow$
6	0 $\perp$	1 $\nwarrow$	2 $\uparrow$	2 $\leftarrow$	3 $\uparrow$	3 $\leftarrow$	4 $\nwarrow$

Find Common Subsequence

1: $i \leftarrow n, j \leftarrow m, S \leftarrow ()$
2: **while** $i > 0$ and $j > 0$ **do**
3: **if** $\pi[i, j] =$ "$\nwarrow$" **then**
4: add $A[i]$ to beginning of S, $i \leftarrow i - 1, j \leftarrow j - 1$
5: **else if** $\pi[i, j] =$ "$\uparrow$" **then**
6: $i \leftarrow i - 1$
7: **else**
8: $j \leftarrow j - 1$
9: **return** S

Variants of Problem

Edit Distance with Insertions and Deletions

Input: a string A

each time we can delete a letter from A or insert a letter to A

Output: minimum number of operations (insertions or deletions) we need to change A to B?

Variants of Problem

Edit Distance with Insertions and Deletions

Input: a string A

each time we can delete a letter from A or insert a letter to A

Output: minimum number of operations (insertions or deletions) we need to change A to B?

Example:

- $A =$ ocurrance, $B =$ occurrence
- 3 operations: insert 'c', remove 'a' and insert 'e'

Variants of Problem

Edit Distance with Insertions and Deletions

Input: a string A

each time we can delete a letter from A or insert a letter to A

Output: minimum number of operations (insertions or deletions) we need to change A to B?

Example:

- $A =$ ocurrance, $B =$ occurrence
- 3 operations: insert 'c', remove 'a' and insert 'e'

Obs. $\#\text{OPs} = \text{length}(A) + \text{length}(B)$ - 2 $\cdot$ length(LCS(A, B))

Variants of Problem

Edit Distance with Insertions, Deletions and Replacing

Input: a string A,

each time we can delete a letter from A, insert a letter to A or change a letter

Output: how many operations do we need to change A to B?

Variants of Problem

Edit Distance with Insertions, Deletions and Replacing

Input: a string A,

each time we can delete a letter from A, insert a letter to A or change a letter

Output: how many operations do we need to change A to B?

Example:

- $A =$ ocurrance, $B =$ occurrence.
- 2 operations: insert 'c', change 'a' to 'e'

Variants of Problem

Edit Distance with Insertions, Deletions and Replacing

Input: a string A,

each time we can delete a letter from A, insert a letter to A or change a letter

Output: how many operations do we need to change A to B?

Example:

- $A =$ ocurrance, $B =$ occurrence.
- 2 operations: insert 'c', change 'a' to 'e'

- Not related to LCS any more

Edit Distance with Replacing: Reduction to a Variant of LCS

- Need to match letters in A and B, every letter is matched at most once and there should be no crosses.
- However, we can match two different letters: Matching a same letter gives score 2, matching two different letters gives score 1.
- Need to maximize the score.
- DP recursion for the case $i > 0$ and $j > 0$:

$$opt[i,j] = \begin{cases} opt[i-1,j-1] + 2 & \text{if } A[i] = B[j] \\ \max \begin{cases} opt[i-1,j] \\ opt[i,j-1] \\ opt[i-1,j-1] + 1 \end{cases} & \text{if } A[i] \neq B[j] \end{cases}$$

- Relation : #OPs = length(A) + length(B) - max_score

Edit Distance (with Replacing): using DP directly

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: edit distance between $A[1 \,..\, i]$ and $B[1 \,..\, j]$.

Edit Distance (with Replacing): using DP directly

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: edit distance between $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ then $opt[i, j] = j$; if $j = 0$ then $opt[i, j] = i$.

Edit Distance (with Replacing): using DP directly

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: edit distance between $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ then $opt[i, j] = j$; if $j = 0$ then $opt[i, j] = i$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} & \text{if } A[i] = B[j] \\ & \text{if } A[i] \neq B[j] \end{cases}$$

Edit Distance (with Replacing): using DP directly

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: edit distance between $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ then $opt[i, j] = j$; if $j = 0$ then $opt[i, j] = i$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} opt[i-1, j-1] & \text{if } A[i] = B[j] \\ & \\ & \text{if } A[i] \neq B[j] \end{cases}$$

Edit Distance (with Replacing): using DP directly

- $opt[i, j], 0 \leq i \leq n, 0 \leq j \leq m$: edit distance between $A[1 \,..\, i]$ and $B[1 \,..\, j]$.
- if $i = 0$ then $opt[i, j] = j$; if $j = 0$ then $opt[i, j] = i$.
- if $i > 0, j > 0$, then

$$opt[i, j] = \begin{cases} opt[i-1, j-1] & \text{if } A[i] = B[j] \\ \min \begin{cases} opt[i-1, j] + 1 \\ opt[i, j-1] + 1 \\ opt[i-1, j-1] + 1 \end{cases} & \text{if } A[i] \neq B[j] \end{cases}$$

Exercise: Longest Palindrome

Def. A palindrome is a string which reads the same backward or forward.

Exercise: Longest Palindrome

Def. A palindrome is a string which reads the same backward or forward.

- example: “racecar”, “wasitacaroracatisaw”, ”putitup”

Exercise: Longest Palindrome

Def. A palindrome is a string which reads the same backward or forward.

- example: "racecar", "wasitacaroracatisaw", "putitup"

Longest Palindrome Subsequence

Input: a sequence A

Output: the longest subsequence C of A that is a palindrome.

Exercise: Longest Palindrome

Def. A palindrome is a string which reads the same backward or forward.

- example: "racecar", "wasitacaroracatisaw", "putitup"

Longest Palindrome Subsequence

Input: a sequence A

Output: the longest subsequence C of A that is a palindrome.

Example:

- Input: acbcedeacab

Exercise: Longest Palindrome

Def. A palindrome is a string which reads the same backward or forward.

- example: "racecar", "wasitacaroracatisaw", "putitup"

Longest Palindrome Subsequence

Input: a sequence A

Output: the longest subsequence C of A that is a palindrome.

Example:

- Input: acbcedeacab
- Output: acedeca

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Computing the Length of LCS

```
1:  for j ← 0 to m do
2:      opt[0, j] ← 0
3:  for i ← 1 to n do
4:      opt[i, 0] ← 0
5:      for j ← 1 to m do
6:          if A[i] = B[j] then
7:              opt[i, j] ← opt[i − 1, j − 1] + 1
8:          else if opt[i, j − 1] ≥ opt[i − 1, j] then
9:              opt[i, j] ← opt[i, j − 1]
10:         else
11:             opt[i, j] ← opt[i − 1, j]
```

Obs. The i-th row of table only depends on $(i-1)$-th row.

Reducing Space to $O(n+m)$

Obs. The i-th row of table only depends on $(i-1)$-th row.

Q: How to use this observation to reduce space?

Reducing Space to $O(n+m)$

Obs. The i-th row of table only depends on $(i-1)$-th row.

Q: How to use this observation to reduce space?

A: We only keep two rows: the $(i-1)$-th row and the i-th row.

Linear Space Algorithm to Compute Length of LCS

```
1:  for j ← 0 to m do
2:      opt[0, j] ← 0
3:  for i ← 1 to n do
4:      opt[i mod 2, 0] ← 0
5:      for j ← 1 to m do
6:          if A[i] = B[j] then
7:              opt[i mod 2, j] ← opt[i − 1 mod 2, j − 1] + 1
8:          else if opt[i mod 2, j − 1] ≥ opt[i − 1 mod 2, j] then
9:              opt[i mod 2, j] ← opt[i mod 2, j − 1]
10:         else
11:             opt[i mod 2, j] ← opt[i − 1 mod 2, j]
12: return opt[n mod 2, m]
```

How to Recover LCS Using Linear Space?

- Only keep the last two rows: only know how to match $A[n]$

How to Recover LCS Using Linear Space?

- Only keep the last two rows: only know how to match $A[n]$
- Can recover the LCS using n rounds: time $= O(n^2 m)$

How to Recover LCS Using Linear Space?

- Only keep the last two rows: only know how to match $A[n]$
- Can recover the LCS using n rounds: time $= O(n^2 m)$
- Using Divide and Conquer + Dynamic Programming:

How to Recover LCS Using Linear Space?

- Only keep the last two rows: only know how to match $A[n]$
- Can recover the LCS using n rounds: time $= O(n^2 m)$
- Using Divide and Conquer + Dynamic Programming:
  - Space: $O(m + n)$

How to Recover LCS Using Linear Space?

- Only keep the last two rows: only know how to match $A[n]$
- Can recover the LCS using n rounds: time $= O(n^2 m)$
- Using Divide and Conquer + Dynamic Programming:
  - Space: $O(m + n)$
  - Time: $O(nm)$

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Directed Acyclic Graphs

Def. A directed acyclic graph (DAG) is a directed graph without (directed) cycles.



not a DAG



a DAG

Directed Acyclic Graphs

Def. A directed acyclic graph (DAG) is a directed graph without (directed) cycles.



not a DAG



a DAG

Lemma A directed graph is a DAG if and only its vertices can be topologically sorted.

Shortest Paths in DAG

Input: directed acyclic graph $G = (V, E)$ and $w : E \to \mathbb{R}$.

Assume $V = \{1, 2, 3 \cdots, n\}$ is topologically sorted: if $(i, j) \in E$, then $i < j$

Output: the shortest path from 1 to i, for every $i \in V$



Shortest Paths in DAG

Input: directed acyclic graph $G = (V, E)$ and $w : E \to \mathbb{R}$.

Assume $V = \{1, 2, 3 \cdots, n\}$ is topologically sorted: if $(i, j) \in E$, then $i < j$

Output: the shortest path from 1 to i, for every $i \in V$



Shortest Paths in DAG

- $f[i]$: length of the shortest path from 1 to i

$$f[i] = \begin{cases} & i = 1 \\ & i = 2, 3, \cdots, n \end{cases}$$

Shortest Paths in DAG

- $f[i]$: length of the shortest path from 1 to i

$$f[i] = \begin{cases} 0 & i = 1 \\ & i = 2, 3, \cdots, n \end{cases}$$

Shortest Paths in DAG

- $f[i]$: length of the shortest path from 1 to i

$$f[i] = \begin{cases} 0 & i = 1 \\ \min_{j:(j,i)\in E} \{f(j) + w(j,i)\} & i = 2, 3, \cdots, n \end{cases}$$

Shortest Paths in DAG

- Use an adjacency list for incoming edges of each vertex i

Shortest Paths in DAG

1: $f[1] \leftarrow 0$
2: **for** $i \leftarrow 2$ to n **do**
3: $\quad f[i] \leftarrow \infty$
4: $\quad$ **for** each incoming edge (j, i) of i **do**
5: $\quad\quad$ **if** $f[j] + w(j, i) < f[i]$ **then**
6: $\quad\quad\quad f[i] \leftarrow f[j] + w(j, i)$

Shortest Paths in DAG

- Use an adjacency list for incoming edges of each vertex i

Shortest Paths in DAG

1: $f[1] \leftarrow 0$
2: **for** $i \leftarrow 2$ to n **do**
3: $\quad f[i] \leftarrow \infty$
4: $\quad$ **for** each incoming edge (j, i) of i **do**
5: $\quad\quad$ **if** $f[j] + w(j, i) < f[i]$ **then**
6: $\quad\quad\quad f[i] \leftarrow f[j] + w(j, i)$
7: $\quad\quad\quad \pi(i) \leftarrow j$

Shortest Paths in DAG

- Use an adjacency list for incoming edges of each vertex i

Shortest Paths in DAG

1: $f[1] \leftarrow 0$
2: **for** $i \leftarrow 2$ to n **do**
3: $\quad f[i] \leftarrow \infty$
4: $\quad$ **for** each incoming edge (j, i) of i **do**
5: $\quad\quad$ **if** $f[j] + w(j, i) < f[i]$ **then**
6: $\quad\quad\quad f[i] \leftarrow f[j] + w(j, i)$
7: $\quad\quad\quad \pi(i) \leftarrow j$

print-path(t)

1: **if** $t = 1$ **then**
2: $\quad$ print(1)
3: $\quad$ **return**
4: print-path$(\pi(t))$
5: print(",", t)

Example



Example



Example



Example



Example



Example



Example



Example



Example



Variant: Heaviest Path in a Directed Acyclic Graph

Heaviest Path in a Directed Acyclic Graph

Input: directed acyclic graph $G = (V, E)$ and $w : E \to \mathbb{R}$.
Assume $V = \{1, 2, 3 \cdots, n\}$ is topologically sorted: if $(i, j) \in E$, then $i < j$

Output: the path with the largest weight (the heaviest path) from 1 to n.

- $f[i]$: weight of the heaviest path from 1 to i

$$f[i] = \begin{cases} & i = 1 \\ & i = 2, 3, \cdots, n \end{cases}$$

Variant: Heaviest Path in a Directed Acyclic Graph

Heaviest Path in a Directed Acyclic Graph

Input: directed acyclic graph $G = (V, E)$ and $w : E \to \mathbb{R}$.
Assume $V = \{1, 2, 3 \cdots, n\}$ is topologically sorted: if $(i, j) \in E$, then $i < j$

Output: the path with the largest weight (the heaviest path) from 1 to n.

- $f[i]$: weight of the heaviest path from 1 to i

$$f[i] = \begin{cases} 0 & i = 1 \\ & i = 2, 3, \cdots, n \end{cases}$$

Variant: Heaviest Path in a Directed Acyclic Graph

Heaviest Path in a Directed Acyclic Graph

Input: directed acyclic graph $G = (V, E)$ and $w : E \to \mathbb{R}$.
Assume $V = \{1, 2, 3 \cdots, n\}$ is topologically sorted: if $(i, j) \in E$, then $i < j$

Output: the path with the largest weight (the heaviest path) from 1 to n.

- $f[i]$: weight of the heaviest path from 1 to i

$$f[i] = \begin{cases} 0 & i = 1 \\ \max_{j:(j,i)\in E} \{f(j) + w(j, i)\} & i = 2, 3, \cdots, n \end{cases}$$

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Matrix Chain Multiplication

Matrix Chain Multiplication

Input: n matrices $A_1, A_2, \cdots, A_n$ of sizes $r_1 \times c_1, r_2 \times c_2, \cdots, r_n \times c_n$, such that $c_i = r_{i+1}$ for every $i = 1, 2, \cdots, n-1$.

Output: the order of computing $A_1 A_2 \cdots A_n$ with the minimum number of multiplications

Fact Multiplying two matrices of size $r \times k$ and $k \times c$ takes $r \times k \times c$ multiplications.

Example:

- $A_1 : 10 \times 100, \quad A_2 : 100 \times 5, \quad A_3 : 5 \times 50$



$\text{cost} = 5000 + 2500 = 7500$



$\text{cost} = 25000 + 50000 = 75000$

- $(A_1A_2)A_3$: $10 \times 100 \times 5 + 10 \times 5 \times 50 = 7500$
- $A_1(A_2A_3)$: $100 \times 5 \times 50 + 10 \times 100 \times 50 = 75000$

Example:

- $A_1 : 10 \times 100, \quad A_2 : 100 \times 5, \quad A_3 : 5 \times 50$



$\text{cost} = 5000 + 2500 = 7500$



$\text{cost} = 25000 + 50000 = 75000$

- $(A_1A_2)A_3$: $10 \times 100 \times 5 + 10 \times 5 \times 50 = 7500$
- $A_1(A_2A_3)$: $100 \times 5 \times 50 + 10 \times 100 \times 50 = 75000$

Matrix Chain Multiplication: Design DP

Matrix Chain Multiplication: Design DP

- Assume the last step is $(A_1 A_2 \cdots A_i)(A_{i+1} A_{i+2} \cdots A_n)$

Matrix Chain Multiplication: Design DP

- Assume the last step is $(A_1 A_2 \cdots A_i)(A_{i+1} A_{i+2} \cdots A_n)$
- Cost of last step: $r_1 \times c_i \times c_n$

Matrix Chain Multiplication: Design DP

- Assume the last step is $(A_1 A_2 \cdots A_i)(A_{i+1} A_{i+2} \cdots A_n)$
- Cost of last step: $r_1 \times c_i \times c_n$
- Optimality for sub-instances: we need to compute $A_1 A_2 \cdots A_i$ and $A_{i+1} A_{i+2} \cdots A_n$ optimally

Matrix Chain Multiplication: Design DP

- Assume the last step is $(A_1 A_2 \cdots A_i)(A_{i+1} A_{i+2} \cdots A_n)$
- Cost of last step: $r_1 \times c_i \times c_n$
- Optimality for sub-instances: we need to compute $A_1 A_2 \cdots A_i$ and $A_{i+1} A_{i+2} \cdots A_n$ optimally
- $opt[i, j]$: the minimum cost of computing $A_i A_{i+1} \cdots A_j$

Matrix Chain Multiplication: Design DP

- Assume the last step is $(A_1 A_2 \cdots A_i)(A_{i+1} A_{i+2} \cdots A_n)$
- Cost of last step: $r_1 \times c_i \times c_n$
- Optimality for sub-instances: we need to compute $A_1 A_2 \cdots A_i$ and $A_{i+1} A_{i+2} \cdots A_n$ optimally
- $opt[i, j]$: the minimum cost of computing $A_i A_{i+1} \cdots A_j$

$$opt[i,j] = \begin{cases} 0 & i = j \\ \min_{k:i \le k < j} \left(opt[i,k] + opt[k+1,j] + r_i c_k c_j \right) & i < j \end{cases}$$

Matrix Chain Multiplication: Design DP

matrix-chain-multiplication$(n, r[1..n], c[1..n])$

1: let $opt[i,i] \leftarrow 0$ for every $i = 1, 2, \cdots, n$
2: **for** $\ell \leftarrow 2$ to n **do**
3: **for** $i \leftarrow 1$ to $n - \ell + 1$ **do**
4: $j \leftarrow i + \ell - 1$
5: $opt[i,j] \leftarrow \infty$
6: **for** $k \leftarrow i$ to $j - 1$ **do**
7: **if** $opt[i,k] + opt[k+1,j] + r_i c_k c_j < opt[i,j]$ **then**
8: $opt[i,j] \leftarrow opt[i,k] + opt[k+1,j] + r_i c_k c_j$
9: **return** $opt[1,n]$

Recover the Optimum Way of Multiplication

matrix-chain-multiplication$(n, r[1..n], c[1..n])$

```
1:  let opt[i,i] ← 0 for every i = 1, 2, ··· , n
2:  for ℓ ← 2 to n do
3:      for i ← 1 to n − ℓ + 1 do
4:          j ← i + ℓ − 1
5:          opt[i,j] ← ∞
6:          for k ← i to j − 1 do
7:              if opt[i,k] + opt[k+1,j] + r_i c_k c_j < opt[i,j] then
8:                  opt[i,j] ← opt[i,k] + opt[k+1,j] + r_i c_k c_j
9:                  π[i,j] ← k
10: return opt[1,n]
```

Constructing Optimal Solution

Print-Optimal-Order(i, j)

```
1: if i = j then
2:     print("A"_i)
3: else
4:     print("(")
5:     Print-Optimal-Order(i, π[i, j])
6:     Print-Optimal-Order(π[i, j] + 1, j)
7:     print(")")
```

matrix	A_1	A_2	A_3	A_4	A_5
size	3×5	5×2	2×6	6×9	9×4

$$
\begin{aligned}
opt[1,2] &= opt[1,1] + opt[2,2] + 3 \times 5 \times 2 = 30, && \pi[1,2] = 1 \\
opt[2,3] &= opt[2,2] + opt[3,3] + 5 \times 2 \times 6 = 60, && \pi[2,3] = 2 \\
opt[3,4] &= opt[3,3] + opt[4,4] + 2 \times 6 \times 9 = 108, && \pi[3,4] = 3 \\
opt[4,5] &= opt[4,4] + opt[5,5] + 6 \times 9 \times 4 = 216, && \pi[4,5] = 4 \\
opt[1,3] &= \min\{opt[1,1] + opt[2,3] + 3 \times 5 \times 6, \\
&\qquad\qquad opt[1,2] + opt[3,3] + 3 \times 2 \times 6\} \\
&= \min\{0 + 60 + 90, 30 + 0 + 36\} = 66, && \pi[1,3] = 2 \\
opt[2,4] &= \min\{opt[2,2] + opt[3,4] + 5 \times 2 \times 9, \\
&\qquad\qquad opt[2,3] + opt[4,4] + 5 \times 6 \times 9\} \\
&= \min\{0 + 108 + 90, 60 + 0 + 270\} = 198, && \pi[2,4] = 2,
\end{aligned}
$$

matrix	A_1	A_2	A_3	A_4	A_5
size	3×5	5×2	2×6	6×9	9×4

$$
\begin{aligned}
opt[3,5] &= \min\{opt[3,3] + opt[4,5] + 2 \times 6 \times 4, \\
&\qquad\qquad opt[3,4] + opt[5,5] + 2 \times 9 \times 4\} \\
&= \min\{0 + 216 + 48, 108 + 0 + 72\} = 180, \\
\pi[3,5] &= 4, \\
opt[1,4] &= \min\{opt[1,1] + opt[2,4] + 3 \times 5 \times 9, \\
&\qquad\qquad opt[1,2] + opt[3,4] + 3 \times 2 \times 9, \\
&\qquad\qquad opt[1,3] + opt[4,4] + 3 \times 6 \times 9\} \\
&= \min\{0 + 198 + 135, 30 + 108 + 54, 66 + 0 + 162\} = 192, \\
\pi[1,4] &= 2,
\end{aligned}
$$

matrix	A_1	A_2	A_3	A_4	A_5
size	3×5	5×2	2×6	6×9	9×4

$$
\begin{aligned}
opt[2,5] &= \min\{opt[2,2] + opt[3,5] + 5 \times 2 \times 4, \\
&\qquad opt[2,3] + opt[4,5] + 5 \times 6 \times 4, \\
&\qquad opt[2,4] + opt[5,5] + 5 \times 9 \times 4\} \\
&= \min\{0 + 180 + 40, 60 + 216 + 120, 198 + 0 + 180\} = 220, \\
opt[1,5] &= \min\{opt[1,1] + opt[2,5] + 3 \times 5 \times 4, \\
&\qquad opt[1,2] + opt[3,5] + 3 \times 2 \times 4, \\
&\qquad opt[1,3] + opt[4,5] + 3 \times 6 \times 4, \\
&\qquad opt[1,4] + opt[5,5] + 3 \times 9 \times 4\} \\
&= \min\{0 + 220 + 60, 30 + 180 + 24, \\
&\qquad 66 + 216 + 72, 192 + 0 + 108\} \\
&= 234, \\
\pi[1,5] &= 2.
\end{aligned}
$$

matrix	A_1	A_2	A_3	A_4	A_5
size	3×5	5×2	2×6	6×9	9×4

opt, π	$j = 1$	$j = 2$	$j = 3$	$j = 4$	$j = 5$
$i = 1$	0, /	30, 1	66, 2	192, 2	234, 2
$i = 2$		0, /	60, 2	198, 2	220, 2
$i = 3$			0, /	108, 3	180, 4
$i = 4$				0, /	216, 4
$i = 5$					0, /

opt, π	$j=1$	$j=2$	$j=3$	$j=4$	$j=5$
$i=1$	0, /	30, 1	66, 2	192, 2	234, 2
$i=2$		0, /	60, 2	198, 2	220, 2
$i=3$			0, /	108, 3	180, 4
$i=4$				0, /	216, 4
$i=5$					0, /

Print-Optimal-Order(1,5)

Print-Optimal-Order(1, 2)

Print-Optimal-Order(1, 1)

Print-Optimal-Order(2, 2)

Print-Optimal-Order(3, 5)

Print-Optimal-Order(3, 4)

Print-Optimal-Order(3, 3)

Print-Optimal-Order(4, 4)

Print-Optimal-Order(5, 5)

Optimum way for multiplication: $((A_1A_2)((A_3A_4)A_5))$

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Optimum Binary Search Tree

- n elements $e_1 < e_2 < e_3 < \cdots < e_n$
- e_i has frequency f_i
- goal: build a binary search tree for $\{e_1, e_2, \cdots, e_n\}$ with the minimum accessing cost:

$$\sum_{i=1}^{n} f_i \times (\text{depth of } e_i \text{ in the tree})$$

Optimum Binary Search Tree

- Example: $f_1 = 10, f_2 = 5, f_3 = 3$







Optimum Binary Search Tree

- Example: $f_1 = 10, f_2 = 5, f_3 = 3$







- $10 \times 1 + 5 \times 2 + 3 \times 3 = 29$
- $10 \times 2 + 5 \times 1 + 3 \times 2 = 31$
- $10 \times 3 + 5 \times 2 + 3 \times 1 = 43$

Optimum Binary Search Tree

- Example: $f_1 = 10, f_2 = 5, f_3 = 3$







- $10 \times 1 + 5 \times 2 + 3 \times 3 = 29$
- $10 \times 2 + 5 \times 1 + 3 \times 2 = 31$
- $10 \times 3 + 5 \times 2 + 3 \times 1 = 43$

- suppose we decided to let e_k be the root
- $e_1, e_2, \cdots, e_{k-1}$ are on left sub-tree
- $e_{k+1}, e_{k+2}, \cdots, e_n$ are on right sub-tree
- d_j: depth of e_j in our tree
- C, C_L, C_R: cost of tree, left sub-tree and right sub-tree



- $d_1 = 3, d_2 = 2, d_3 = 3, d_4 = 4, d_5 = 1,$
- $d_6 = 2, d_7 = 4, d_8 = 3, d_9 = 4,$
- $C = 3f_1 + 2f_2 + 3f_3 + 4f_4 + f_5 + 2f_6 + 4f_7 + 3f_8 + 4f_9$
- $C_L = 2f_1 + f_2 + 2f_3 + 3f_4$
- $C_R = f_6 + 3f_7 + 2f_8 + 3f_9$
- $C = C_L + C_R + \sum_{j=1}^{9} f_j$



$$
\begin{aligned}
C &= \sum_{\ell=1}^{n} f_\ell d_\ell = \sum_{\ell=1}^{n} f_\ell (d_\ell - 1) + \sum_{\ell=1}^{n} f_\ell \\
&= \sum_{\ell=1}^{k-1} f_\ell (d_\ell - 1) + \sum_{\ell=k+1}^{n} f_\ell (d_\ell - 1) + \sum_{\ell=1}^{n} f_\ell \\
&= C_L + C_R + \sum_{\ell=1}^{n} f_\ell
\end{aligned}
$$

$$C = C_L + C_R + \sum_{\ell=1}^{n} f_\ell$$

- In order to minimize C, need to minimize C_L and C_R respectively

$$C = C_L + C_R + \sum_{\ell=1}^{n} f_\ell$$

- In order to minimize C, need to minimize C_L and C_R respectively
- $opt[i, j]$: the optimum cost for the instance $(f_i, f_{i+1}, \cdots, f_j)$

$$C = C_L + C_R + \sum_{\ell=1}^{n} f_\ell$$

- In order to minimize C, need to minimize C_L and C_R respectively
- $opt[i, j]$: the optimum cost for the instance $(f_i, f_{i+1}, \cdots, f_j)$

$$opt[1, n] = \qquad (opt[1, k-1] + opt[k+1, n]) + \sum_{\ell=1}^{n} f_\ell$$

$$C = C_L + C_R + \sum_{\ell=1}^{n} f_\ell$$

- In order to minimize C, need to minimize C_L and C_R respectively
- $opt[i, j]$: the optimum cost for the instance $(f_i, f_{i+1}, \cdots, f_j)$

$$opt[1, n] = \min_{k:1 \le k \le n} (opt[1, k-1] + opt[k+1, n]) + \sum_{\ell=1}^{n} f_\ell$$

$$C = C_L + C_R + \sum_{\ell=1}^{n} f_\ell$$

- In order to minimize C, need to minimize C_L and C_R respectively
- $opt[i, j]$: the optimum cost for the instance $(f_i, f_{i+1}, \cdots, f_j)$

$$opt[1, n] = \min_{k:1 \le k \le n} \left(opt[1, k-1] + opt[k+1, n]\right) + \sum_{\ell=1}^{n} f_\ell$$

- In general, $opt[i, j] =$

$$\begin{cases} 0 & \text{if } i = j + 1 \\ \min_{k:i \le k \le j} \left(opt[i, k-1] + opt[k+1, j]\right) + \sum_{\ell=i}^{j} f_\ell & \text{if } i \le j \end{cases}$$

Optimum Binary Search Tree

1: $fsum[0] \leftarrow 0$
2: **for** $i \leftarrow 1$ to n **do** $fsum[i] \leftarrow fsum[i-1] + f_i$
$\triangleright\ fsum[i] = \sum_{j=1}^{i} f_j$
3: **for** $i \leftarrow 0$ to n **do** $opt[i+1, i] \leftarrow 0$
4: **for** $\ell \leftarrow 1$ to n **do**
5: **for** $i \leftarrow 1$ to $n - \ell + 1$ **do**
6: $j \leftarrow i + \ell - 1$, $opt[i, j] \leftarrow \infty$
7: **for** $k \leftarrow i$ to j **do**
8: **if** $opt[i, k-1] + opt[k+1, j] < opt[i, j]$ **then**
9: $opt[i, j] \leftarrow opt[i, k-1] + opt[k+1, j]$
10: $\pi[i, j] \leftarrow k$
11: $opt[i, j] \leftarrow opt[i, j] + fsum[j] - fsum[i-1]$

Printing the Tree

Print-Tree(i, j)

```
1: if i > j then
2:     return
3: else
4:     print('(')
5:     Print-Tree(i, π[i, j] − 1)
6:     print(π[i, j])
7:     Print-Tree(π[i, j] + 1, j)
8:     print(')')
```

Outline

1. Weighted Interval Scheduling
2. Subset Sum Problem
3. Knapsack Problem
4. Longest Common Subsequence
   - Longest Common Subsequence in Linear Space
5. Shortest Paths in Directed Acyclic Graphs
6. Matrix Chain Multiplication
7. Optimum Binary Search Tree
8. Summary

Dynamic Programming

- Break up a problem into many overlapping sub-problems
- Build solutions for larger and larger sub-problems
- Use a table to store solutions for sub-problems for reuse

Comparison with greedy algorithms

- Greedy algorithm: each step is making a small progress towards constructing the solution
- Dynamic programming: the whole solution is constructed in the last step

Comparison with divide and conquer

- Divide and conquer: an instance is broken into many independent sub-instances, which are solved separately.
- Dynamic programming: the sub-instances we constructed are overlapping.

Definition of Cells for Problems We Learnt

- Weighted interval scheduling: $opt[i]$ = value of instance defined by jobs $\{1, 2, \cdots, i\}$
- Subset sum, knapsack: $opt[i, W']$ = value of instance with items $\{1, 2, \cdots, i\}$ and budget W'
- Longest common subsequence: $opt[i, j]$ = value of instance defined by $A[1..i]$ and $B[1..j]$
- Shortest paths in DAG: $f[v]$ = length of shortest path from s to v
- Matrix chain multiplication, optimum binary search tree: $opt[i, j]$ = value of instances defined by matrices i to j