Doubt-Class
Update Youtube

Bhaiya aap pura padh lo mai saari problems bata deta hoo
First:- kisi bhi problem ko kaha initialise karna hai, upar yaa niche yaa loop me
yaa fir loop me kaha

Second:- pade patterns dekhkar samajh nahi aata ki isko kis flow me solve karu

Third:- number pattern me dikkat aati hai that kya karna hai

Fourth:- code ko dry run karna nahi aata so, aap I,j,k aise variables bhi kaise work karte hai bata do

Mera mind stuck ho jaata hai

Ques 25:
n = 5





Take N as input. For a value of N=7, we wish to draw the following pattern :

```
public static void main(String[] args) {
    // TODO Auto-generated method stub
    Scanner sc = new Scanner(System.in);
    int n = sc.nextInt();
    int star = 1;
    int row = 1;
    int space1 = n - 1;
    int space2 = -1;
    while (row <= n) {
        // space
        int i = 1;
        while (i <= space1) {
            System.out.print(" ");
            i++;
        }
        // star
        int j = 1;
        while (j <= star) {
            System.out.print("* ");
            j++;
        }
        // space
        int k = 1;
        while (k <= space2) {
            System.out.print(" ");
            k++;
        }
        // star
        int l = 1;
        if (row == 1 || row == n) {
            l = 2;
        }
        while (l <= star) {
            System.out.print("* ");
            l++;
        }
        // Mirror
        if (row < n / 2 + 1) {
            space1 -= 2;
            star++;
            space2 += 2;
        } else {
            space1 += 2;
            star--;
            space2 -= 2;
        }
        // next line ki prop
        row++;
        System.out.println();
    }
}
```



```
public static void main(String[] args) {
    // TODO Auto-generated method stub
    Scanner sc = new Scanner(System.in);
    int n = sc.nextInt();
    int row = 1;
    int star = 1;
    int space1 = n - 1;
    int space2 = -1;
    while (row <= n) {
        // space
        int i = 1;
        while (i <= space1) {
            System.out.print(" ");
            i++;
        }
        // star
        int j = 1;
        while (j <= star) {
            System.out.print(j + " ");
            j++;
        }
        // space
        int k = 1;
        while (k <= space2) {
            System.out.print(" ");
            k++;
        }
        // star
        int l = 1;
        if (row == 1 || row == n) {
            l = star;
        }
        while (l <= star) {
            System.out.print(j + " ");
            j++;
            l++;
        }
        // Mirror
        if (row < n / 2 + 1) {
            space1 -= 2;
            star++;
            space2 += 2;
        } else {
            space1 += 2;
            star--;
            space2 -= 2;
        }
        // next line ki prop
        row++;
        System.out.println();
    }
}
```



Take N (number of rows), print the following pattern (for N = 6)

```
1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
1 5 10 10 5 1
```



Take N as input. For a value of N=5, we wish to draw the following pattern :

```
public class Pattern_InvertedHourGlass {
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int star = 1;
        int row = 1;
        int space = 2 * n - 1;
        while (row <= 2 * n - 1) {
            // star
            int i = 1;
            while (i <= star) {
                System.out.print(i + " ");
                i++;
            }
            // Space
            int j = 1;
            while (j <= space) {
                System.out.print(" ");
                j++;
            }
            // star
            int k = 1;
            if (row == n) {
                k = 2;
            }
            while (k <= star) {
                System.out.print(i + " ");
                k++;
            }
            // Mirror
            if (row < n + 1) {
                star++;
                space -= 2;
            } else {
                star--;
                space += 2;
            }
            // Next row ki prop
            row++;
            System.out.println();
        }
    }
```