

} }
 }
 }
 }
 (110) 32145
 23145
 (212) 45
 43215
 34215
 32415
 32145
 43215
 43215
 43215
 43215

100/100
 (i) market ↑
 (ii) Rank ↑
Air 1
 This. Spec - 0.8 hrs
 0. Speed - 100
 50
 Rank ↑ This. Price - 0. Price
 2K. Price
 3K. Price
 know run
 0 - This
 from. later
 this - 0


Diagram illustrating a sequence of operations: 2K, 3K, 4K, 5K, 6K. A box labeled "2K, 3K, 4K" is connected by arrows to the "2K" and "3K" positions in the sequence.

```
Cars[] arr = new Cars[5];
arr[0] = new Cars(200, 10, "White");// P S C
arr[1] = new Cars(1000, 20, "Black");//
arr[2] = new Cars(345, 3, "Yellow");
arr[3] = new Cars(34, 89, "Grey");
arr[4] = new Cars(8907, 6, "Red");
```

id Sort(T[] arr) {
 while (turn < arr.length) {
 - turn++;
 i++;
 }
}

2k cons
2k.com (4k)
4k.com (8k)
345-74
4k.com

2k.com (3k)
3k.com (4k)
3k.com (8k)
3k.com (6k)



$$\{(7, 19) | (0, 110) | (4, 5) | (8, 19) | (4, 110) | (5, 1)\}$$

u (5) →

s (7) =

7 (9) =

= 8 9

→ u 10

→ 0 10

active = 1 2 (3)