



Primitive
System
(8)

(Abstract class Method) → Object
Java

Student
Subjects




```
@Override  
public int compareTo(Cars o) {  
    // TODO Auto-generated method stub  
    return 0;  
}
```

this spe - 0.5% > 0
0.5% this < 0

this → ↑
0 → this - 0.1
0 - this

```
public static <T extends Comparable<T>> void Sort(T[] arr) {  
    for (int turn = 1; turn < arr.length; turn++) {  
        for (int i = 0; i < arr.length - turn; i++) {  
            if (arr[i].compareTo(arr[i + 1]) > 0) {  
                T temp = arr[i];  
                arr[i] = arr[i + 1];  
                arr[i + 1] = temp;  
            }  
        }  
    }  
}
```

arr[0] = new Cars(200, 10, "White");// P S C
arr[1] = new Cars(1000, 20, "Black");
arr[2] = new Cars(345, 3, "Yellow");
arr[3] = new Cars(34, 89, "Grey");
arr[4] = new Cars(8907, 6, "Red");



- 3
- 2
- 3

→ 6

7 9
0 10
4 5
8 9
4 10
5 7

4 5
5 7
8 9
7 9
0 10
4 10

7 9
0 10
4 5
8 9
4 10
5 7

4 5
5 7
7 9 10