






```
List<Integer> ll = new ArrayList<>();
for (int i = 0; i < nums2.length; i++) {
    if (map.containsKey(nums2[i]) && map.get(nums2[i]) > 0) {
        ll.add(nums2[i]);
        map.put(nums2[i], map.get(nums2[i]) - 1);
    }
}
```

|   |   |
|---|---|
| 2 | 0 |
| 3 | 0 |
| 5 | 1 |
| 4 | 1 |
| 6 | 0 |
| 7 | 0 |

$n \log(n)$

2, 2, 5, 10, 4, 3, 3, 7, 14, 7, 8, 1, 15, 16, 20

ans = 7.5

ans = 7.5

c = x/2

c = x/2

c = x/2

c = x/2

c = 1

c = x/2

c = 1/2

c = x/2

7, 8 - 2


10, 11 - 2

13 - 1

15, 16 - 2

20 - 1

```
public static int Longest_Consecutive(int[] arr) {
    HashSet<Integer> set = new HashSet<>();
    for (int i = 0; i < arr.length; i++) {
        set.add(arr[i]);
    }
    int ans = 0;
    for (int i = 0; i < arr.length; i++) {
        int x = arr[i];
        if (set.contains(x) && !set.contains(x - 1)) {
            int c = 0;
            while (set.contains(x)) {
                c++;
                set.remove(x);
                x++;
            }
            ans = Math.max(ans, c);
        }
    }
    return ans;
}
```



⑤