













```
P obj = new C();  
System.out.println(obj.d);  
System.out.println(obj.d1);  
System.out.println(obj.d2);
```




```
public static void main(String[] args) {  
    // TODO Auto-generated method stub  
    // case -1  
    P obj = new P();  
    System.out.println(obj.d);  
    System.out.println(obj.d1);  
    obj.fun();  
    obj.fun1();  
    // case -2  
    P obj = new C();  
    System.out.println(obj.d);  
    System.out.println(obj.d1);  
    System.out.println(((C) obj).d2);  
    System.out.println(((C) obj).d);  
    obj.fun();  
    obj.fun1();  
    ((C) obj).fun2();  
}
```




multiple



multiple




idx = 0, 1, 2, 3, 4




```
import Lec25.*;  
  
public class DynamicStack extends Stack {  
    @Override  
    public void push(int x) {  
        // ...  
    }  
}
```

arr[idx++] = x




ds.push(10)
ds.push(20)
ds.push(30)
ds.push(40)
ds.push(50)
ds.push(60)
ds.display();


```
@Override  
public void push(int x) {  
    if (isFull()) {  
        int[] ar = new int[2 * size()];  
        for (int i = 0; i < size(); i++) {  
            ar[i] = arr[i];  
        }  
        arr = ar;  
    }  
    arr[idx++] = x;  
}
```



```
public static void main(String[] args) {  
    // TODO Auto-generated method stub  
    DynamicStack ds = new DynamicStack(10);  
    ds.push(10);  
    ds.push(20);  
    ds.push(30);  
    ds.push(40);  
    ds.push(50);  
    ds.push(60);  
    ds.display();  
}
```



2 + 0 = 2
2 + 1 = 3
2 + 2 = 4
3 + 2 = 5
4 + 2 = 6



30 40 50 60 70

