


```
int[] arr = { 2, 1, 4, 6, 4 };
int item = 4;
```



if(arr[i] == item) 2
return i
0


```
public static void main(String[] args) {
    // TODO Auto-generated method stub
    int[] arr = { 2, 1, 4, 6, 4 };
    int item = 4;
    System.out.println(Index(arr, item, 0));
}

public static int Index(int[] arr, int item, int i) {

    if(arr[i] == item) {
        return i;
    }

    return Index(arr, item, i+1);
}
```

main



{2,3,5,7,8,9,11,13}
0 1 2 3 4 5 6

i=0 arr[0] > arr[1]

if(arr[i] > arr[i+1])
Plan
0




i=1 arr[1] > arr[2]
i=2 arr[2] > arr[3]
i=3 arr[3] > arr[4]
i=4 arr[4] > arr[5]
i=5 arr[5] > arr[6]
i=6

```
public static boolean isSorted(int []arr, int i) {
    if(i==arr.length-1) {
        return true;
    }

    if(arr[i] > arr[i+1]) {
        return false;
    }

    return isSorted(arr, i+1);
}
```

[2,3,4,5]
0 1 2 3



```
public static int Count_vowels(String s, int c) {

    char ch = s.charAt(0);
    if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u') {
        c=c+1;
    }

    return Count_vowels(s.substring(1), c);
}
```

