

# INSTRUCTIONS FOR FOURIER TRANSFORM DEMO

Fourier Transform Demo can be executed in Windows, Linux, Mac OS. However Java Runtime Environment (JRE) must be installed on the computer (which is pre-installed in most cases). If you do not have it installed, then go to <http://www.java.com/en/download/index.jsp> and install it. This program can then be directly executed as follows:

1. Windows Application
  - (i) Windowed Mode:  
Go to the folder “\End-User\Windows” and then go to any one of the folders with a resolution that is desirable to use. Then execute “Fourier\_Transform\_Demo.exe”.
  - (ii) Full Screen Mode:  
Go to the folder “\End-User\Windows\Application-FullScreenXY”. Then execute “Fourier\_Transform\_Demo.exe”.
2. Linux Application
  - (iii) Windowed Mode:  
Go to the folder “\End-User\Linux” and then go to any one of the folders with a resolution that is desirable to use. Then execute “Fourier\_Transform\_Demo”.
  - (iv) Full Screen Mode:  
Go to the folder “\End-User\Linux\Application-FullScreenXY”. Then execute “Fourier\_Transform\_Demo”.
3. Mac OS Application
  - (v) Windowed Mode:  
Go to the folder “\End-User\Linux” and then go to any one of the folders with a resolution that is desirable to use. Then follow the instructions written in “readme.txt”.
  - (vi) Full Screen Mode:  
Go to the folder “\End-User\Linux\Application-FullScreenXY”. Then follow the instructions written in “readme.txt”.
4. Web Application (Applet)

Go to the folder “\End-User\WebApplication-Applet” and then go to any one of the folders with a resolution that is desirable to use. Then open “index.html” in a Web browser.