# **Book Donating System**



### Scenario

A group of non profit organizations that want to have a system for donating books, Entities and Attributes :

- **Organization**: Organization ID, Organization name, Address, E-mail ID (ID to access the website), Password (to access the website), Confirm Password, Contact Number, Image URL
- **Donar**: User ID, First Name, Last Name, E-mail ID (ID to access the website), Password (to access the website), Confirm Password, Contact Number, Status (approve or not), credit card number
- Admin/Staff: Staff ID, Name, Password (to access the website), Confirm Password, Contact Number, Role (admin or staff)
- We record the book with the ISBN number, Title, Edition, Year of Publish, Author name, Number of available copy
- Donation Package: Two types (\$30 and \$300)

#### **Donor Function:**

• Donor input info. and then can search and donate for the books according to title or author name, and Donor can also donate money to the donation package which have 2 types (\$30 and \$300)


#### Organization Function:


Organization input info. and then can search and request for the books according to title or author name

#### Admin Function:

• Admin can manage Donor, Organization, Books and Donation Packages

# The ER Model of DropBook Donation






# The Relational Model of DropBook Donation

```
Organization
                       = (<u>Organization_ID</u>, Organization_name, Email, address, password, Image_URL)
Organization_phone = (<u>Organization_ID</u>, <u>phone_number</u>)
                            FK: Not NULL
Staff
              = (Staff ID, Name, Password, Role)
Staff_phone = (<u>Staff_ID</u>, <u>phone_number</u>)
               FK: Not NULL
               = (User_ID, Email, Status, credit_card_number, password, firstname, lastname)
Donor
Donor_phone = (<u>User ID, phone number</u>)
                 FK: Not NULL
Donor
                    = (<u>User ID</u>, Email, Status, credit_card_number, password, firstname, lastname)
Donation_Package = (<u>User_ID</u>, <u>Donate_number</u>, Donate_amount)
                      FK: Not NULL
```

## The Relational Model of DropBook Donation

```
Organization = (Organization ID, Organization_name, Email, address, password, Image_URL)
Book
              = (ISBN, Author_name, publishing_year, edition, title, number of available copy, Organization_ID)
                                                                                                  FK: UNIOUE
Donor = (<u>User_ID</u>, Email, Status, credit_card_number, password, firstname, lastname)
       = (ISBN, Author_name, publishing_year, edition, title, number of available copy, User_ID)
                                                                                   FK: NOT NULL, UNIQUE
Staff
              = (<u>Staff_ID</u>, Name, Password, Role)
Organization = (Organization_ID, Organization_name, Email, address, password, Image_URL, Staff_ID)
                                                                                             FK: UNIQUE
       = (Staff_ID, Name, Password, Role)
Donor = (<u>User_ID</u>, Email, Status, credit_card_number, password, firstname, lastname, Staff_ID)
                                                                                       FK: UNIQUE
```



Welcome to DropBook!

DropBook


" A place to share your books "



Home About Donate Gallery Login Register

### Home Page

The main web page of DropBook website that serves as the starting point of website.



### About Us Page

On this page, showing the team members of a non-profit organization of Dropbook.

