


探查摘要

基于performance时间于 10-Jan-2018 09:05:17 生成。

函数名称	调用次数	总时间	自用时间*
main	1	211.456 s	0.087 s
greedy	1	139.930 s	0.104 s
greedy>nodesgain	19910	139.819 s	28.490 s
digraph.subsref	641832	128.670 s	80.197 s
ICM	80	71.225 s	13.155 s
tabular.subsref	641834	48.487 s	9.396 s
tabular.subsrefDot	641834	39.091 s	39.086 s
digraph.findedge	641832	20.661 s	13.612 s
setdiff	99192	14.897 s	1.961 s
setdiff>setdiffR2012a	99192	12.936 s	1.932 s
digraph.digraph>digraph.isvalidstring	721093	7.930 s	7.930 s
unique	99192	6.195 s	3.708 s
digraph.successors	79262	5.232 s	1.483 s
ismember	99193	4.816 s	0.568 s
ismember>ismemberR2012a	99193	4.248 s	0.877 s
digraph.digraph>digraph.validateNodeID	79262	3.749 s	0.364 s
digraph.findnode	79262	3.385 s	0.808 s
ismember>ismemberBuiltinTypes	99192	3.367 s	3.367 s
unique>uniqueR2012a	99192	2.487 s	2.487 s
digraph.digraph>digraph.numnodes	79286	1.697 s	1.697 s
digraph centrality	2	0.109 s	0.049 s
digraph.digraph>digraph.digraph	1	0.101 s	0.006 s
table.table>table.table	2	0.069 s	0.008 s
degree centrality	1	0.063 s	0.001 s



closeness centrality	1	0.048 s	0.000 s
metaDim> metaDim.checkAgainstVarLabels	1	0.026 s	0.002 s
tabular.tabular>tabular.initInternals	1	0.025 s	0.002 s
makeUniqueStrings	1	0.025 s	0.005 s
...digraph>digraph.set.EdgeProperties	1	0.022 s	0.002 s
...n>tabularDimension.createLike_impl	2	0.021 s	0.002 s
...mension>tabularDimension.setLabels	2	0.019 s	0.004 s
varNamesDim>varNamesDim.createLike	1	0.018 s	0.001 s
...aph>digraph.validateEdgeProperties	1	0.017 s	0.003 s
makeUniqueStrings>makeUnique	1	0.016 s	0.006 s
...t;varNamesDim.validateAndAssignLabels	1	0.014 s	0.004 s
string.ismember	1	0.010 s	0.003 s
...ension>tabularDimension.createLike	1	0.005 s	0.001 s
validatestring	3	0.005 s	0.002 s
table.table>table.empty	1	0.005 s	0.003 s
parseArgs	1	0.005 s	0.004 s
tabular.tabular>tabular.countVarInputs	1	0.005 s	0.003 s
tabular.getProperty	1	0.004 s	0.003 s
varNamesDim> varNamesDim.makeValidName	1	0.004 s	0.001 s
ismember>ismemberClassTypes	1	0.003 s	0.003 s
...m>varNamesDim.checkDuplicateLabels	1	0.003 s	0.001 s
makeValidName	1	0.003 s	0.003 s
...Dim> varNamesDim.checkReservedNames	1	0.003 s	0.001 s
isCharString	4	0.002 s	0.002 s
random	20	0.002 s	0.002 s
validatestring>checkString	3	0.002 s	0.002 s
...Strings>validateExclStrOrElemToChk	1	0.002 s	0.001 s
...arDimension.checkDuplicateLabels_impl	1	0.001 s	0.001 s
num2cell	1	0.001 s	0.001 s

... ularDimension.checkReservedNames_impl	1	0.001 s	0.001 s
tabular.size	1	0.001 s	0.001 s
...t; rowNamesDim.validateAndAssignLabels	1	0.001 s	0.001 s
makeUniqueStrings>truncateString	1	0.001 s	0.001 s
tabular.matchPropertyName	1	0.001 s	0.001 s
rowNamesDim> rowNamesDim.lengthenTo	1	0.001 s	0.001 s
...sion>tabularDimension.assignLabels	1	0.001 s	0.001 s
validatestring>checkInputs	3	0.001 s	0.001 s
tabular.isEmpty	1	0.001 s	0.001 s
digraph.digraph>digraph.numedges	2	0.001 s	0.001 s
...queStrings>validateMaxStringLength	1	0.001 s	0.001 s
tabular.tabular>tabular.tabular	2	0.000 s	0.000 s
istable	1	0.000 s	0.000 s

自用时间是指函数耗费的时间，但不包括函数的子函数耗费的时间。
自用时间还包括探查过程中产生的开销。

