

GameServer Hosting

Backend Installation Instructions

Table of Contents

Installing MySQL Database	3
Tables	Error! Bookmark not defined.
gameserver	Error! Bookmark not defined.
minecraftserver.....	Error! Bookmark not defined.
node	Error! Bookmark not defined.
triggers	Error! Bookmark not defined.
Installing Tomcat.....	3
Deploying the Controller.....	3
Deploying the Node	4

Installing MySQL Database

MySQL database will need to be installed on a singular machine. Both the controller and node communicate to this database for various kinds of data. The database does not need to be on the same computer as the controller or node. However, it's recommended that the database is on a computer that can only be accessed on the LAN.

The schema can be anything, as long as the schema is accurate in the property files for the controller and nodes. A recommended schema to use is **gameserver**.

The username can be anything, as long as the username is accurate in the property files for the controller and nodes. A recommended username is **root**.

The password can be anything, as long as the password is accurate in the property files for the controller and nodes. A recommended password is **minecraft**.

The database tables are auto generated by the application.

Installing Tomcat

The Tomcat version used in development is Tomcat 9. It is recommended to use this version, as I know that it works. The Tomcat server will need to be public to the LAN. It is NOT RECOMMENDED to allow traffic from the Internet to access the Tomcat server. The GameServer Hosting application currently does not require any user logon and all traffic is not encrypted.

Tomcat is needed for both the *controller* and *node* application. Computers that are intended to run servers needs the *node* application. The *node* application is what directly manages server processes and is what the controller contacts to manipulate game servers. The *controller* application is what the browser will contact for both the frontend and will essentially pass information to the corresponding *node* if needed. There are some cases where direct communication between the browser and the *node* application happens. These situations happen during Web Socket communication.

The *controller* can be on the same computer as a *node*. If this is the situation, then both applications will be deployed on the same Tomcat server.

A library that is needed to connect to the database is required to be placed in the Tomcat's lib directory. This is the mysql-connector-java-8.0.16.jar.

Deploying the Controller

The *controller* is responsible for delivering the frontend and managing multiple *nodes*. A WAR file associated with the *controller* can be deployed to the Tomcat server via the Manager screen.

A properties file is required for the *controller*. The path to the properties file will need to be an environmental variable called: `GAME_SERVER_CONTROLLER_PROPERTIES`.

The properties file needs to have at least these properties:

- `node_names` (Comma separated list of node names)
- `node_addresses` (Comma separated list of node addresses)
- `node_ports` (Comma separated list of node ports)

- node_extension (The Tomcat application name, generally "GameServerNode")
- database_url (With MySQL, this is "jdbc:mysql://" + database address + port + schema)
- database_username
- database_password

An example of the *controller* properties file can be found below:

```
node_names=Node1,Node2,Node3
node_addresses=192.168.1.1,192.168.1.2,192.168.1.3
node_ports=8080,8080,8090
database_url=jdbc:mysql://192.168.1.1:3306/gameserver
database_username=root
database_password=mincraft
```

Deploying the Node

The *node* is responsible for managing the processes and file system for deployed servers. The *node* is also responsible for sending server output data, server running status, and system resource data directly to the client's browser via Web Sockets. Only ONE *node* should be deployed on a computer at a time. A WAR file associated with the *node* can be deployed to the Tomcat server via the Manager screen.

A properties file is required for the *node*. The path to the properties file will need to be an environmental variable called: GAME_SERVER_NODE_PROPERTIES.

The properties file needs to have at least these properties:

- name
- deploy_folder (absolute path to folder where servers will be placed)
- database_url (With MySQL, this is "jdbc:mysql://" + database address + port + schema)
- database_username
- database_password

An example of the *node* properties file can be found below:

```
node=Node1
deploy_folder=E:\\GameServerNode\\deploy
database_url=jdbc:mysql://127.0.0.1:3306/gameserver
database_username=root
database_password=mincraft
```