데이터베이스 MYSQL

MYSQL - alter: modify | drop | add | change C:\Users\TJ>mysql -u root -p Enter password: ***** Welcome to the MariaDB monitor. Commands end with; or \g. Your MariaDB connection id is 9 Server version: 10.3.8-MariaDB mariadb.org binary distribution Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others. Type 'help;' or '\h' for help. Type '\c' to clear the current input statement. MariaDB [(none)]> show databases; +----+ | Database | +----+ | information_schema | | member | | mysql | | performance_schema | +----+ 4 rows in set (0.023 sec) MariaDB [(none)]> use member; Database changed MariaDB [member]> show tables; +----+ | Tables_in_member | +----+ | notice | +----+ 1 row in set (0.000 sec) //테이이블 구조 보기 MariaDB [member]> describe notice; +----+ | Field | Type | Null | Key | Default | Extra +----+ | idx | int(11) | NO | PRI | NULL | auto_increment | | wclass | varchar(10) | NO | NULL | | wsubject | varchar(250) | NO | | NULL | | wdate | date | YES | NULL |

4 rows in set (0.029 sec)
/////////////////////////////////////
/////////////////////////////////////
Records: 0 Duplicates: 0 Warnings: 2 ///////////////////////////////////
Field Type Null Key Default Extra
++ wclass varchar(10) NO NULL wsubject varchar(250) NO NULL wdate date YES NULL
3 rows in set (0.007 sec)
/////////////////////////////////////
/////////////////////////////////////

```
MariaDB [member]> desc notice;
+----+
| Field | Type
         | Null | Key | Default | Extra |
+----+
| wclass | varchar(10) | NO | NULL |
| wsubject | varchar(250) | NO | | NULL | wdate | date | YES | | NULL |
+----+
4 rows in set (0.006 sec)
//Primary key 추가 후 자동 증가번호(auto_increment) 추가
//alter table notice modify idx int not null auto_increment;
MariaDB [member]> alter table notice modify idx int not null auto_increment;
Query OK, 0 rows affected, 2 warnings (0.528 sec)
Records: 0 Duplicates: 0 Warnings: 2
//자동 증가번호(auto_increment) 추가 후 확인
MariaDB [member]> desc notice;
+----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| wclass | varchar(10) | NO | | NULL | |
| wsubject | varchar(250) | NO | | NULL |
| wdate | date | YES | NULL |
| idx | int(11) | NO | PRI | NULL | auto_increment |
+----+
4 rows in set (0.007 sec)
//필드 위치 바꾸기 idx 맨위로
//alter table notice modify idx int not null auto_increment first;
MariaDB [member]> alter table notice modify idx int not null auto_increment first;
Query OK, 0 rows affected (0.348 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

	Null Key		 Extra	+
idx int(11)	+	+		
wclass varchar(10) wsubject varchar(250) wdate date	NO	NULL NULL		
4 rows in set (0.005 sec)		+		+
/////////////////////////////////////	s 맨 아래로 이 ify wclass var	동 char(10)	not null afte	r wdate;
MariaDB [member]> alter Query OK, 0 rows affect Records: 0 Duplicates: 0	ed (0.350 sec)		class varcha	ar(10) not null
Records: 0 Duplicates: 0	y wai iiiigs.	U		
		,,,,,,,,,	///////////////////////////////////////	///////////////////////////////////////
//필드 위치 바꾸기 wclass	3 맨 아래로 이	동 후 확인		
//필드 위치 바꾸기 wclass ///////////////////////////////////	s 맨 아래로 이 ////////// : notice;	동 후 확인 ///////	///////////////////////////////////////	///////////////////////////////////////
MariaDB [member]> desc +	s 맨 아래로 이 ///////// notice; + Null Key	동 후 확인 /////// Default	////////// + Extra	
//필드 위치 바꾸기 wclass ///////////////////////////////////	s 맨 아래로 이 ////////// notice; +	동 후 확인 //////// Default + NULL NULL NULL	//////////////////////////////////////	//////////////////////////////////////
//필드 위치 바꾸기 wclass ///////////////////////////////////	s 맨 아래로 이 /////////// notice; +	동 후 확인 //////// Default + NULL NULL NULL	//////////////////////////////////////	//////////////////////////////////////

```
MariaDB [member]> alter table notice modify wdate date after idx;
Ouerv OK. 0 rows affected (0.428 sec)
Records: 0 Duplicates: 0 Warnings: 0
//필드 위치 바꾸기 wdate 위에서 두번째 위치로 이동 후 확인
MariaDB [member]> desc notice;
| Field | Type | Null | Key | Default | Extra |
+----+
    | int(11) | NO | PRI | NULL | auto_increment |
| wdate | date | YES | NULL |
| wsubject | varchar(250) | NO |
                 | NULL |
| wclass | varchar(10) | NO | NULL |
+----+
4 rows in set (0.006 sec)
//Primary key 삭제
MariaDB [member]> alter table notice drop primary key;
Query OK, 0 rows affected, 1 warning (0.566 sec)
Records: 0 Duplicates: 0 Warnings: 1
MariaDB [member]> desc notice;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| wclass | varchar(10) | NO | | NULL |
| wsubject | varchar(250) | NO | | NULL |
| wdate | date | YES | NULL |
wname | varchar(50) | NO | NULL |
+----+
5 rows in set (0.007 sec)
//auto_increment 추가
```

```
MariaDB [member]> alter table notice modify idx int not null auto_increment;
Query OK, 0 rows affected, 2 warnings (0.458 sec)
Records: 0 Duplicates: 0 Warnings: 2
MariaDB [member]> desc notice;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
     | int(11) | NO | PRI | NULL | auto_increment |
| idx
| wclass | varchar(10) | NO | NULL |
                   | NULL |
| NULL |
| wsubject | varchar(250) | NO | | |
| wdate | date | YES |
| wname | varchar(50) | NO | | NULL |
+----+
5 rows in set (0.007 sec)
//Primary key 추가
MariaDB [member]> alter table notice add primary key(idx);
Ouery OK, 0 rows affected (0.344 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [member]> desc notice;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| wclass | varchar(10) | NO | | NULL |
| wsubject | varchar(250) | NO | | NULL |
| wdate | date | YES | NULL |
| wname | varchar(50) | NO | NULL |
+----+
5 rows in set (0.005 sec)
//필드 이름 변경
//alter table notice change wname name varchar(100) not null;
MariaDB [member]> alter table notice change wname name varchar(100) not null;
Query OK, 0 rows affected, 2 warnings (0.536 sec)
Records: 0 Duplicates: 0 Warnings: 2
```

idx int(11) NO PRI NULL auto_increment wclass varchar(10) NO NULL
wsubject varchar(250) NO NULL wdate date YES NULL name varchar(100) NO NULL
wdate date YES NULL name varchar(100) NO NULL
name varchar(100) NO NULL
5 rows in set (0.008 sec)
MariaDB [member]>