



PAK-AUSTRIA FACHHOCHSCHULE

INSTITUTE OF APPLIED SCIENCES AND TECHNOLOGY



Name : Hafsa Shahid

Reg no : B25F34CYS101



Program : Cybersecurity


Instructor's name: Hassan Ali

Date Submitted : 10 / 07 / 26

Deadline : 10 / 07 / 26

Assignment Report # 5





• INTRODUCTION •

In this task we learned about a powerful open-source network scanning tool Nmap. The main objective was to run a few commands on the terminal. We were given an assignment at the end; it goes as follows.

Assignments Tasks:



Task : *Run Commands*, Scan localhost, Scan another authorized machine. Identify open ports. Identify running services. Identify operating system.

• TASK •

Task : *Run Commands*, Scan localhost, Scan another authorized machine. Identify open ports. Identify running services. Identify operating system.

Steps Followed:

- Run command for Scan localhost.
- Run command for Scan another authorized machine.
- Run command for Identify open ports.
- Run command for Identify running services.
- Run command for Identify operating system.



• STEP # 01 •

Step # 01 : Run command for Scan localhost.

- Open terminal.
- Type the command **nmap localhost**.
- Output is as follows.

```
PS C:\Users\moonl> nmap localhost
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-10 20:23 +0500
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00017s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 993 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
80/tcp    open  http
135/tcp   open  msrpc
445/tcp   open  microsoft-ds
902/tcp   open  iss-realsecure
912/tcp   open  apex-mesh
8000/tcp  open  http-alt

Nmap done: 1 IP address (1 host up) scanned in 0.35 seconds
```

Step #01: Command nmap localhost

• STEP # 02 •


Step # 02 : Run command for Scan another authorized machine.

- Open terminal.
- Type the command **nmap -sV 192.168.1.155**.
- Output is as follows.

```
PS C:\Users\moonl> nmap -sV 192.168.1.155
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-10 20:05 +0500
Nmap scan report for 192.168.1.155 (192.168.1.155)
Host is up (0.0030s latency).
All 1000 scanned ports on 192.168.1.155 (192.168.1.155) are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: F8:B1:56:C1:6B:82 (Dell)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.79 seconds
```

Step #02: Command nmap -sV 192.168.1.155



• STEP # 03 •

Step # 03 : Run command for Identify open ports.

- Open terminal.
- Type the command **nmap -F localhost**.
- Output is as follows.

```
PS C:\Users\moonl> nmap -F localhost
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-10 20:10 +0500
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0013s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 95 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
80/tcp    open  http
135/tcp   open  msrpc
445/tcp   open  microsoft-ds
8000/tcp  open  http-alt



Nmap done: 1 IP address (1 host up) scanned in 0.68 seconds
```

Step #03: Command nmap -F localhost

• STEP # 04 •

Step # 04 : Run command for Identify running services.

- Open terminal.
- Type the command **nmap -sV localhost**.
- Output is as follows.



```
Windows PowerShell
PS C:\Users\moonl> nmap -sV localhost
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-10 18:33 +0500
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00090s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 993 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  tcpwrapped
80/tcp    open  http      Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
135/tcp   open  msrpc     Microsoft Windows RPC
445/tcp   open  microsoft-ds?
902/tcp   open  ssl/vmware-auth VMware Authentication Daemon 1.10 (Uses VNC, SOAP)
912/tcp   open  vmware-auth VMware Authentication Daemon 1.0 (Uses VNC, SOAP)
8000/tcp   open  ssl/http-alt
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
_
SF:Port8000-TCP:V=7.99X=SSL=79D=710Time=6A50F4ADP=i686-pc-windows-wi
SF:ndowsSr(GetRequest,87D,"HTTP/1.1\X2020\X200A\r\nCross-Origin-Opener-P
SF:olicy:\X20same-origin\r\nCross-Origin-Resource-Policy:\X20same-origin\r
SF:\nOrigin-Agent-Cluster:\X20?1\r\nReferrer-Policy:\X20no-referrer\r\nSt
SF:ict-Transport-Security:\X20max-age=31536000;\X20includeSubDomains;\X20
SF:preload\r\nX-Content-Type-Options:\X20nosniff\r\nX-DNS-Prefetch-Control
SF:\X20off\r\nX-Download-Options:\X20noopen\r\nX-Frame-Options:\X20SAMEOR
SF:IGIN\r\nX-Permitted-Cross-Domain-Policies:\X20none\r\nX-XSS-Protection:
SF:\X200\r\nAccess-Control-Allow-Origin:\X20*\r\nAccept-Ranges:\X20bytes\
SF:r\nCache-Control:\X20public,\X20max-age=0\r\nLast-Modified:\X20Tue,\X20
SF:25\X20Nov\X202025\X2014:24:15\X20GMT\r\nEtag:\X20W/\X20c9-19abb669a98\X20
SF:r\nContent-Type:\X20text/html;\X20charset=UTF-8\r\nContent-Length:\X201
SF:481\r\nDate:\X20Fri,\X2010\X20Jul\X202026\X2013:33:33\X20GMT\r\nConnect
SF:ion:\X20close\r\n\r\n<!doctype\X20html><html\X20lang=\X20"><head><meta\X
SF:20charset=\X20utf-8"/><meta\X20http-equiv=\X20"X-UA-Compatible"\X20content
SF:=\X20"IE=edge"/><meta\X20name=\X20viewport\X20content=\X20"width=device-widt
SF:h,initial-scale=1"/><title>Incredibuild</title><script>var HTTPOptions,274,"
SF:HTTP/1.1\X2020\X200A\r\nContent\r\nCross-Origin-Opener-Policy:\X20sa
SF:e-origin\r\nCross-Origin-Resource-Policy:\X20same-origin\r\nOrigin-Agen
SF:t-Cluster:\X20?1\r\nReferrer-Policy:\X20no-referrer\r\nStrict-Transpor
SF:t-Security:\X20max-age=31536000;\X20includeSubDomains;\X20preload\r\nX-
SF:Content-Type-Options:\X20nosniff\r\nX-DNS-Prefetch-Control:\X20off\r\nX-
SF:Download-Options:\X20noopen\r\nX-Frame-Options:\X20SAMEORIGIN\r\nX-Per-
SF:mitted-Cross-Domain-Policies:\X20none\r\nX-XSS-Protection:\X200\r\nAcce
SF:ss-Control-Allow-Origin:\X20*\r\nAccess-Control-Allow-Methods:\X20GET,
SF:HEAD,PUT,PATCH,POST,DELETE\r\nVary:\X20Access-Control-Request-Headers\r
SF:\nContent-Length:\X200\r\nDate:\X20Fri,\X2010\X20Jul\X202026\X2013:33:3
SF:3\X20GMT\r\nConnection:\X20close\r\n\r\n"><script>var HTTPOptions,274,"
SF:\X2020\X200A\r\nContent\r\nCross-Origin-Opener-Policy:\X20same-origin\r
SF:\nCross-Origin-Resource-Policy:\X20same-origin\r\nOrigin-Agent-Cluster
SF:\X20?1\r\nReferrer-Policy:\X20no-referrer\r\nStrict-Transport-Security
SF:\X20max-age=31536000;\X20includeSubDomains;\X20preload\r\nX-Content-T
SF:ype-Options:\X20nosniff\r\nX-DNS-Prefetch-Control:\X20off\r\nX-Download
SF:Options:\X20noopen\r\nX-Frame-Options:\X20SAMEORIGIN\r\nX-Permitted-Cr
SF:oss-Domain-Policies:\X20none\r\nX-XSS-Protection:\X200\r\nAccess-Contro
SF:L-Allow-Origin:\X20*\r\nAccess-Control-Allow-Methods:\X20GET,HEAD,PUT,
SF:PATCH,POST,DELETE\r\nVary:\X20Access-Control-Request-Headers\r\nContent
SF:-Length:\X200\r\nDate:\X20Fri,\X2010\X20Jul\X202026\X2013:33:33\X20GMT\
SF:\nConnection:\X20close\r\n\r\n";
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 34.94 seconds
```

Step #03: Command `nmap -sV localhost`.

• STEP # 05 •

Step # 05 : Run command for Identify operating system.

- Open terminal.
- Type the command **nmap -O localhost**.
- Output is as follows.

```
PS C:\Users\moonl> nmap -O localhost
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-10 20:29 +0500
Nmap scan report for localhost (127.0.0.1)
Host is up (0.10s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 993 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
80/tcp    open  http
135/tcp   open  msrpc
445/tcp   open  microsoft-ds
902/tcp   open  iss-realsure
912/tcp   open  apex-mesh
8000/tcp   open  http-alt
Device type: general purpose
Running: Microsoft Windows 11
OS CPE: cpe:/o:microsoft:windows_11
OS details: Microsoft Windows 11 24H2
Network Distance: 0 hops

OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 3.21 seconds
```

Step #03: Command `nmap -O localhost`.



Assignment Conclusion:

In this assignment we ran some commands in the terminal using nmap to get a understanding of networking fundamentals. This increased and polished my ability to use and learn more about cybersecurity.

• The End •

