ECE 2305 – Introduction to C Programming
Programming Tutorial 16
FOR Structure

Write a C++ program that uses nested **`for`** loops to generate a multiplication table from 1 × 1 to 10 × 10. Use the "tab" escape sequence (**`"\t"`**) to format the table properly.

Input

```
// ECE 2305 - Tutorial 16
// Nested FOR Loops
#include<iostream>
using namespace std;

int main()
{
	cout << "ECE 2305 - Tutorial 16" << endl;
	cout << "Nested FOR Loops" << endl;
	cout << endl;

	cout << "\t1\t2\t3\t4\t5\t6\t7\t8\t9\t10" << endl;
	for (int m = 1; m <= 10; m++)
	{
		cout << m << " \t";
		for (int n = 1; n <= 10; n++)
			cout << m * n << " \t";
		cout << endl;
	}
	cout << endl;
	system("pause");
	return 0;
}
```

Output

```
C:\Users\anmal\Desktop\ECE
ECE 2305 - Tutorial 16
Nested FOR Loops

	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

Press any key to continue . . .
```