




CalibMaster and CertificateMaster

Online Calibration Tracking

User Guide v1.0

iViewsense Ltd




CalibMaster

CalibMaster is an online tool for tracking the calibration activities in a Calibration certification lab.

Features

1. Calibration Items List
2. Service Request Form Entry
 - Capturing details of customer and measuring equipment
3. Tracking of calibration status, certification reports, dispatch status and Invoicing status
4. Upload Calibration Certificate in Online Portal for customers
5. Manage CertificateMaster Users




CertificateMaster

CertificateMaster is an online portal for viewing and downloading the calibration certification by Customers.

Features

1. Calibration SRF List and Calibration Certificate
2. Viewing and Downloading of Certificate



Process Summary

❑ Root Login

- Define new Lab , Define Lab Admin

❑ Lab Admin User

- Create Items, Create Lab Users, Create Client User

❑ Customer Support Dept.(CSD) User

- Create SRFs , Upload Certificate PDF, Update Item Dispatch, Update Report Dispatch

❑ Calibration User


- Update Calibration Status, Reports Generated Status

❑ Account User

- Update Invoice Generated Status, Payment Received Status

❑ Client User

- View SRFs, Download Certificates



Roles – root@ivIEWSense.com

- root user is the “Super Admin” for defining the certification lab details for the first time in the system.
- After defining the laboratory details, define the admin user for the lab
- That’s it. Root user cannot be used further. Only once used for defining one lab
- Used only in CalibMaster
- CalibMaster URL
 - <http://calibmaster.ivIEWSense.com:5000/>
- CertificateMaster URL
 - <http://calibmaster.ivIEWSense.com:5001/>


- Note:
- The CalibMaster and CertificateMaster are hosted on the same domain but in different ports






Root Login

- root user is the "Super Admin" for defining the certification lab details for the first time in the system.
- After defining the laboratory details, define the admin user for the lab
- That's it. Root user cannot be used further. Only once used for defining one lab
- Used only in CalibMaster




root@ivIEWSense.com login

- Login into root for the first time



root@ivIEWSense.com login





Add new Lab

* Lab Name	* Address 1	* Address 2	* Address 3	* Email	* Contact Number
Testing Lab 2	35 Second Main Road	1st Cross	MT Layout	admin@testinglab2.com	9997777777

This symbol will be used in the SRF number

* Symbol

TL2

* Logo

LOGO.png

Upload Logo of the lab that will appear in the top I

Select only one jpeg or png file. File size should be less than 50kb

Very important, Admin Details will define the admin for the lab

Admin Details

* Admin Name	* Admin Email	* Admin Password
admin@testinglab2.com	admin@testinglab2.com	•••••


Add Lab

Click to save the records




Lab Admin Login


- After creating the new Lab, root login should not be used. Root login is no longer referred in the process
- Lab admin user is the administrator user for the lab
- Lab admin will create users and manage
- Lab admin will Create Items



Now Login as Lab admin user



Lab admin user



Create CSD User

The screenshot shows a web browser window with the address bar displaying "calibmaster.ivIEWSense.com:5000/dashboard". The page has a dark header with the "CalibMaster" logo and a user profile for "admin@testinglab2.com". A sidebar on the left contains icons for "SRFs", "Users", "Add SRF", "Add User", "MasterList", and "E-Mail". The "Add User" option is highlighted with a blue arrow. The main content area features a white "Add User" form with the following fields:

- Name:** "CSD User" (indicated by a blue arrow)
- Email:** "csduser@testinglab2.com" (indicated by a blue arrow)
- Password:** A masked input field with a toggle icon.
- Department:** A dropdown menu with "CSD" selected (indicated by a blue arrow).

A green "Add User" button is located at the bottom of the form. To the right of the form, a blue box contains the text "Create Customer Service Department (CSD) user".

Create Calibration User

The screenshot shows the CalibMaster dashboard in a web browser. The browser's address bar displays the URL `calibmaster.ivIEWSense.com:5000/dashboard`. The dashboard has a sidebar on the left with icons for SRFs, Users, Add SRF, Add User, MasterList, and E-Mail. The 'Add User' icon is highlighted. In the center, there is a white 'Add User' form with the following fields:

- Name:** Calibration User
- Email:** calibuser@testinglab2.cor
- Password:** testinglab2#
- Department:** Calibration

A green 'Add User' button is at the bottom of the form. Four blue arrows point from the left towards these fields and the button. To the right of the form is a blue box with the text 'Next create Calibration user'. In the top right corner, the user profile of the current user is shown as 'admin@testinglab2.com' with the role 'admin'. A blue arrow points from the 'Add User' form towards this profile.

Create Accounts user

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

logo

admin@testinglab2.com
admin

SRFs

Users

Add SRF

Add User

MasterList

E-Mail

Add User

* Name
Accounts User

* Email
accuser@testinglab2.com

* Password
[password field]

* Department
Accounts

Add User

Create Accounts user

The screenshot shows a web browser window with the CalibMaster application. The top navigation bar includes a logo, a user profile for 'admin@testinglab2.com' with the role 'admin', and a power button. A left sidebar contains icons for 'SRFs', 'Users', 'Add SRF', 'Add User' (highlighted), 'MasterList', and 'E-Mail'. The main content area features a central 'Add User' form with four fields: 'Name' (Accounts User), 'Email' (accuser@testinglab2.com), 'Password' (masked), and 'Department' (Accounts). A green 'Add User' button is at the bottom of the form. A blue box labeled 'Create Accounts user' is positioned to the right of the form. Four blue arrows point to the 'Name', 'Email', 'Department', and 'Add User' button fields. The top right corner shows the current user's profile and a power button.

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

logo

admin@testinglab2.com
admin

SRFs

Users

Add SRF

Add User

MasterList

E-Mail

Users

Search By Id

Search By Name

Search By Email

Search By Department


S.NO	USER ID	NAME	EMAIL	DEPARTMENT	EDIT	DELETE
1	14	CSD User	csduser@testinglab2.com	CSD	Edit	Delete
2	15	Calibration User	calibuser@testinglab2.com	Calibration	Edit	Delete
3	16	Accounts User	accuser@testinglab2.com	Accounts	Edit	Delete

S.NO	USER ID	NAME	EMAIL	DEPARTMENT	EDIT	DELETE
1	14	CSD User	csduser@testinglab2.com	CSD	<button>Edit</button>	<button>Delete</button>
2	15	Calibration User	calibuser@testinglab2.com	Calibration	<button>Edit</button>	<button>Delete</button>
3	16	Accounts User	accuser@testinglab2.com	Accounts	<button>Edit</button>	<button>Delete</button>
4	17	...	...	...	<button>Edit</button>	<button>Delete</button>



Lab Admin Login

- Lab admin will Create Items



Create Items

The screenshot shows the CalibMaster dashboard in a web browser. The browser's address bar displays the URL `calibmaster.iviewsense.com:5000/dashboard`. The dashboard header includes a logo on the left and a user profile on the right with the email `admin@testinglab2.com` and the name `admin`. A sidebar on the left contains navigation icons for SRFs, Users, Add SRF, Add User, MasterList, and E-Mail. The `MasterList` item is highlighted with a blue bar and a blue arrow pointing to it.

In the center of the dashboard, there is a form titled "Add to MasterList". It contains a text input field labeled "* Component Name" with the text "Digital Vernier Caliper" entered. A blue arrow points to this input field. Below the input field is a green button labeled "Add Component", which is also pointed to by a blue arrow.

Below the form is a section titled "MasterList" which contains a table. The table has four columns: "S.NO", "DESCRIPTION O...", "EDIT", and "DELETE". The table is currently empty, and a message below it states "It's empty here" with the subtext "Our robots did not find any match...".

Create Items

 **logo**

 **admin@testinglab2.com**
admin 

 SRFs

 Users

 Add SRF

 Add User

 MasterList

 E-Mail

Add to MasterList

* Component Name

Add Component

MasterList

S.NO	DESCRIPTION O...	EDIT	DELETE
1	Digital Vernier Cali...	<button>Edit</button>	<button>Delete</button>

List Items

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

admin@testinglab2.com
admin

logo

SRFs

Users

Add SRF

Add User

MasterList

E-Mail

Add to MasterList

* Component Name

Component Name

Add Component


MasterList

S.NO	DESCRIPTION O...	EDIT	DELETE
1	Digital Vernier Cali...	Edit	Delete
2	Plunger Dial Gauge	Edit	Delete



Customer Support Dept (CSD)Login

- Receive the items and create the Service Request Form (SRF)
- Create Company
- Create the SRF




CSD User Login

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000

InPrivate





Email


csduser@testinglab2.co

Password

.....

Login →

CSD User Login



CSD User Login - Create SRF

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

CSD User
CSD

SRFs

Add SRF

* SRF Type

I

* SRF Date

09/06/2023

* Company

Company

* Company Address

Company Address

* Contact Person Name

Contact Person Name

* Contact Person Number

Contact Person Number

* Agreed Date Of Completion

09/06/2023

Report under Same Company

☒

* Department

Department

* Customer DC No

Customer DC No

* Customer DC Date

09/06/2023

Next Calibration Due Date require in certificate

☐

Statement of conformity

☐

Uncertainty should be consider for the declaration of statement of the conformity

☐

Add Company

Search for the company if it already exists

add company if the company does not exist

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGE MIN	RANGE MAX	UNIT	SERIAL NUMBER	ID NUMBER	REMARKS	DELETE
It's empty here Our robots did not find any match... Add Item										

CSD User Login - new Company

CalibMaster

Not secure | calibmaster.viewsense.com:5000/dashboard

InPrivate

New Company

* Company Name

ABC Limited

* Email

abc@abc.com

* Address 1

100 Fort Street

* Address 2

3rd Cross

* Address 3

BTM layout

Add Company

CSD User Login - Search Created new Company

Not secure | calibmaster.iviewsense.com:5000/dashboard

logo

CSD User CSD

New SRF

SRFs

Add SRF

* SRF Type

* SRF Date

09/06/2023

* Company

Abd

ABC Limited

* Company Address

Company Address

* Contact Person Name

Contact Person Name

logo

CSD User CSD

New SRF

Fill the fields meaning fully with proper dates

SRFs

Add SRF

* SRF Type

* SRF Date

09/06/2023

* Company

ABC Limited

* Company Address

100 Fort Street, 3rd Cross, BTM layout

* Contact Person Name

Ajay Kumar

* Contact Person Number

4747847478

Report under Same Company

* Department

Quality

* Customer DC No

2345

* Customer DC Date

07/06/2023

* Agreed Date Of Completion

13/06/2023

Next Calibration Due Date require in certificate

Statement of conformity

Uncertainty should be consider for the declaration of statement of the conformity

Add Company

Then click add items

CSD User Login - Add SRF Items

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGE MIN	RANGE MAX	UNIT	SERIAL NUMBER	ID NUMBER	REMARKS	DELETE
------	---------------------	------	-------	-----------	-----------	------	---------------	-----------	---------	--------

New Item

* Description of Item

di

✕

✕

Digital Vernier Calipher

Plunger Dial Gauge

* Model

Model

* Range Min.

Range Min.

* Range Max.

Range Max.

* Unit

mm

▼

* Serial Number



It's empty here
Our robots did not find any match...

Add Item

CSD User Login - Add SRF Items

New Item

Description of Item

Digital Vernier Calipher

Make

MK VERNIERS

Model

MK234

Range Min.

100

Range Max.

200

Unit

mm

Serial Number

Add Item

New Item

200

Unit

mm

Serial Number

345673

Id Number

135678

Remarks

received in good condition

ULR Number

1

Add Item

CSD User Login - Add SRF Items

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

CSD User
CSD

SRFs

Add SRF

New SRF

* SRF Type

I

* SRF Date

09/06/2023

* Company

ABC Limited

* Company Address

100 Fort Street, 3rd Cross, BTM layout

* Contact Person Name

Ajay Kumar

* Contact Person Number

4747847478

Report under Same Company

☒

* Department

Quality

* Customer DC No

2345

* Customer DC Date

07/06/2023

* Agreed Date Of Completion

13/06/2023

Next Calibration Due Date require in certificate

☐

Statement of conformity

☐

Uncertainty should be consider for the declaration of statement of the conformity

☐

Add Company

Item Added Successfully

Digital Vernier Caliper

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGE MIN	RANGE MAX	UNIT	SERIAL NUMBER	ID NUMBER	REMARKS	DELETE
1	Digital Vernier Caliper	MK VERNIERS	MK234	100	200	mm	345673	135678	received in good con...	Delete

Add Item

Add SRF

Add SRF button will get enabled

CSD User Login - Add SRF Items

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

CSD User
CSD

SRFs

Add SRF

SRFs

Search By SRF No. Search By Customer DC Search By Company Name Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View	Preview
2	2023/TL2/I00002	2023-06-09	2001	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No. Search By Dispatch DC Search By Id No

status is not calibrated

Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	VERNIER DIGITAL	M23	100	200	mm	45677865	786543	PAYMENT DONE	Good condition	View	Edit	Delete
2	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in goo...	View	Edit	Delete
3	Digital Vernier ...	VERNIER Comp...	MK1	100	300	mm	1256	ABC123	REPORT GENERATE	Received in goo...	View	Edit	Delete

SRF Added Successfully!!
SRF No: 7

Note down this number for querying

CSD User Login Query SRF Items

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

logo

CSD User CSD

SRFs

Add SRF

SRFs

Search By SRF No.
2023/TL2/I00003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No.
Search By Dispatch DC

Search By Id No


Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in goo...	View	Edit	Delete





Lab Admin Login

- Items are received for calibration from client, so create client user name searching the company. If the client user already exists no needs for this step
- This user will be created in the Certificate Master automatically



Lab Admin Login - Create Client User Name (for Certificate Master)



Lab Admin Login - Create Client User Name (for Certificate Master)

The screenshot displays the CalibMaster web application interface. The browser address bar shows the URL `calibmaster.iviewsense.com:5000/dashboard`. The top navigation bar includes the CalibMaster logo, a user profile icon for `admin@testinglab2.com` with the role `admin`, and a power button. The left sidebar contains navigation links for SRFs, Users, Add SRF, Add User (highlighted with a blue bar), MasterList, and E-Mail. The main content area features the 'Add User' form with the following fields:

- Name:** Ajay Kumar
- Email:** ajaykumar@abc.com
- Password:** (masked with dots)
- Department:** Client (dropdown menu)
- Company:** ABC Limited
- Company Address:** 100 Fort Street, 3rd Cross, BTM layout

At the bottom of the form is a green 'Add User' button. A blue box on the left side of the form contains the text: "Client user cannot login into CalibMaster. Its restricted." A red callout box points to the 'Company' field with the text: "Search the company, When the client login in Certificate Master, his company SRFs and certificates will be display". Blue arrows indicate the flow of data from the form fields to the user profile in the top navigation bar.

Lab Admin Login - Create Client User Name (for Certificate Master)

The screenshot displays the CalibMaster web application interface. The browser address bar shows the URL `calibmaster.ivIEWSense.com:5000/dashboard`. The application header includes a logo on the left and a user profile on the right with the email `admin@testinglab2.com` and the name `admin`. A sidebar on the left contains navigation links: SRFs, Users, Add SRF, Add User, MasterList, and E-Mail. The main content area features the 'Add User' form, which includes the following fields and annotations:

- Name:** `Client User` (Annotated with a blue arrow pointing to the field).
- Email:** `clientuser@abc.com` (Annotated with a blue arrow pointing to the field).
- Password:** `clientuser123#` (Annotated with a blue arrow pointing to the field).
- Department:** `Client` (Annotated with a red callout box stating 'Select Client as Department').
- Company:** `ABC Limited` (Annotated with a blue arrow pointing to the field and a blue callout box stating 'Search the company, When the client login in Certificate Master, his company SRFs and certificates will be displayed').
- Company Address:** `100 Fort Street, 3rd Cross, BTM layout` (Annotated with a blue arrow pointing to the field).
- Add User Button:** A green button at the bottom of the form (Annotated with a blue arrow pointing to the button).

Additional annotations include:

- A blue callout box stating 'Only one user will be created for a company (client)' pointing to the 'Add User' button.
- A blue arrow pointing from the 'Add User' sidebar link to the 'Add User' form.
- A blue arrow pointing from the user profile in the top right corner to the 'Add User' form.

Lab Admin Login - Create Client User Name (for Certificate Master)

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

admin@testinglab2.com
admin

⚙

SRFs

Users

Add SRF

Add User

MasterList

E-Mail

Users

Search By Id

Search By Name

Search By Email

Search By Department


S.NO	USER ID	NAME	EMAIL	DEPARTMENT	EDIT	DELETE
1	14	CSD User	csduser@testinglab2.com	CSD	Edit	Delete
2	15	Calibration User	calibuser@testinglab2.com	Calibration	Edit	Delete
3	16	Accounts User	accuser@testinglab2.com	Accounts	Edit	Delete
4	17	Client User	clientuser@abc.com	Client	Edit	Delete

User Added Successfully
Client User





Client User Login

- Client User can login only in Certificate Master to view and download the certificate
- SRF list and Certificate for download will be visible after the Certificate is uploaded by CSD user
- Also only Client User can login into Certificate Master, CalibMaster users (including root and admin users) cannot login into Certificate master




Client Login in Certificate Master






Calibration User Login

- Calibration User will set various status of the SRFs, the actual calibration work happens off-line and only the status against the SRF is captured and tracked
- After the offline calibration work, the certificate is also generated offline and uploaded against the SRF
- The Uploaded certificate will be visible to the Client User in Certificate Master



Calibration User Login



CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000

login


Email

calibuser@testinglab2.c

Password

.....

Login →



CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

logo

Calibration User
Calibration

Welcome to Calibration Management System

SRFs

Calibration User Login

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate



Calibration User
Calibration





SRFs

SRFs

Search By SRF No.

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
2	2023/TL2/I00002	2023-06-09	2001	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
1	Digital Vernier Ca...	VERNIER DIGITAL	M23	100	200	mm	45677865	786543	PAYMENT DONE	Good condition	View	Update
2	Digital Vernier Ca...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in good ...	View	Update
3	Digital Vernier Ca...	VERNIER Company	MK1	100	300	mm	1256	ABC123	REPORT GENERATED	Received in good...	View	Update

Calibration User Login

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate



Calibration User
Calibration





SRFs

SRFs

Search By SRF No.

2023/TL2/I00003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
1	Digital Vernier Ca...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in good ...	View	Update

the initial status is NOT CALIBRATED

Click View to Update the Status



Calibration User Login - Update Not Calibrated -> Calibrated

SRF Detail

SRF No: 2023/TL2/I00003

SRF Date: 2023-06-09

Customer DC: 2345

Customer DC Date:2023-06-07

Company Name:ABC Limited

Company Address:100 Fort Street, 3rd Cross, BTM layout

Report Company Name:ABC Limited

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Click view to see the status

SRF Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☐	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in good...	View	Update

SRF Item Detail

SNo: 1

Range Minimum: 100

Id No: 135678

Calibration Done Name:

Report Dispatch Mode:

ULR No: 1

Description: Digital Vernier Caliper

Range Maximum: 200

Status: NOT CALIBRATED

Report Done Date:

Item Dispatch Date:

Invoice No:

Make: MK VERNIERS

Range Unit: mm

SRF No: 2023/TL2/I00003

Report Done Name:

Item Dispatch DC:

Remarks: received in good condition

Model: MK234

Serial No: 345673

Calibration Done Date:

Report Dispatch Date:

Item Dispatch Mode:

Not Calibrated ✓

Calibrated

Report Generated

Dispatched

Report Dispatched

Invoice Generated

Payment Done

Calibration User Login - Update Not Calibrated -> Calibrated

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Customer DC Date:2023-06-07

Select the item that needs to be updated with status

SRF Items

	S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
1	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	NOT CALIBRATED	received in good...	View	Update

SRF Item Detail

SNo: 1

Description: Digital Vernier Caliper

Make: MK VERNIERS

Model: MK234

Range Minimum: 100

Range Maximum: 200

Range Unit: mm

Serial No: 345673

Id No: 135678

Status: NOT CALIBRATED

SRF No: 2023/TL2/I00003

Calibration Done Date:

Calibration Done Name:

Report Dispatch Date:

Report Dispatch Mode:

Item Dispatch Date:

Item Dispatch DC:

Item Dispatch Mode:

ULR No: 1

Invoice No:

Remarks: received in good condition

Mark as Calibrated

Not Calibrated ✓

Calibrated

Report Generated

Dispatched

Report Dispatched

Invoice Generated

Payment Done

Mark as Calibrated

Mark as Report Generated

Mark as Calibrated & Report Generated

Calibration User Login - Update Not Calibrated -> Calibrated

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

SRF Item Updated Successfully!!
SNo: 1

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	CALIBRATED	received in good...	View	Update

Status changed to Calibrated

Calibration User Login - Calibrated Status

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

SRF Item Updated Successfully!!
SNo: 1

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	CALIBRATED	received in good...	View	Update

Status changed to Calibrated

Calibration User Login - Calibrated

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate



Calibration User
Calibration





SRFs

Requery the SRF No again, remove the existing value and make it as

SRFs

Search By SRF No.

2023/TL2/I00003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
1	Digital Vernier Ca...	MK VERNIERS	MK234	100	200	mm	345673	135678	CALIBRATED	received in good ...	View	Update

the screen will refresh

Calibration User Login - Calibrated

Not Calibrated



Calibrated



Report Generated

Dispatched

Report Dispatched

Invoice Generated

Payment Done



CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

Calibration User
Calibration

SRFs

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Next step is to progress to Report Generated. Click View again and mark

Filtered Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
1	Digital Vernier Ca...	MK VERNIERS	MK234	100	200	mm	345673	135678	CALIBRATED	received in good ...	View	Update

Calibration User Login - Calibrated -> Reports Generated

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Customer DC Date:2023-06-07

SRF Items

	S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	CALIBRATED	received in good...	View	Update

SRF Item Detail

SNo: 1

Description: Digital Vernier Caliper

Make: MK VERNIERS

Model: MK234

Range Minimum: 100

Range Maximum: 200

Range Unit: mm

Serial No: 345673

Id No: 135678

Status: CALIBRATED

SRF No: 2023/TL2/I00003

Calibration Done Date: 2023-06-09

Calibration Done Name: Calibration User

Report Dispatch Date:

Report Dispatch Mode:

Item Dispatch Date:

Item Dispatch DC:

Item Dispatch Mode:

ULR No: 1

Invoice No:

Remarks: received in good condition

Not Calibrated



Calibrated



Report Generated



Dispatched



Report Dispatched



Invoice Generated



Payment Done



Click Mark as Report Generate

Mark as Calibrated

Mark as Report Generated

Mark as Calibrated & Report Generated

Calibration User Login - Calibrated -> Reports Generated

✓ SRF Item Updated Successfully!!
SNo: 1

SRF Detail

SRF No: 2023/TL2/I00003 Company Name:ABC Limited Report Company Name:ABC Limited

SRF Date: 2023-06-09 Company Address:100 Fort Street, 3rd Cross, BTM layout Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Customer DC Date:2023-06-07

Status changed to Report Generated

SRF Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERATED	received in good...	View	Update

SRF No: 2023/TL2/I00003

SRF Date: 2023-06-09

Customer DC: 2345

Customer DC Date: 2023-06-07

Company Name: ABC Limited

Company Address: 100 Fort Street, 3rd Cross, BTM layout

Report Company Name: ABC Limited

Report Company Address: 100 Fort Street, 3rd Cross, BTM layout

SRF Items

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERATED	received in good...	View	Update

S.NO	DESCRIPTION ...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	UPDATE	
☒	1	Digital Vernier C...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERATED	received in good...	View	Update

Calibration User Login - Reports Generated

SRF Item Detail

SNo: 1	Description: Digital Vernier Calipher	Make: MK VERNIERS	Model: MK234
Range Minimum: 100	Range Maximum: 200	Range Unit: mm	Serial No: 345673
Id No: 135678	Status: REPORT GENERATED	SRF No:	Calibration Done Date: 2023-06-09
Calibration Done Name: Calibration User	Report Done Date: 2023-06-09	Report Done Name: Calibration User	Report Dispatch Date:
Report Dispatch Mode:	Item Dispatch Date:	Item Dispatch DC:	Item Dispatch Mode:
ULR No: 1	Invoice No:	Remarks: received in good condition	

Not Calibrated

Calibrated

Report Generated

Dispatched

Report Dispatched


Invoice Generated

Payment Done





Customer Support Dept (CSD)Login

- Upload the Certificate Document against the SRF
- Dispatch the Items via post or courier for which Calibration and Report is generated
- Dispatch the Report to Client via post or courier



CSD User Login - Reports Generated -> Dispatched



CSD User Login - Reports Generated -> Dispatched

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

logo

Query the SRF number and click View to update the status and to Upload the Certificate

SRFs

Add SRF

Search By SRF No.

2023/TL2/I00003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View	Preview
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERATE	received in goo...	View	Edit	Delete

CSD User Login - Reports Generated ->Dispatched

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTI...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NU...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE	UPLOAD	
☒	1	Digital Vernie...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERA	received in g...	View	Edit	Delete	Upload

Add Item

Update Dispatch Details

Update Report Dispatch Details

Upload the Calibration Certificate PDF file

1

2

CSD User Login - Reports Generated ->Dispatched

×

Upload Certificate

File selector



Drag & Drop or Click to Browse

Select only one file

Upload

×

Upload Certificate

File selector



SampleTestingLabCalibrationCertificate.pdf

Select only one file

Upload

Drop and Drop or Select the PDF file

×

Upload Certificate

File selector



SampleTestingLabCalibrationCertificate.pdf

Select only one file

Upload

File Uploaded Successfully!!

CSD User Login – Reports Generated ->Dispatched

SRF Detail

SRF No: 2023/TL2/100003 Company Name:ABC Limited Contact Person:Ajay Kumar Report Company Name:ABC Limited

SRF Date: 2023-06-09 Company Address:100 Fort Street, 3rd Cross, BTM layout Contact Number:4747847478 Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345 Department:Quality

Customer DC Date:2023-06-07

SRF Items

	S.NO	DESCRIPTI...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NU...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE	UPLOAD
	1	Digital Vernie...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERA	received in g...	View	Edit	Delete	Upload

Add Item

Update Dispatch Details

Update Report Dispatch Details

CSD User Login - Reports Generated ->Dispatched

Update SRF Items Dispatch Information!!

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS
1	Digital Vernier Calipher	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT GENERATED	received in good con...

* Dispatch DC No

56123

* Dispatch DC Date

09/06/2023

* Dispatch Mode

Courier

Calibration Reminder Date

21/12/2023

fill up the dispatch details

Update Dispatch Details

CSD User Login - Reports Generated -> Dispatched

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

Dispatch Information updated successfully!!
7

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTI...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NU...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE	UPLOAD	
☒	1	Digital Vernie...	MK VERNIERS	MK234	100	200	mm	345673	135678	DISPATCHED	received in g...	View	Edit	Delete	Upload

Add Item

Update Dispatch Details

Update Report Dispatch Details

CSD User Login - Reports Generated -> Dispatched

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

CSD User
CSD

SRFs

Add SRF

Requery the SRF number

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	DISPATCHED	received in goo...	View	Edit	Delete

CSD User Login - Reports Generated ->Dispatched

SRF Item Detail

SNo: 1	Description: Digital Vernier Calipher	Make: MK VERNIERS	Model: MK234
Range Minimum: 100	Range Maximum: 200	Range Unit: mm	Serial No: 345673
Id No: 135678	Status: DISPATCHED	SRF No: 2023/TL2/I00003	Calibration Done Date: 2023-06-09
Calibration Done Name: Calibration User	Report Done Date: 2023-06-09	Report Done Name: Calibration User	Report Dispatch Date:
Report Dispatch Mode:	Item Dispatch Date: 2023-06-09	Item Dispatch DC: 56123	Item Dispatch Mode: courier
ULR No: 1	Invoice No:	Remarks: received in good condition	

- Not Calibrated ✓
- Calibrated ✓
- Report Generated ✓
- Dispatched ✓
- Report Dispatched
- Invoice Generated
- Payment Done



CSD User Login - Dispatched-> Reports Dispatched

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

CSD User
CSD

SRFs

Add SRF

SRFs

Search By SRF No.
2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	DISPATCHED	received in goo...	View	Edit	Delete

CSD User Login - Dispatched-> Reports Dispatched

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTI...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NU...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE	UPLOAD
☒ 1	Digital Vernie...	MK VERNIERS	MK234	100	200	mm	345673	135678	DISPATCHED	received in g...	View	Edit	Delete	Upload

Add Item

Update Dispatch Details

Update Report Dispatch Details

CSD User Login - Dispatched-> Reports Dispatched

Update Report Dispatch Information

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS
1	Digital Vernier Calipher	MK VERNIERS	MK234	100	200	mm	345673	135678	DISPATCHED	received in good con...

* Report Dispatch Mode

Courier

* Report Dispatch Date

09/06/2023

Update Report Details

CSD User Login - Dispatched-> Reports Dispatched

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

Dispatch Information updated successfully!!
7

SRF Detail

SRF No: 2023/TL2/100003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTI...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NU...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE	UPLOAD	
☒	1	Digital Vernie...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT DISPATC	received in g...	View	Edit	Delete	Upload

Add Item

Update Dispatch Details

Update Report Dispatch Details

CSD User Login - Reports Dispatched

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

 **CSD User**
CSD

 SRFs

 Add SRF

Requery to see the updated Status

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF	PREVIEW
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View	Preview
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View	Preview

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUM...	ID NUMBER	STATUS	REMARKS	VIEW	EDIT	DELETE
1	Digital Vernier ...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT DISPATCHED	received in goo...	View	Edit	Delete

CSD User Login – Reports Dispatched

SRF Item Detail

SNo: 1	Description: Digital Vernier Caliper	Make: MK VERNIERS	Model: MK234
Range Minimum: 100	Range Maximum: 200	Range Unit: mm	Serial No: 345673
Id No: 135678	Status: REPORT DISPATCHED	SRF No: 2023/TL2/I00003	Calibration Done Date: 2023-06-09
Calibration Done Name: Calibration User	Report Done Date: 2023-06-09	Report Done Name: Calibration User	Report Dispatch Date: 2023-06-09
Report Dispatch Mode: courier	Item Dispatch Date: 2023-06-09	Item Dispatch DC: 56123	Item Dispatch Mode: courier
ULR No: 1	Invoice No:	Remarks: received in good condition	

Not Calibrated

Calibrated

Report Generated

Dispatched

Report Dispatched


Invoice Generated

Payment Done






Accounts User Login

- After the Item and Reports were dispatched, Accounts department raises the invoice offline and send to the client
- After the invoice is sent, the status is updated to Invoice Generated
- After the Payment is Received, Payment Done status is updated



Accounts User Login - Reports Dispatched -> Invoice Generated



Accounts User Login - Reports Dispatched -> Invoice Generated

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

logo

Accounts User
Accounts

SRFs

SRFs

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT DISPATCHED	received in good c...	View

Accounts User Login - Reports Dispatched -> Invoice Generated

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

	S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
☒	1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT DISPATCHED	received in good c...	View

Update Invoice Detail

Update Payment Status



Accounts User Login - Reports Dispatched -> Invoice Generated

Update Invoice Detail!!

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS
1	Digital Vernier Calipher	MK VERNIERS	MK234	100	200	mm	345673	135678	REPORT DISPATCHED	received in good con...

* Invoice No.

578

Update Invoice Detail



Accounts User Login - Invoice Generated

CalibMaster

Not secure | calibmaster.ivIEWSense.com:5000/dashboard

InPrivate

Invoice Information updated successfully!!
7

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	
☒	1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good c...	View

Update Invoice Detail

Update Payment Status

Accounts User Login - Invoice Generated

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

Accounts User
Accounts

SRFs

Requery the SRF number

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good c...	View

Accounts User Login - Invoice Generated

CalibMaster

Not secure | calibmaster.viewsense.com:5000/dashboard

InPrivate

logo

Accounts User
Accounts

SRFs

Requery the SRF number

Search By SRF No.

2023/TL2/I00003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good c...	View

Accounts User Login - Invoice Generated

SRF Item Detail

SNo: 1

Range Minimum: 100

Id No: 135678

Calibration Done Name: Calibration User

Report Dispatch Mode: courier

ULR No: 1

Description: Digital Vernier Calipher

Range Maximum: 200

Status: INVOICE GENERATED

Report Done Date: 2023-06-09

Item Dispatch Date: 2023-06-09

Invoice No: 578

Make: MK VERNIERS

Range Unit: mm

SRF No: 2023/TL2/I00003

Report Done Name: Calibration User

Item Dispatch DC: 56123

Remarks: received in good condition

Model: MK234

Serial No: 345673

Calibration Done Date: 2023-06-09

Report Dispatch Date: 2023-06-09

Item Dispatch Mode: courier

Not Calibrated

Calibrated

Report Generated

Dispatched

Report Dispatched

Invoice Generated

Payment Done



Accounts User Login - Invoice Generated -> Payment Done

logo

Accounts User
Accounts

SRFs

SRFs

Search By SRF No.

2023/TL2/I00003

Search By Customer DC

Search By Customer DC

Search By Company Name

Search By Company Name

Search By Customer Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
1	2023/TL2/I00001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/I00003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Serial No.

Search By Dispatch DC

Search By Dispatch DC

Search By Id No

Search By Id No

Filtered Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good c...	View

Accounts User Login - Invoice Generated -> Payment Done

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

	S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
☒	1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good c...	View

Update Invoice Detail

Update Payment Status

Update Payment Status!!

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION OF I...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS
1	Digital Vernier Calipher	MK VERNIERS	MK234	100	200	mm	345673	135678	INVOICE GENERATED	received in good con...

Mark as Paid

Accounts User Login - Invoice Generated -> Payment Done



Payment Information updated successfully!!

7

SRF Detail

SRF No: 2023/TL2/I00003

Company Name:ABC Limited

Contact Person:Ajay Kumar

Report Company Name:ABC Limited

SRF Date: 2023-06-09

Company Address:100 Fort Street, 3rd Cross, BTM layout

Contact Number:4747847478

Report Company Address:100 Fort Street, 3rd Cross, BTM layout

Customer DC: 2345

Department:Quality

Customer DC Date:2023-06-07

SRF Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW	
☒	1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	PAYMENT DONE	received in good c...	View

Update Invoice Detail

Update Payment Status

Accounts User Login - Payment Done

CalibMaster

Not secure | calibmaster.iviewsense.com:5000/dashboard

InPrivate

logo

Accounts User
Accounts

SRFs

SRFs

Search By SRF No.

2023/TL2/100003

Search By Customer DC

Search By Company Name

Search By Customer Name

S.NO	SRF NO	SRF DATE	CUSTOMER DC	COMPANY NAME	AGREED DATE	CONTACT PERSON	CONTACT NUMBER	DEPARTMENT	VIEW SRF
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
1	2023/TL2/100001	2023-06-09	35	ABC Limited	2023-06-14	Ajay Kumar	4747847478	Quality	View
3	2023/TL2/100003	2023-06-09	2345	ABC Limited	2023-06-13	Ajay Kumar	4747847478	Quality	View

SRF Items Filter

Search By Serial No.

Search By Dispatch DC

Search By Id No

Filtered Items

S.NO	DESCRIPTION O...	MAKE	MODEL	RANGEMIN	RANGEMAX	UNIT	SERIAL NUMBER	ID NUMBER	STATUS	REMARKS	VIEW
1	Digital Vernier Cali...	MK VERNIERS	MK234	100	200	mm	345673	135678	PAYMENT DONE	received in good c...	View

SRF Item Detail

SNo: 1

Description: Digital Vernier Caliper

Make: **MK VERNIERS**

Model: **MK234**

Range Minimum: 100

Range Maximum: 200

Range Unit: **mm**

Serial No: 345673

Id No: 135678

Status: PAYMENT DONE

SRF No: 2023/TL2/I00003

Calibration Done Date: 2023-06-09

Calibration Done Name: Calibration User

Report Done Date: 2023-06-09

Report Done Name: Calibration User

Report Dispatch Date: 2023-06-09

Report Dispatch Mode: **courier**

Item Dispatch Date: 2023-06-09

Item Dispatch DC: 56123

Item Dispatch Mode: **courier**

ULR No: 1

Invoice No: 578

Remarks: **received in good condition**

Not Calibrated



Calibrated



Report Generated



Dispatched



Report Dispatched



Invoice Generated




Payment Done






Client User Login

- Client User Login to see the SRF and download the Certificate



Client User Login in Certificate Master - View SRFs



Client User Login in Certificate Master – View SRFs



Search By Item Name

Search By Item Name 

Search By SRF Number

Search By SRF Number 

Search By Make

Search By Make 

Search By Model

Search By Model 

Search By Serial Number

Search By Serial Numb 

Search By Id Number

Search By Id Number 

NAME	SRF NUMBER	MAKE	MODEL	SERIAL NUMBER	ID NUMBER	VIEW CERTIFICA...	DOWNLOAD CER...
Digital Vernier C...	2023/TL2/I00002	VERNIER DIGITAL	M23	45677865	786543	View	Download
Digital Vernier C...	2023/TL2/I00003	MK VERNIERS	MK234	345673	135678	View	Download



Client User Login in Certificate Master – View Certificate PDF



Client User Login in Certificate Master – Download Certificate PDF

☰

📄

🔌

Search By Item Name

Search By SRF Number

Search By Make

Search By Model

Search By Serial Number

Search By Id Number

SERIAL NUMBER	ID NUMBER	VIEW CERTIFICA...	DOWNLOAD CER...
45677865	786543	View	Download
345673	135678	View	Download

4.7_7_Digital Vernier Calipher.pdf

file:///C:/Users/annpro/Downloads/4_7_7_Digital Vernier Calipher.pdf

4.7_7_Digital Vernier Calipher.pdf
Completed — 77.2 KB

Show all downloads

logo

Testing Lab
34, XX Street


Certificate Downloaded

Calibration Certificate

Certificate No: 34
Certificate Date: 09-Jun-2023

SRF No: 2023/TL2/I00003
SRF Date: 2023-06-09
Customer DC: 2345
Customer DC Date:2023-06-07

Company Name:ABC Limited
Company Address:100 Fort Street, 3rd Cross, BTM layout
Contact Person:Ajay Kumar
Contact Number:4747847478
Department:Quality



End of user
guide