

Run Debug Stop Share Save Beautify

Main.java

```
1- import java.util.*;
2- public class Main {
3-     public static void main(String[] args) {
4-         Scanner sc = new Scanner(System.in);
5-         ArrayList<Integer> list = new ArrayList<>();
6-         for (int i = 0; i < 10; i++) {
7-             list.add(sc.nextInt());
8-         }
9-         Iterator<Integer> it = list.iterator();
10-        while (it.hasNext()) {
11-            int n = it.next();
12-            if (n % 2 == 0) {
13-                it.remove();
14-            }
15-        }
16-        Iterator<Integer> it2 = list.iterator();
17-        while (it2.hasNext()) {
18-            System.out.println(" ");
19-            System.out.println(it2.next());
20-        }
21-    }
22- }
```

input

```
78
79
76
75
74
71
72
73
70
58
79
75
71
73

...Program finished with exit code 0
Press ENTER to exit console.
```

ITERATOR

[← Back](#)

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

10 marks

Q2

Remove Even Numbers Using Iterator

10 marks

Q3

Product Price Analysis Using Iterator

10 marks

Q3 Product Price Analysis Using Iterator 10 marks

A supermarket stores the prices of various products in an ArrayList<Double>. The manager wants to analyze the prices using an Iterator.

Write a Java program to:

Create an ArrayList<Double>.

Read the prices of 10 products from the user.

Traverse the list using an Iterator.

Calculate and display:

Total price of all products.

Average product price.

Highest product price.

Display all product prices using the Iterator.



SIMATS Online Programming Lab

JAVA PROGRAMMING

NEELAKANDAMOORTHY C
192421063RD

```
9      }
10     Iterator<Double> it = prices.iter
11     double max = prices.get(0);
12     while (it.hasNext()) {
```

```
13         double price = it.next();
14         System.out.println(price);
15         sum += price;
16
17         if (price > max) {
18             max = price;
19         }
20     }
21     double average = sum / prices.size
22     System.out.println("Total Price =
23     System.out.println("Average Price
24     System.out.println("Highest Price
25     sc.close();
26 }
27 }
```

Input

350
450
500
550

Output

300.0
550.0
Total Price = 3250.0
Average Price = 325.0
Highest Price = 550.0

Run

Save

© 2026 SIMATS Online Lab. All rights reserved.



SIMATS Online Programming Lab

JAVA PROGRAMMING

NEELAKANDAMOORTH Y C
192421063RD

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.
10 marks

Q2

Remove Even Numbers Using Iterator
10 marks

Q3

Product Price Analysis Using Iterator
10 marks

1/3 answered

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

Q1

10 marks

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

Write a Java program to:

Create an ArrayList of student names.

Read 8 student names from the user.

Traverse the list using an Iterator.

Display each student name on a separate line.

Display the total number of students stored in the list.

Your Code

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args)
4     {
5         Scanner sc = new Scanner(System.in);
6         ArrayList<String> students = new ArrayList<>();
7         for (int i = 0; i < 8; i++) {
8             students.add(sc.nextLine());
9         }
10        Iterator<String> it = students.iterator();
11        while (it.hasNext()) {
12            System.out.println(it.next());
13        }
14    }
15 }
```

```
12     }
13     System.out.println("Total Students: " + students.size());
14 }
15 }
```

Input

vishal
varun
gowthem
aswin
moorthy

Output

varun
gowthem
aswin
moorthy
Total Students: 8

Run

Save

© 2026 SIMATS Online Lab. All rights reserved.