

FieldTrack Ops - Administration Guide

Jobs and assignments

Jobs contain customer details, location, scheduled time, assigned technician, checklist, notes, and completion status.

Technicians can be reassigned by authorized coordinators.

Offline work

The mobile app can cache assigned job details and save checklist responses offline. New jobs cannot be created while offline.

Offline changes are queued locally and sync when connectivity returns. Conflicts may require the latest server state to win.

Photos and files

Each job supports up to 50 photos. Individual files are limited to 15 MB. Unsupported or oversized files should be rejected with a clear message.

Photos may include optional captions.

Location stamps

Check-in and check-out events may include location when the device permission is enabled. Continuous background tracking is not provided.

If permission is denied, the event can still be recorded without a location stamp.

Reporting

Standard reports cover job completion, technician activity, checklist status, and turnaround time. Reports are operational summaries rather than a general BI platform.

Mobile behavior

Technicians can view assigned work, complete checklists, add notes, attach photos, and mark jobs complete. Administrative configuration remains in the web app.

FieldTrack Ops - Product Manual

Overview

FieldTrack Ops is a field-service scheduling platform for inspection and maintenance teams. It supports jobs, technician assignments, mobile checklists, photos, and completion notes.

Related conditions and examples are documented in the same product family where relevant.

Offline

The mobile app can save assigned job details and checklist responses offline. New jobs can't be created while the device is offline.

Related conditions and examples are documented in the same product family where relevant.

Photos

Each job supports up to 50 uploaded photos. Individual files are limited to 15 MB.

Related conditions and examples are documented in the same product family where relevant.

Location

Location stamps can be attached to check-in and check-out events when device permissions are enabled. Continuous background tracking isn't part of the product.

Related conditions and examples are documented in the same product family where relevant.

Reporting

Standard reports cover job completion, technician activity, checklist status, and turnaround time. The product isn't a general-purpose BI tool.

Related conditions and examples are documented in the same product family where relevant.

LedgerLane Billing - Administration Guide

Customer records

Basic supports 300 active customers, Plus 2,000, and Scale 10,000. Archived contacts do not count toward the active-customer limit.

Customer records can store business name, billing contact, billing address, tax identifier, and internal notes.

Invoices

Invoices can be created manually or from recurring schedules. Draft invoices can be edited before issue. Issued invoices keep a record of status changes.

Credit notes reduce or reverse billed amounts without deleting the original invoice record.

Payments

LedgerLane connects to supported external payment processors. It records payment status returned by the processor but does not hold or settle card funds itself.

Processor availability and transaction fees are controlled by the connected payment service.

Exports and reports

CSV export is available on all plans. Plus and Scale support scheduled exports. Basic users can still download exports manually.

Reports include invoice totals, outstanding balances, paid amounts, and recurring invoice activity.

Access control

Two-factor authentication is available on all plans. Role-based access is available on Plus and Scale.

The platform does not claim blanket PCI compliance for every system component because payment-card processing is handled externally.

Plan comparison

Basic: 300 active customers, manual CSV export. Plus: 2,000 active customers, role-based access, scheduled exports. Scale: 10,000 active customers with the same export and access-control capabilities plus higher limits.

LedgerLane Billing - Product Manual

Overview

LedgerLane Billing is a subscription invoicing platform for small service businesses. It supports customers, invoices, recurring invoice schedules, payment status, credit notes, and basic revenue reports.

Related conditions and examples are documented in the same product family where relevant.

Plans

Basic supports 300 active customers. Plus supports 2,000. Scale supports 10,000. Limits apply to active customer records, not archived contacts.

Related conditions and examples are documented in the same product family where relevant.

Payments

LedgerLane can connect to supported payment processors, but it doesn't hold customer funds itself.

Related conditions and examples are documented in the same product family where relevant.

Exports

CSV export is available on all plans. Automated scheduled exports are available on Plus and Scale.

Related conditions and examples are documented in the same product family where relevant.

Security

Role-based access is available on Plus and Scale. Two-factor authentication is available to all users. The product doesn't claim PCI compliance for the whole platform because card processing is handled by external processors.

Related conditions and examples are documented in the same product family where relevant.

NovaFlow CX - Administration Guide

Accounts and access

Users are invited by an administrator. Starter and Growth use email/password accounts with optional MFA. Enterprise may configure SAML SSO. Suspended users cannot sign in but remain visible in historical activity.

Password resets are sent by email. The platform does not expose existing passwords to administrators.

Inboxes and conversations

Teams can create shared inboxes and assign conversations to agents. Internal notes are visible to team members but are not sent to customers.

Tags can be applied manually or through workflow rules. Priority values are low, normal, high, and urgent.

Workflow rules

Rules contain conditions and ordered actions. Supported actions include assignment, tag changes, priority changes, and internal notifications.

Starter supports 5 active workflow rules, Growth 50, and Enterprise limits are negotiated. Rules do not execute arbitrary Python code.

Reporting

Standard reports include conversation volume, first-response time, resolution time, assignment counts, and tag-based breakdowns.

Reporting history is 30 days on Starter, 12 months on Growth, and up to 24 months on Enterprise.

Integrations

NovaFlow connects to selected email, team-chat, CRM, and telephony providers. Telephony is an integration, not a built-in voice call center.

Specific integration availability should be checked against the current approved catalog before publishing a claim.

Security notes

Data is encrypted in transit and at rest. MFA is available, and SAML SSO is available on Enterprise. These controls reduce risk but don't justify absolute security claims.

Plan comparison

Starter: up to 10 seats, 5 workflow rules, 30 days reporting. Growth: up to 50 seats, 50 rules, 12 months reporting. Enterprise: negotiated seats, advanced SSO, up to 24 months reporting.

NovaFlow CX - Product Manual

Overview

NovaFlow CX is a shared customer-support inbox and workflow platform for small and mid-sized service teams. It includes shared inboxes, internal notes, tags, assignment rules, and reporting.

Related conditions and examples are documented in the same product family where relevant.

Plans

Starter supports up to 10 agent seats and 5 workflow rules. Growth supports up to 50 seats and 50 workflow rules. Enterprise has negotiated seat limits and advanced SSO.

Related conditions and examples are documented in the same product family where relevant.

Retention

Starter includes 30 days of reporting history, Growth 12 months, Enterprise up to 24 months. No plan has unlimited reporting retention.

Related conditions and examples are documented in the same product family where relevant.

Automation

Workflow rules can assign conversations, add tags, change priority, and send internal notifications. Arbitrary Python code isn't supported inside workflow rules.

Related conditions and examples are documented in the same product family where relevant.

Security

Passwords require at least 10 characters. MFA is optional. Enterprise supports SAML SSO. Data is encrypted in transit and at rest. Absolute claims such as 'unhackable' aren't approved.

Related conditions and examples are documented in the same product family where relevant.

Brand and Writing Guide

Voice

Write in direct, practical language. Avoid exaggerated adjectives and claims that sound guaranteed.

Prefer specific product behavior over broad claims such as 'transforms your business instantly'.

Claims

Numerical performance claims need an approved source. If a number isn't supported, rewrite it qualitatively.

Don't claim a product is the fastest, safest, cheapest, or number one without approved comparative evidence.

Style

Use sentence case headings. Keep paragraphs short. Explain necessary technical terms.

Product naming

Use the full product name on first mention. Shortened names can be used later if they remain clear.

Security and Compliance Claims Policy

Security language

Describe actual controls rather than promising outcomes. 'Encrypted in transit and at rest' is acceptable when supported. '100 percent secure' is not.

Don't infer certifications from related features.

Privacy

Public examples must not contain real customer personal data. Use fictional names and identifiers in sample content.

Competitive claims

Named competitor comparisons need current approved evidence.

Product Content QA Rubric

Technical accuracy

Check plan limits, product capabilities, feature conditions, and whether something is native or provided through an integration.

Evidence

Check whether numerical, security, or comparative claims are supported.

Completeness

A short article doesn't need every detail, but it shouldn't leave out a condition that changes the meaning of a claim.

Writing

Flag hype, confusing wording, naming inconsistencies, and unclear statements when they materially reduce quality.

Severity

High: materially false product or compliance claim. Medium: misleading omission or strong policy violation. Low: clarity or wording issue that doesn't change meaning.

NovaFlow CX - Using Workflow Rules for Routing

Overview

This approved article explains one part of NovaFlow in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.

NovaFlow CX - Understanding Support Reports

Overview

This approved article explains one part of NovaFlow in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.

LedgerLane Billing - Recurring Invoices

Overview

This approved article explains one part of LedgerLane in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.

LedgerLane Billing - Exporting Billing Data

Overview

This approved article explains one part of LedgerLane in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.

FieldTrack Ops - Working Offline

Overview

This approved article explains one part of FieldTrack in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.

FieldTrack Ops - Job Photos and Attachments

Overview

This approved article explains one part of FieldTrack in straightforward product language. It avoids performance guarantees and keeps important limits visible.

How it works

The feature is described using a normal user flow, including conditions that change what the user can do.

Examples use fictional names and realistic situations.

Limits and notes

The article distinguishes built-in behavior from connected services and avoids treating optional features as universal.