

```

Building configuration...
[OK]
Router(config)#%BGP-4-NORTRID: BGP could not pick a router-id. Please configure manually.

Router(config)#router bgp 1
Router(config-router)#neighbor 172.16.0.2 remote as 71
      ^
% Invalid input detected at '^' marker.

Router(config-router)#172.16.0.1 remote-as 71
      ^
% Invalid input detected at '^' marker.

Router(config-router)#neighbor 172.16.0.1 remote-as 71
Router(config-router)#network 10.0.0.0 mask 255.0.0.0
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]

Router>enable
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#router bgp 71
Router(config-router)#%BGP-4-NORTRID: BGP could not pick a router-id. Please configure manually.

Router(config-router)#neighbor 172.16.0.1 remote-as 1
Router(config-router)#172.14.0.2 remote-as 79
      ^
% Invalid input detected at '^' marker.

Router(config-router)#neighbor 172.14.0.2 remote-as 79
Router(config-router)#network 40.0.0.0 mask 255.0.0.0
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]
Router(config)#
Router(config)#

```

```

Router>enable
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#router bgp 79
Router(config-router)#%BGP-4-NORTRID: BGP could not pick a router-id. Please configure manually.

Router(config-router)#neighbor 172.14.0.1 remote-as 71
Router(config-router)#network 40.0.0.0 mask 255.0.0.0
Router(config-router)#exit
Router(config)#do write
Building configuration...
[OK]
Router(config)#

```

```

Router#
Router#show ip route
Codes: C - connected, S - static, I - IGRP, R - RIP, M - mobile, B - BGP
        D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
        N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
        E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
        i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
        * - candidate default, U - per-user static route, o - ODR
        P - periodic downloaded static route

Gateway of last resort is not set

Router#show ip protocols
Routing Protocol is "bgp 1"
  Outgoing update filter list for all interfaces is not set
  Incoming update filter list for all interfaces is not set
  IGP synchronization is disabled
  Automatic route summarization is disabled
  Neighbor(s):
    Address          FiltIn FiltOut DistIn DistOut Weight RouteMap
    172.16.0.2
  Maximum path: 1
  Routing Information Sources:
    Gateway          Distance      Last Update
  Distance: external 20 internal 200 local 200
Router#show ip bgp summary
BGP router identifier 0.0.0.0, local AS number 1
BGP table version is 1, main routing table version 6
0 network entries using 0 bytes of memory
0 path entries using 0 bytes of memory
0/0 BGP path/bestpath attribute entries using 0 bytes of memory
0 BGP AS-PATH entries using 0 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
Bitfield cache entries: current 1 (at peak 1) using 32 bytes of memory

-----
IGP synchronization is disabled
Automatic route summarization is disabled
Neighbor(s):
  Address          FiltIn FiltOut DistIn DistOut Weight RouteMap
  172.16.0.2
  Maximum path: 1
  Routing Information Sources:
    Gateway          Distance      Last Update
  Distance: external 20 internal 200 local 200
Router#shw ip bgp neighbors
^
% Invalid input detected at '^' marker.

Router#show ip bgp neighbors
BGP neighbor is 172.16.0.2, remote AS 71, external link
BGP version 4, remote router ID 0.0.0.0
BGP state = Active, up for 00:02:00
Last read 00:02:00, last write 00:02:00, hold time is 180, keepalive interval is 60 seconds
Neighbor capabilities:
  Route refresh: advertised and received(new)
  Address family IPv4 Unicast: advertised and received
Message statistics:
  InQ depth is 0
  OutQ depth is 0

      Sent          Rcvd
Opens:              0          0
Notifications:     0          0
Updates:            0          0
Keepalives:         0          0
Route Refresh:      0          0
Total:              0          0
Default minimum time between advertisements runs is 30 seconds

For address family: IPv4 Unicast
BGP table version 1, neighbor version 6/0
--More-- |

```

```

Router#
%SYS-5-CONFIG_I: Configured from console by console

Router#show ip route
Codes: C - connected, S - static, I - IGRP, R - RIP, M - mobile, B - BGP
        D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
        N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
        E1 - OSPF external type 1, E2 - OSPF external type 2, E - EGP
        i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
        * - candidate default, U - per-user static route, o - ODR
        P - periodic downloaded static route

```

Gateway of last resort is not set

```

Router#show ip protocols
Routing Protocol is "bgp 71"
  Outgoing update filter list for all interfaces is not set
  Incoming update filter list for all interfaces is not set
  IGP synchronization is disabled
  Automatic route summarization is disabled
  Neighbor(s):
    Address          FiltIn FiltOut DistIn DistOut Weight RouteMap
    172.16.0.1
    172.14.0.2
  Maximum path: 1
  Routing Information Sources:
    Gateway          Distance      Last Update

```

```

Rcvd: 0 (out of order: 0), with data: 0, total data bytes: 0
Sent: 0 (retransmit: 0, fastretransmit: 0, partialack: 0, Second Congestion: 0), with data: 0, total data bytes: 0
Packets received in fast path: 0, fast processed: 0, slow path: 0
fast lock acquisition failures: 0, slow path: 0

```

```

BGP neighbor is 172.14.0.2, remote AS 79, external link
  BGP version 4, remote router ID 0.0.0.0
  BGP state = Connecting, up for 00:36:35
  Last read 00:36:35, last write 00:36:35, hold time is 180, keepalive interval is 60 seconds
  Neighbor capabilities:
    Route refresh: advertised and received(new)
    Address family IPv4 Unicast: advertised and received
  Message statistics:
    InQ depth is 0
    OutQ depth is 0

      Sent      Rcvd
Opens:          0        0
Notifications:  0        0
Updates:        0        0
Keepalives:     0        0
Route Refresh:  0        0
Total:          0        0
Default minimum time between advertisements runs is 30 seconds

```

```

For address family: IPv4 Unicast
  BGP table version 1, neighbor version 6/0
  Output queue size : 0
  Index 1, Offset 0, Mask 0x2
  1 update-group member

      Sent      Rcvd
Prefix activity: ----
Prefixes Current: 0        0 (Consumes 0 bytes)
Prefixes total:  0        0
Implicit Withdraw: 0        0
Explicit Withdraw: 0        0

```

Gateway of last resort is not set.

```
Router#show ip protocols
Routing Protocol is "bgp 79"
  Outgoing update filter list for all interfaces is not set
  Incoming update filter list for all interfaces is not set
  IGP synchronization is disabled
  Automatic route summarization is disabled
  Neighbor(s):
    Address          FiltIn FiltOut DistIn DistOut Weight RouteMap
    172.14.0.1
  Maximum path: 1
  Routing Information Sources:
    Gateway          Distance    Last Update
  Distance: external 20 internal 200 local 200
Router#
```

Conn

