

FedACH[®]

Computer Interface Protocol Specifications (CIPS)

Revised: March 1, 2021

This document provides application level interface specifications for depository institutions (DIs), or their service provider, that require access to FedACH Services. This document is primarily addressed to staff responsible for designing, developing and testing ACH applications that interface with FedACH Services. This document is secondarily addressed to DI staff responsible for the operation of those applications. Additional information about FedACH Services is available at:

<https://frbervices.org/>

<https://frbervices.org/financial-services/ach/index.html>

The specifications described in this document are applicable to DIs that will use the FedLine Direct®, FedLine Command®, or FedLine Advantage® access solution(s) to exchange files with FedACH. This document supplements the security and configuration specifications provided in the implementation guides for FedLine Direct, FedLine Command and FedLine Advantage users, respectively known as the *FedLine Direct Security and Implementation Guide* (FSIG), the *FedLine Command Security and Implementation Guide* (FCSIG), and the *FedLine Advantage Technical Support Liaison Guide* (TSL).

Additional information about Federal Reserve Banks approved electronic connections to FedACH Services is available at <https://frbervices.org/fedline-solutions/index.html>

A complete list of marks owned by the Federal Reserve Banks is available at <https://frbervices.org/>

Use and treatment of this document and FedACH Services is governed by the terms and conditions of the Federal Reserve Banks' Operating Circulars 4 and 5.

<https://www.frbervices.org/resources/rules-regulations/operating-circulars.html>

FedACH Computer Interface Protocol Specifications (CIPS)

Table of Contents

File-Based Data Formats 4

Input from DI 4

Output to DI..... 5

ACH File Specifications..... 5

FedACH File Acknowledgement Specifications..... 7

FedACH Acknowledgement – File Level Example21

File-Based Data Formats26

FedACH Advice Specifications26

FedPayments Reporter55

Questions58

File-Based Data Formats

Interface Connections

Introduction

This section provides the specifications for the file-based interfaces to the Federal Reserve System's Automated Clearing House (ACH) system (FedACH).

Seven types of files may be transmitted or received via a computer interface (CI) connection:

1. the **transaction** file that contains the debit and credit transactions (entries/items) sent and received from the ACH;
2. the file **acknowledgment** that lets the sending point know the status of the file;
3. the **advice** file that contains the settlement information for ACH activity;
4. the **end-of-day balance report** that lists the debit and credit totals for all the input and output files processed during the day;
5. the **FedPayments® Reporter file** that contains reports subscribed to through the FedPayments Reporter Service; and
6. the **On-Us Inclusion file** that contains on-us and/or on-we non-payment NACHA-formatted entries that will be included in select FedPayments Reporter reports commingled with FedACH-cleared entries. The specifications for the files are described on the following pages.

Input from DI

The depository institutions (DIs) send the NACHA-formatted input files via Federal Reserve Banks approved electronic connections to FedACH Services. The service edits the input files to ensure the reliability and integrity of the ACH transactions. The edit process examines the individual fields, the field combinations within a record and file, and the record types within a batch for field and relationship validity based on NACHA rules, Federal Reserve edits, and ACH Customer Directory (ACD) edits. The edit process also checks for discrepancies and incompatibilities when looking for duplicate transactions and when reviewing and comparing effective settlement dates, and status and membership codes.

Error-free transactions are stored in FedACH databases until they are delivered to their respective receiving point. Transactions with errors are either rejected or stored in different FedACH databases until the discrepancy is resolved or the FedACH end-of-day process occurs.

DIs enrolled in the FedPayments Reporter Service who wish to use the On-us Inclusion feature may send On-us Inclusion files that contain on-us and/or on-we ACH entries that will be included in select FedPayments Reporter reports commingled with FedACH-cleared entries.

Output to DI

File acknowledgments are sent back to the same electronic connection used to transmit the incoming ACH payment file. The status indicates the disposition of each input file and any discrepancies.

Advices for the error-free transactions are prepared by the ACH settlement process. The advices are forwarded to the appropriate DIs either in a NACHA format or in a “FED PDF” format. At the specified delivery time, the error-free ACH transactions are extracted from the internal files and sent to the receiver in the NACHA format.

The end-of-day (EOD) balance reports are automatically delivered to the customer’s unattended electronic connection (FedLine Direct or FedLine Command). The FedACH customer can opt out of delivery of the EOD balance reports.

The FedPayments Reporter service can optionally generate XML-formatted files that contain reports subscribed to through the service.

ACH File Specifications

ACH files are sent to and from the ACH application using the NACHA-defined format. The format is not detailed in the FedACH CIPS document. Please refer to the NACHA rules for complete details of the format. <https://www.nacha.org/>

In summary, the NACHA file format includes a file header record, batch header records, entry detail records, addenda records, a batch control record, and a file control record.

Each file begins with a **file header record**. The file header record designates physical file characteristics and identifies the immediate origin of the transactions contained within the file. In addition, this record includes date, time and file identification fields which can be used to uniquely identify the file. The routing transit number (691000134) in the immediate origin (sending point) field of the file header (positions 14-23), and the immediate origin name, ASF APPLICATION SUPERVI (positions 64-86), designates the FRB as the sending point and reflect FedACH Services. Immediately following the file header may be any number of batches.

Each batch is identified by a **batch header record** and contains one or more entry detail records. The batch header identifies the originator and briefly describes the prearranged paperless debit or credit. The batch header contains the transit routing ABA number of the originating financial institution (OFI) used for settlement and authorization purposes. In addition, the batch header indicates the intended effective date of all transactions within the batch. The information contained in the batch header applies uniformly to all subsequent entry detail records in the batch. The information in the batch header also must be incorporated with the entry detail records to fully describe each entry and all participants in the transaction.

Entry detail records contain the information necessary to relate the entry to the ultimate receiver; i.e., individual DI account number, identification number, name and the debit or credit amount as indicated by the transaction code. **Addenda records** may be used by the originator to supply additional information about a particular entry detail record.

The number of addenda records that accompany an entry is dependent upon the standard entry class code. The NACHA Rules provide for specific addenda limit criteria. Addenda records are used to communicate related information as it pertains to individual ACH transactions.

At the end of each batch is a batch control record. The **batch control record** contains the counts, hash totals, and total dollar controls for the proceeding detail transactions within the indicated batch.

Each file is concluded with a **file control record**. This record contains dollar, entry and hash total accumulations from the batch control records in the file. It also contains counts of the number of blocks and the number of batches within the file.

FedACH File Acknowledgement Specifications

ACH file acknowledgements are delivered to the customer's unattended electronic connection (FedLine Direct or FedLine Command).

The acknowledgements contain the final disposition of a file after the editing has been completed. The acknowledgements are at the file level. More than one acknowledgement may be sent for a file if the status changes for the file. The status and any edit messages on the acknowledgement indicate what action must be taken, if any.

The most typical acknowledgement statuses are:

	Acknowledgement Statuses
For files	File Accepted With No Errors
	Pended File Accepted
	File Accepted With Item Level Errors (Number of Items Rejected = z,zzz,zzz,zz9)
	File Accepted With Batch Level Errors (Number of Items Rejected = z,zzz,zzz,zz9)
	File Rejected With Batch Level Errors
	File Rejected With File Level Errors
	File Pended With File Level Errors
	File Pended For Level 2 Security
	File Pended With Batch Level Errors
	Pended File Rejected
For Batches:	
	Batch Pended
	Batch Pended For Further Processing
	Batches Pended For ODFI Risk Origination Monitoring
	Batch Rejected
	Batch Rejected – Insufficient Funds
	Batch Rejected by ODFI Risk Orig Mon
	Batch Accepted
	Pended Batch Rejected

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

Field	Length	Type	Value/Description
<u>ACK-CNTL</u>	<u>(24)</u>		
ACK-URC-N	8	ALPHA	Spaces
ACKMSG-N	6	ALPHA	'AJ001A'
ACK-RLSE-C	2	ALPHA	'01'
ACK-MSG-STAT-C	1	ALPHA	'A'
ACK-LN-SZ-R	3	NUM	'080'
ACK-MAX-LN-R	2	NUM	'52'
FILLER	2	ALPHA	Spaces
<i>In a multi-page acknowledgement, all page headers except the initial page header are followed by a 'Z' line. Each page of the Acknowledgement will have a single LF character at the end of the last line of the page.</i>			
<u>ACK-LN-01</u>	<u>(81)</u>		
FILLER	1	ALPHA	'1'
FILLER	10	ALPHA	Spaces
FILLER	23	ALPHA	Report '***** ACHKNOWLEDGEMENT' Literal
FILLER	29	ALPHA	Report 'OF ACH FILE DEPOSITS *****' Literal
FILLER	18	APLHA	Spaces
<u>ACK-LN-02</u>	<u>(81)</u>		
FILLER	1	ALPHA	'2'
FILLER	15	ALPHA	Report: 'SERVICING FRB: ' Literal <i>Note: There is a space between : and '</i>
FILLER	36	ALPHA	Name of Servicing Fed sending this acknowledgement

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data			
Field	Length	Type	Value/Description
FILLER	4	ALPHA	Spaces
FILLER	22	ALPHA	Report: 'REPORT DATE AND TIME: ' Literal
FILLER	3	ALPHA	Spaces
<u>ACK-LN-03</u>	<u>(81)</u>		
FILLER	1	ALPHA	'3'
FILLER	61	ALPHA	Spaces
ACK-RPT-D	8	ALPHA	MM/DD/YY. Calendar date when the report was created by the Fed ACH software.
FILLER	1	ALPHA	Spaces
ACK-RPT-T	8	ALPHA	HH:MM:SS. Time when the report was created by the Fed ACH
FILLER	2	ALPHA	Spaces
<u>ACK-LN-04</u>	<u>(81)</u>		
FILLER	1	ALPHA	'4'
FILLER	13	ALPHA	Report: 'FILE STATUS: ' Literal
ACK-STAT-MSG1-X	36	ALPHA	The file status of the NACHA-Formatted input file.
FILLER	31	ALPHA	Spaces
<u>ACK-LN-05</u>	<u>(81)</u>		
FILLER	1	ALPHA	'5'
FILLER	24	ALPHA	Report: 'IMMEDIATE ORIGIN NAME:' Literal
ABA-SP-ABA-N	36	ALPHA	Name of the Sending Point

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			originating the NACHA-Formatted. <i>This is a lookup in FedACH using the SP RTN. If the SP is not valid the ACK must be populated with spaces for this field.</i>
FILLER	20	ALPHA	Spaces
<u>ACK-LN-06</u>	<u>(81)</u>		
FILLER	1	ALPHA	'6'
FILLER	24	ALPHA	Report: 'IMMEDIATE ORIGIN: ' Literal
ABA-SP-ABA-R	11	ALPHA	9999-9999-9. ABA number of Sending Point originating the originating the Input File. If the ABA is not valid it must be displayed as 0000-0000-0
FILLER	45	ALPHA	Spaces
<u>ACK-LN-07</u>	<u>(81)</u>		
FILLER	1	ALPHA	'7'
FILLER	24	ALPHA	Report: 'IMMEDIATE DEST: ' Literal
ACK-RP-ABA-R	11	ALPHA	9999-9999-9. ABA number of FED ACH receiving the NACHA Input File. If the ABA is not valid it must be displayed as 0000-0000-0
FILLER	45	ALPHA	Spaces
<u>ACK-LN-08</u>	<u>(81)</u>		
FILLER	1	ALPHA	'8'
FILLER	24	ALPHA	Report: 'FILE CREATION DATE: '

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

Field	Length	Type	Value/Description
			Literal
ACK-CREAT-D	8	ALPHA	MM/DD/YY. Creation date of NACHA-Formatted input file.
FILLER	48	ALPHA	Spaces
<u>ACK-LN-09</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘9’
FILLER	24	ALPHA	Report: ‘FILE CREATION TIME: ’ Literal
ACK-CREAT-T	5	ALPHA	HH:MM. Creation time of NACHA-Formatted input file.
FILLER	51	ALPHA	Spaces
<u>ACK-LN-10</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘A’
FILLER	24	ALPHA	Report: ‘FILE ID MODIFIER: ’ Literal
ACK-MOD-ID-C	1	ALPHA	File ID MODIFIER of NACHA-Formatted input file.
FILLER	55	ALPHA	Spaces
<u>ACK-LN-11</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘B’
FILLER	28	ALPHA	Report: ‘FILE PROCESS DATE AND TIME: ’ Literal
ACK-EDIT-D	8	ALPHA	MM/DD/YY. Calendar date when NACHA-Formatted input file was processed by Fed ACH software.
FILLER	1	ALPHA	Space

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data			
<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
ACK-EDIT-T	5	ALPHA	HH:MM. Time when NACHA-Formatted Input file was processed by Fed ACH software.
FILLER	38	ALPHA	Spaces
<u>ACK-LN-12</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘C’
FILLER	21	ALPHA	Report: ‘-----’ Literal
FILLER	5	ALPHA	Report: ‘COUNT’ Literal
FILLER	17	ALPHA	Report: ‘-----’ Literal
FILLER	6	ALPHA	Report: ‘AMOUNT’ Literal
FILLER	8	ALPHA	Report: ‘-----’ Literal
FILLER	23	ALPHA	Spaces
<u>ACK-LN-13</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘D’
FILLER	4	ALPHA	Spaces
FILLER	8	ALPHA	Report: ‘BATCHES’ Literal
FILLER	5	ALPHA	Spaces
ACK-BTCH-CNT-R	7	ALPHA	Number of batches contained in the NACHA-Formatted input file. Right justified, punctuated with commas with leading spaces.
FILLER	2	ALPHA	Spaces
FILLER	6	ALPHA	Report: ‘DEBIT:’ Literal
FILLER	3	ALPHA	Spaces
FILLER	1	ALPHA	Report: ‘\$’ Literal

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data			
Field	Length	Type	Value/Description
ACK-TOT-DR-A	16	ALPHA	File debit amount. Right justified, punctuated with commas, with leading spaces.
FILLER	28	ALPHA	Spaces
<u>ACK-LN-14</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘E’
FILLER	14	ALPHA	Report: ‘ENTRY/ADDENDA:’ Literal
ACK-ENTY-ADDN-R	10	ALPHA	Actual entry/addenda count of the NACHA-Formatted input file. Right justified, punctuated with commas, with leading spaces.
FILLER	2	ALPHA	Spaces
FILLER	10	ALPHA	Report: ‘CREDITS: \$’ Literal
ACK-TOT-CR-A	16	ALPHA	File credit amount. Right justified, punctuated with commas, with leading spaces.
FILLER	28	ALPHA	Spaces
<u>ACK-LN-15</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘F’
FILLER	30	ALPHA	Report: ‘-----’ Literal
FILLER	27	ALPHA	Report: ‘-----’ Literal
FILLER	23	ALPHA	Spaces
<u>ACK-LN-16</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘G’

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data			
Field	Length	Type	Value/Description
FILLER	13	ALPHA	Report: 'FILE STATUS: ' Literal
ACK-STAT-MSG2-X	36	ALPHA	File Status message of NACHA-Formatted input file processed by Fed ACH OPERATOR
FILLER	31	ALPHA	Spaces
<u>ACK-LN-17</u>	<u>(81)</u>		
FILLER	1	ALPHA	'H'
FILLER	21	ALPHA	Spaces
ACK-RET-MSG	28	ALPHA	Report: '(NUMBER OF ITEMS REJECTED = ' Literal
			OR
			Spaces, if no items rejected, or if file was pended or rejected
ACK-NUM-RETURNS	10	ALPHA	The number of returns contained in the NACHA-Formatted input file, punctuated with commas with leading spaces.
			OR
			Spaces, if no items rejected, or if file was pended or rejected.
ACK-RET-MSG-END	1	ALPHA	Report: ')' Literal
			OR
			Spaces, if no items rejected, or if file was pended or rejected.
FILLER	20	ALPHA	Spaces
<u>ACK-LN-18</u>	<u>(81)</u>		
FILLER	1	ALPHA	'I'

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
ACK-MSG1-X	75	ALPHA	Spaces
FILLER	5	ALPHA	Spaces
<u>ACK-LN-19</u>	<u>(81)</u>		
FILLER	1	ALPHA	'J'
ACK-MSG2-X	75	ALPHA	Spaces
FILLER	5	ALPHA	Spaces
<u>ACK-LN-20</u>	<u>(81)</u>		
FILLER	1	ALPHA	'K'
ACK-MSG3-X	75	ALPHA	Spaces
FILLER	5	ALPHA	Spaces
<u>ACK-LN-21</u>	<u>(81)</u>		
FILLER	1	ALPHA	'L'
ACK-MSG4-X	75	ALPHA	Spaces or indicates Report: '***** END OF ACKNOWLEDGEMENT *****'. Literal for end of file acknowledgements.
FILLER	5	ALPHA	Spaces
<u>ACK-LN-22</u>	<u>(81)</u>		
FILLER	1	ALPHA	'M'
FILLER	15	ALPHA	Report: 'BATCH NUMBER: ' Literal
ACK-BTCH-ID-R	7	ALPHA	Actual Batch Number contained on the NACHA-Formatted input file.
FILLER	58	ALPHA	Spaces

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ACK-LN-23</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	‘N’
FILLER	2	ALPHA	Spaces
FILLER	19	ALPHA	Report: “ORIGINATING DFI ID:” Literal
FILLER	4	ALPHA	Spaces
ACK-OFI-ABA-R	11	ALPHA	9999-9999-9. Originating ABA of a batch contained on the NACHA- Formatted input file.
FILLER	44	ALPHA	Spaces
<u>ACK-LN-24</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	‘O’
FILLER	2	ALPHA	Spaces
FILLER	21	ALPHA	Report: ‘ORIGINATING DFI NAME:’ Literal
FILLER	2	ALPHA	Spaces
ACK-OFI-ABA-N	36	ALPHA	The actual Originating DFI name contained on the NACHA- Formatted input file.
FILLER	19	ALPHA	Spaces
<u>ACK-LN-25</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	‘P’
FILLER	2	ALPHA	Spaces
FILLER	13	ALPHA	Report: ‘COMPANY NAME:’ Literal
FILLER	10	ALPHA	Spaces

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
ACK-CO-N	16	ALPHA	Actual batch Company Name contained on the NACHA-Formatted input file.
FILLER	2	ALPHA	Spaces
FILLER	13	ALPHA	Report: 'COMPANY ID:' Literal
ACK-CO-ID-R	10	ALPHA	Actual Company ID of a batch contained on the NACHA-Formatted input file.
FILLER	14	ALPHA	Spaces
<u>ACK-LN-26</u>	<u>(81)</u>		
FILLER	1	ALPHA	'Q'
FILLER	2	ALPHA	Spaces
FILLER	21	ALPHA	Report: 'EFFECTIVE ENTRY DATE:' Literal
FILLER	2	ALPHA	Spaces
ACK-EFF-ENTY-D	8	ALPHA	YY/MM/DD. Actual Effective Entry Date contained on the NACHA-Formatted input file.
FILLER	47	ALPHA	Spaces
<u>ACK-LN-27</u>	<u>(81)</u>		
FILLER	1	ALPHA	'R'
FILLER	21	ALPHA	Report: '-----' Literal
FILLER	5	ALPHA	Report: 'COUNT' Literal
FILLER	17	ALPHA	Report: '-----' Literal
FILLER	14	ALPHA	Report: 'AMOUNT-----' Literal
FILLER	23	ALPHA	Spaces

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ACK-LN-28</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	'S'
FILLER	14	ALPHA	Report: 'ENTRY/ADDENDA:' Literal
ACK-B-ENTY-ADDN-R	7	ALPHA	Batch Entry/Addenda count. Right justified, punctuated with commas, with leading spaces.
FILLER	6	ALPHA	Spaces
FILLER	10	ALPHA	Report: 'DEBIT: \$' Literal
ACK-B-TOT-DR-A	16	NUM	Batch Debit Amount. Right justified, punctuated with commas, with leading spaces.
FILLER	27	ALPHA	Spaces
<u>ACK-LN-29</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	'T'
FILLER	27	ALPHA	Spaces
FILLER	10	ALPHA	Report: 'CREDIT: \$' Literal
ACK-B-TOT-CR-A	16	NUM	Batch Credit Amount. Right justified, punctuated with commas, with leading spaces.
FILLER	27	ALPHA	Spaces
<u>ACK-LN-30</u>			
	<u>(81)</u>		
FILLER	1	ALPHA	'U'
FILLER	30	ALPHA	Report: '-----' Literal
FILLER	27	ALPHA	Report: '-----'

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			Literal
FILLER	23	ALPHA	Spaces
<u>ACK-LN-31</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘V’
FILLER	15	ALPHA	Report: ‘BATCH STATUS: ’ Literal
ACK-B-STAT-MSG-X	36	ALPHA	The batch status of a specific batch on the NACHA-Formatted input file.
FILLER	29	ALPHA	Spaces
<u>ACK-LN-32</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘W’
ACK-B-MSG1-X	75	ALPHA	Spaces
FILLER	5	ALPHA	Spaces
<u>ACK-LN-33</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘X’
ACK-B-MSG2	75	ALPHA	Spaces
FILLER	5	ALPHA	Spaces
<u>ACK-LN-34</u>	<u>(81)</u>		
FILLER	1	ALPHA	‘Y’
ACK-B-MSG3-X	75	ALPHA	Spaces or indicates Report: ‘***** END OF ACKNOWLEDGEMENT *****’ Literal for end of batch acknowledgements.

File-Based Data Formats

FedACH File Acknowledgement Data Format

File: FedACH Print Display Format – File Acknowledgements

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	5	ALPHA	Spaces
<u>ACK-LN-Z</u>	<u>(81)</u>		
FILLER	1	ALPHA	'Z'
FILLER	80	ALPHA	Spaces

NOTES:

LN-TYPE equal to 'Z' is reserved for lines embedded in the report that do not contain any meaningful information from an automation perspective.

```

AJ001A01A08052
***** ACKNOWLEDGEMENT OF ACH FILE DEPOSITS *****
1SERVICING FRB: FEDERAL RESERVE BANK REPORT DATE AND TIME:
307/20/20 09:30:24
4FILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS
Z
5IMMEDIATE ORIGIN NAME: BANK OF TEST
6IMMEDIATE ORIGIN: 1234-5678-9
7IMMEDIATE DEST: 0610-0014-6
8FILE CREATION DATE: 07/17/20
9FILE CREATION TIME: 09:29
AFILE ID MODIFIER: T
BFILE PROCESS DATE AND TIME: 07/17/20 10:41
Z
C-----COUNT-----AMOUNT-----
Z
D BATCHES: 10,081 DEBIT: $ 7,391,935.03
ENTRY/ADDENDA: 10,384 CREDITS: $ 3,455,637.18
Z
F-----
Z
GFILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS
H
IFH238-INVALID IMMEDIATE ORIGIN NOT AUTHORIZED AS A SENDING POINT
JIMMEDIATE ORIGIN = 123456789
K
Z
IAJ095-EXCEEDED ALLOWED NUMBER OF ITEM REJECTS PER FILE
JNUMBER OF REJECTED ITEMS 551
K
L***** END OF ACKNOWLEDGEMENT *****
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z

```

```
AJ001A01A08052
***** ACKNOWLEDGEMENT OF ACH FILE DEPOSITS *****
1          *****
2SERVICING FRB: FEDERAL RESERVE BANK                      REPORT DATE AND TIME:
3                                                    07/17/20 10:34:59
4FILE STATUS: FILE ACCEPTED WITH NO ERRORS
Z
5IMMEDIATE ORIGIN NAME:   TEST BANK
6IMMEDIATE ORIGIN:        1010-1234-5
7IMMEDIATE DEST:          1010-0004-8
8FILE CREATION DATE:      07/17/20
9FILE CREATION TIME:      09:29
AFILE ID MODIFIER:        C
BFILE PROCESS DATE AND TIME: 07/17/20 10:29
Z
C-----COUNT-----AMOUNT-----
Z
D    BATCHES:              3  DEBIT:    $           0.00
ENTRY/ADDENDA:            11  CREDITS: $          10.50
Z
F-----
Z
GFILE STATUS: FILE ACCEPTED WITH NO ERRORS
H
I
J
K
***** END OF ACKNOWLEDGEMENT *****
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
Z
```

FedACH Acknowledgement – File/Batch Level Example

AJ001A01A08052

1 ***** ACKNOWLEDGEMENT OF ACH FILE DEPOSITS *****

2SERVICING FRB: FEDERAL RESERVE BANK REPORT DATE AND TIME:

3 07/20/20 12:02:24

4FILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS

Z

5IMMEDIATE ORIGIN NAME: APPLICATION SUPERVISOR

6IMMEDIATE ORIGIN: 6910-0013-4

7IMMEDIATE DEST: 6910-0013-4

8FILE CREATION DATE: 07/20/20

9FILE CREATION TIME: 02:28

AFILE ID MODIFIER: 2

BFILE PROCESS DATE AND TIME: 07/20/20 12:01

Z

C-----COUNT-----AMOUNT-----

Z

D	BATCHES:	4	DEBIT:	\$	32,960.34
E	ENTRY/ADDENDA:	396	CREDITS:	\$	80,038.06

Z

F-----

Z

GFILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS

H

IBH501-ORIGINATING DFI CANNOT ORIGINATE IN CONTROLLED TEST

JORIGINATION DFI 69100013 FOR BATCH 0000001

K

L

Z

MBATCH NUMBER: 0000001

N ORIGINATING DFI ID: 6910-0013-4

O ORIGINATING DFI NAME: APPLICATION SUPERVISOR

P COMPANY NAME: COMPANY ID: ORIGINATOR

Q EFFECTIVE ENTRY DATE: 20/07/20

R-----COUNT-----AMOUNT-----

Z

S	ENTRY/ADDENDA:	99	DEBIT:	\$	7,424.69
T			CREDIT:	\$	12,568.00

Z

U-----

VBATCH STATUS: BATCH REJECTED

Z

AJ001A01A08052

Z

WBH232-INVALID ORIGINATING DFI IDENTIFICATION NOT AUTHORIZED TO ORIGINATE

XORIGINATING DFI IDENTIFICATION = 691000134 IN BATCH 0000001

Y

Z

WBH232-INVALID ORIGINATING DFI IDENTIFICATION NOT AUTHORIZED TO ORIGINATE

XORIGINATING DFI IDENTIFICATION = 691000134 IN BATCH 0000001

Y

Z

Y***** END OF ACKNOWLEDGEMENT *****

Z

Z

FedACH Acknowledgement - File/MultiBatch Level Example

```
AJ001A01A08052
1 ***** ACKNOWLEDGEMENT OF ACH FILE DEPOSITS *****
2SERVICING FRB: FEDERAL RESERVE BANK REPORT DATE AND TIME:
3 07/20/20 12:02:24
4FILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS
Z
5IMMEDIATE ORIGIN NAME: APPLICATION SUPERVISOR
6IMMEDIATE ORIGIN: 6910-0013-4
7IMMEDIATE DEST: 6910-0013-4
8FILE CREATION DATE: 07/20/20
9FILE CREATION TIME: 02:28
AFILE ID MODIFIER: 2
BFILE PROCESS DATE AND TIME: 07/20/20 12:01
Z
C-----COUNT-----AMOUNT-----
Z
D BATCHES: 4 DEBIT: $ 32,960.34
ENTRY/ADDENDA: 396 CREDITS: $ 80,038.06
Z
F-----
Z
GFILE STATUS: FILE REJECTED WITH FILE LEVEL ERRORS
H
IBH501-ORIGINATING DFI CANNOT ORIGINATE IN CONTROLLED TEST
JORIGINATION DFI 69100013 FOR BATCH 0000001
K
Z
IBH501-ORIGINATING DFI CANNOT ORIGINATE IN CONTROLLED TEST
JORIGINATION DFI 69100013 FOR BATCH 0000004
K
Z
IBH501-ORIGINATING DFI CANNOT ORIGINATE IN CONTROLLED TEST
JORIGINATION DFI 69100013 FOR BATCH 0000002
K
Z
IBH501-ORIGINATING DFI CANNOT ORIGINATE IN CONTROLLED TEST
JORIGINATION DFI 69100013 FOR BATCH 0000003
K
L
Z
MBATCH NUMBER: 0000001
N ORIGINATING DFI ID: 6910-0013-4
O ORIGINATING DFI NAME: APPLICATION SUPERVISOR
P COMPANY NAME: COMPANY ID: ORIGINATOR
Q EFFECTIVE ENTRY DATE: 20/07/20
R-----COUNT-----AMOUNT-----
Z
SENTRY/ADDENDA: 99 DEBIT: $ 7,424.69
T CREDIT: $ 12,568.00
Z
U-----
VBATCH STATUS: BATCH REJECTED
Z
AJ001A01A08052
Z
WBH232-INVALID ORIGINATING DFI IDENTIFICATION NOT AUTHORIZED TO ORIGINATE
XORIGINATING DFI IDENTIFICATION = 691000134 IN BATCH 0000001
Y
Z
MBATCH NUMBER: 0000002
N ORIGINATING DFI ID: 6910-0013-4
O ORIGINATING DFI NAME: APPLICATION SUPERVISOR
P COMPANY NAME: COMPANY ID: ORIGINATOR
Q EFFECTIVE ENTRY DATE: 20/07/20
R-----COUNT-----AMOUNT-----
Z
SENTRY/ADDENDA: 99 DEBIT: $ 9,477.25
T CREDIT: $ 52,910.53
Z
U-----
VBATCH STATUS: BATCH REJECTED
Z
WBH232-INVALID ORIGINATING DFI IDENTIFICATION NOT AUTHORIZED TO ORIGINATE
```


Page 25 of 58

File-Based Data Formats

FedACH Advice Specifications

An ACH advice is sent to the appropriate depository institution (DI) each day for each and any settlement cycle for which the DI is receiving settlement; this could include 13:00ET Settlement, 17:00ET Settlement, 18:00ET Settlement, 19:15ET Settlement and 08:30ET Settlement. The ACH advices contain settlement information for ACH activity processed for the DI or its respondents; the time contained within the advice name represents the time at which the items within the advice will settle. The advices are delivered either in the NACHA machine-readable format or in a human readable Federal Reserve print display format “FED PDF” as requested. Refer to the NACHA rules for complete details of the NACHA format. Only the FED PDF data format information is included in this document. The routing transit number (691000134) is contained in the immediate origin (sending point) field of the file header (positions 14-23), and the immediate origin name, ASF APPLICATION SUPERV (positions 64-86), reflects FedACH Services.

A 13:00ET Settlement advice is delivered after the 10:30ET file transmission deadline for the current processing day. This advice includes all Same Day settlement items (including NACHA Same Day qualified forward items, notifications of change and non-future dated returns) that were originated or received prior to the 10:30ET File Transmission deadline.

A 17:00ET Settlement advice is delivered after the 14:45ET file transmission deadline for the current processing day. This advice includes all Same Day settlement items (including NACHA Same Day qualified forward items, notifications of change and non-future dated returns) that were originated or received between the 10:30ET and 14:45ET file transmission deadlines.

A 18:00ET Settlement advice is delivered after the 17:30ET file transmission deadline of the current processing day. This advice includes all Same Day settlement items (including NACHA Same Day qualified forward items, notifications of change and non-future dated returns) that were originated or received between the 14:45ET and 16:45ET file transmission deadlines.

The 19:15ET Settlement advice is delivered after the 19:00 ET file transmission deadline for the current processing day. This advice includes only the prefunded batches approved by the Account Balance System (ABS).

The 08:30ET Settlement advice contains settlement information for all other ACH items originated or received during the processing day, and is delivered the following morning. This advice does not include information provided on the previously received advices. The activity shown on all received advices needs to be combined to reconcile a processing day’s total ACH activity.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ADVC-CNTL-DATA</u>			
FILLER	8	ALPHA	Spaces
MSSG-ID	6	ALPHA	'ACHADV'
RELEASE-ID	2	ALPHA	'02'
MSSG-STAT-C	1	ALPHA	'A'
PRNT-LINE-SIZE	3	NUM	'080'
MAX-NR-LNS	2	NUM	'60'
FILLER	2	ALPHA	Spaces
<u>ADVICE-LINE-01</u>			
LINE-TYPE-CD	1	ALPHA	'1' This is the first heading line of every page. It contains the 'FEDERAL RESERVE SYSTEM' header.
FILLER	26	ALPHA	Spaces
FRS-HDR	22	ALPHA	'FEDERAL RESERVE SYSTEM'
FILLER	26	ALPHA	Spaces
PAGE-NBR	6	ALPHA	Right justified with leading spaces.
<u>ADVICE-LINE-02</u>			
LINE-TYPE-CD	1	ALPHA	'2' This is the second heading line of every page. It contains the 'AUTOMATED CLEARING HOUSE' header.
FILLER	25	ALPHA	Spaces
ACH-HDR	24	ALPHA	'AUTOMATED CLEARING HOUSE'
FILLER	26	ALPHA	Spaces
<u>ADVICE-LINE-03</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the third heading line of every page. This line contains spaces.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-04</u>			
LINE-TYPE-CD	1	ALPHA	‘4’ This is the fourth heading line of every page. It contains the advice type header.
ADVC-TYPE-HDR	60	ALPHA	Contains one of the following based on customer type:
			‘ACCOUNT HOLDER ADVICE’ with 26 leading spaces
			‘RESPONDENT/SUBACCOUNT ADVICE’ with 23 leading spaces
			‘INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE’ with 12 leading spaces
			‘CORRESPONDENT/MASTER ACCOUNT ADVICE’ with 19 leading spaces
FILLER	20	ALPHA	Spaces
<u>ADVICE-LINE-05</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the fifth heading line of every page. It contains the settlement type header.
STTL-TYPE-HDR	52	ALPHA	Contains one of the following:
			‘08:30ET SETTLEMENT’ with 25 leading Spaces
			‘13:00ET SETTLEMENT’ with 25 leading spaces
			‘17:00ET SETTLEMENT’ with 19 leading spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			'18:00ET SETTLEMENT' with 25 leading Spaces
			'19:15ET SETTLEMENT' with 24 leading spaces
REMAKE-HDR	9	ALPHA	Spaces for regular advices or ' - REMAKE' for remake advices.
FILLER	20	ALPHA	Spaces
<u>ADVICE-LINE-06</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the sixth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-07</u>			
LINE-TYPE-CD	1	ALPHA	'A' This is the seventh heading line of every page. It contains the customer ABA and process date.
FILLER	5	ALPHA	'ABA #'
CUST-ABA-NBR	11	ALPHA	'9999-9999-9' ABA of the customer for whom the advice is being created (for either the Account Holder, Respondent/Subaccount, Intermediate Correspondent/Master Account, or Correspondent/Master Account depending on the ADVC-TYPE-HDR value from ADVICE-LINE-04).
FILLER	43	ALPHA	Spaces
FILLER	13	ALPHA	'PROCESS DATE '
PRCS-DT	8	ALPHA	'MM/DD/YY' of date items were processed for settlement.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

Field	Length	Type	Value/Description
<u>ADVICE-LINE-08</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the eighth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-09</u>			
LINE-TYPE-CD	1	ALPHA	'5' This is the ninth heading line of every page. It contains the customer name.
CUST-NAME	40	ALPHA	Name of the customer for whom the advice is being created (for either the Account Holder, Respondent/Subaccount, Intermediate Correspondent/Master Account, or Correspondent/Master Account depending on the ADVC-TYPE-HDR value from ADVICE-LINE-04).
FILLER	4	ALPHA	Spaces
FILLER	25	ALPHA	If this is a respondent/subaccount advice or an intermediate correspondent/master account, this field will be 'CORR/MASTER ACCT: ABA #'
CORR-ABA-NBR	11	ALPHA	If this is a respondent/subaccount advice or an intermediate correspondent/master account, this field will be the ABA of the correspondent/master account. Format is XXXX-XXXX-X
<u>ADVICE-LINE-10</u>			
LINE-TYPE-CD	1	ALPHA	'6' This is the tenth heading line of every page. It contains the first line of the

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			customer address.
CUST-ADDR-01	40	ALPHA	Address line 1 of the customer for whom the advice is being created (for either the Account Holder, Respondent/Subaccount, Intermediate Correspondent/Master Account, or Correspondent/Master Account depending on the ADVC-TYPE-HDR value from ADVICE-LINE-04).
FILLER	4	ALPHA	Spaces
CORR-NAME	36	ALPHA	Name of the correspondent/master account if this is a respondent/subaccount advice or an intermediate correspondent/master account. If the customer type is intermediate correspondent this comes from the ACH_Customer table If the customer type is respondent this comes from input file Right Pad the name with spaces.
<u>ADVICE-LINE-11</u>			
LINE-TYPE-CD	1	ALPHA	'7' This is an optional eleventh heading line of every page. It contains the second line of the customer address (if any).
CUST-ADDR-02	40	ALPHA	Address line 2 of the customer for whom the advice is being created (for either the Account Holder, Respondent/Subaccount, Intermediate Correspondent/Master Account, or Correspondent/Master Account depending on the ADVC-TYPE-HDR value from ADVICE-LINE-04).
FILLER	40	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ADVICE-LINE-12</u>			
LINE-TYPE-CD	1	ALPHA	'8' This is an optional twelfth heading line of every page. It contains the third line of the customer address (if any).
CUST-ADDR-03	40	ALPHA	Address line 3 of the customer for whom the advice is being created (for either the Account Holder, Respondent/Subaccount, Intermediate Correspondent/Master Account, or Correspondent/Master Account depending on the ADVC-TYPE-HDR value from ADVICE-LINE-04).
FILLER	40	ALPHA	Spaces
<u>ADVICE-LINE-13</u>			
LINE-TYPE-CD	1	ALPHA	'9' This is the last line of the customer address. It contains the customer city/state/zip code.
CUST-CITY-ST	40	ALPHA	The city name, state, and zip code for whom the advice is being created. City name then 1 space State then 1 space, And then the zip code
FILLER	40	ALPHA	Spaces
<u>ADVICE-LINE-14</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the fourteenth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-15</u>			
LINE-TYPE-CD	1	ALPHA	'D' This is the fifteenth heading line of every page. It contains the customer's fax

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			number or zeros, if there is no fax number.
FILLER	5	ALPHA	'FAX '
CUST-FAX-NBR	12	ALPHA	'999-999-9999'
FILLER	63	ALPHA	Spaces
<u>ADVICE-LINE-16</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the sixteenth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-17</u>			
LINE-TYPE-CD	1	ALPHA	'C' This is the seventeenth heading line of every page. It contains the customer's bin number.
FILLER	18	ALPHA	'BIN NUMBER - '
CUST-BIN-NBR	8	ALPHA	'99999999'
FILLER	54	ALPHA	Spaces
<u>ADVICE-LINE-18</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the eighteenth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-19</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the nineteenth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-20</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the twentieth heading line of every page. It contains the 'DETAIL INFORMATION:' header.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	20	ALPHA	'DETAIL INFORMATION: '
FILLER	60	ALPHA	Spaces
<u>ADVICE-LINE-21</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the twenty-first heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-22</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the twenty-second heading line of every page. It contains the first detail information heading line.
FILLER	25	ALPHA	Spaces
FILLER	4	ALPHA	'FILE'
FILLER	2	ALPHA	Spaces
FILLER	10	ALPHA	'SETTLEMENT'
FILLER	6	ALPHA	Spaces
FILLER	5	ALPHA	'DEBIT'
FILLER	16	ALPHA	Spaces
FILLER	6	ALPHA	'CREDIT'
FILLER	6	ALPHA	Spaces
<u>ADVICE-LINE-23</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the twenty-third heading line of every page. This line contains the second detail information heading line.
FILLER	8	ALPHA	'ACTIVITY'
FILLER	1	ALPHA	Spaces
FILLER	4	ALPHA	'INFO'
FILLER	2	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

Field	Length	Type	Value/Description
FILLER	8	ALPHA	'ABA/NODE'
FILLER	3	ALPHA	Spaces
FILLER	2	ALPHA	'ID'
FILLER	6	ALPHA	Spaces
FILLER	4	ALPHA	'DATE'
FILLER	9	ALPHA	Spaces
FILLER	6	ALPHA	'AMOUNT'
FILLER	15	ALPHA	Spaces
FILLER	6	ALPHA	'AMOUNT'
FILLER	6	ALPHA	Spaces
<u>ADVICE-LINE-24</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the twenty-fourth heading line of every page. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-25</u>			
LINE-TYPE-CD	1	ALPHA	'E' This is the twenty-fifth heading line of every page. It contains the respondent/subaccount account number if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is:
			INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces)
			'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces)
FILLER	20	ALPHA	Contains one of the following:
			'RESPONDENT ACCOUNT #'
			'SUBACCOUNT ACCOUNT #'

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
RESP-ACCT-NBR	16	ALPHA	Respondent/Subaccount internal account number.
FILLER	44	ALPHA	Spaces
<u>ADVICE-LINE-26</u>			
LINE-TYPE-CD	1	ALPHA	‘F’ This is the twenty-sixth heading line of every page. It contains the respondent/subaccount ABA number and name if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is:
			INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with no leading spaces)
			‘CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with 7 leading spaces)
FILLER	15	ALPHA	Spaces
FILLER	5	ALPHA	‘ABA #’
RESP-ABA-NBR	11	ALPHA	‘9999-9999-9’ Respondent/Subaccount ABA number
FILLER	2	ALPHA	Spaces
RESP-NAME	36	ALPHA	Respondent/Subaccount name.
FILLER	11	ALPHA	Spaces
<u>ADVICE-LINE-27</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the twenty-seventh heading line of every page. It contains spaces if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is one of the following:
			‘INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with no leading spaces)
			‘CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with 7 leading spaces)

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-28</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first accounting detail heading line. It contains the activity type header if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is one of the following:
			‘RESPONDENT/SUBACCOUNT ADVICE’ with 11 leading spaces
			‘ACCOUNT HOLDER ADVICE’ with 14 leading spaces
ACTIV-TYPE-HDR	20	ALPHA	One of the following depending on the type of activity.
			‘ACTIVITY ORIGINATED’ If the customer, for whom the advice is being created, originated any ACH transaction files, then the originated activity will be provided in subsequent lines.
			‘BATCH REJECTS’ If the customer originated any ACH transaction files and one or more batches rejected, then the rejected/offset activity will be provided.
			‘ACTIVITY RECEIVED’ If the customer received any ACH transaction files, then the received activity will be shown.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	60	ALPHA	Spaces
<u>ADVICE-LINE-29</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the second accounting detail heading line. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-30</u>			
LINE-TYPE-CD	1	ALPHA	‘F’ This is the first accounting detail line. It contains the accounting detail information if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: RESPONDENT/SUBACCOUNT ADVICE’ (with 11 leading spaces, or ‘ACCOUNT HOLDER ADVICE’ (with 14 leading spaces).
			The accounting detail information will either be for originated activity, batch rejects, or received activity depending on the ACTIV-TYPE-HDR value from ADVICE-LINE-28. One line is provided for each settlement date within each ACH transaction file within the Activity Type. Each group of accounting detail lines for an activity type is separated by a blank line.
FILLER	12	ALPHA	Spaces
ABA/NODE-NBR	11	ALPHA	‘9999-9999-9’ or ‘xxxxxxxx’ ABA number of the customer’s sending point if: a. originated activity or batch rejects, and b. the customer uses a sending point to originate ACH files.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			ABA number of the customer's receiving point if: a. received activity, and b. the customer uses a receiving point to receive ACH files.
			Node ID of the customer's sending node if: a. originated activity or batch rejects, and b. the customer originates its own ACH files.
			Node ID of the customer's receiving node if: a. received activity, and b. the customer received its own ACH files.
			This field will be suppressed if this is not the first accounting detail line for a particular ACH transaction file within the Activity Type.
FILLER	2	ALPHA	Spaces
FILE-ID-DATE	4	ALPHA	'MMDD' Month and day assigned to the ACH transaction file by: a. the originator (if originated activity or batch rejects), or by FedACH (if received activity). b. This month and day is typically that of the ACH transaction file creation date. c. This field will be suppressed if this is not the first accounting detail line for the file ID within the Activity Type.
FILE-ID-MOD	1	ALPHA	File ID modifier assigned to the ACH transaction:

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			a. By the originator (if originated activity or batch rejects) b. Or by Fed ACH (if received activity). c. This typically corresponds to the sequence number of the ACH transaction file as it is being created. d. This field will be suppressed if this is not the first accounting detail line for the File ID within the Activity Type
FILLER	1	ALPHA	Spaces
SETTLE-DT-IND	1	ALPHA	‘*’ An asterisk is used to indicate that the settlement date assigned is different than the original Effective Entry Date within the transaction file, which happens during the edit process by Fed ACH. If the settlement date has not been changed, this field will be blank.
FILLER	1	ALPHA	Spaces
SETTLE-DT	5	ALPHA	‘MM/DD’ Month and day that the activity will settle. The first character of the month is suppressed if the month is less than ‘10’. This entire field will be suppressed if this is not the first accounting summary line for the settlement date.
FILLER	1	ALPHA	Spaces
DEBIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Debit dollar amount settling for the ACH transaction file on the SETTLE-DT indicated.
FILLER	1	ALPHA	Spaces
CREDIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Credit dollar amount settling for the ACH transaction

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			file on the SETTLE-DT indicated.
<u>ADVICE-LINE-31</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first accounting detail footing line. It contains spaces and is provided after the accounting detail lines for each Activity Type.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-32</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the second accounting detail footing line. It contains spaces and is provided after the accounting detail lines for each Activity Type.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-33</u>			
LINE-TYPE-CD	1	ALPHA	‘G’ This is the first accounting detail summary line. It contains the accounting detail summary information. a. The accounting detail summary information will either be for originated activity, batch rejects, or received activity b. Two lines are provided for each settlement date within the activity type if the ADVC-TYPE-HDR filed value from ADVICE-LINE-04 is ‘CORRESPONDENT/MASTER ACCOUNT ADVICE’, and the customer for whom the advice is being created has activity for themselves and activity for their respondents/subaccounts. Otherwise, one line is provided for each settlement date within the Activity Type.
FILLER	4	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
ACTIV-TYPE-CD	26	ALPHA	One of the following, depending on the type of activity:
			‘SUMMARY ORIGINATED’, or
			‘SUMMARY BATCH REJECTS’, or
			‘SUMMARY RECEIVED’
FILLER	3	ALPHA	Spaces
SETTLE-DT	5	ALPHA	‘MM/DD’ Month and day that the activity will settle. The first character of the month is suppressed if the month is less than ‘10’.
FILLER	1	ALPHA	Spaces
DEBIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Debit dollar amount settling on the SETTLE-DT indicated.
FILLER	1	ALPHA	Spaces
CREDIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Credit dollar amount settling on the SETTLE-DT indicated.
<u>ADVICE-LINE-34</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first accounting detail summary footing line. It contains spaces and is provided after the accounting detail summary lines for each Activity Type.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-35</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the second accounting detail summary footing line. It contains spaces and is provided after the accounting detail summary lines for each Activity Type.
FILLER	80	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ADVICE-LINE-36</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first accounting summary heading line. It contains the ‘SUMMARY INFORMATION:’ header.
FILLER	21	ALPHA	‘SUMMARY INFORMATION:’
FILLER	59	ALPHA	Spaces
<u>ADVICE-LINE-37</u>			
LINE-TYPE-CD	1	ALPHA	‘E’ This is the second accounting summary heading line. It contains the respondent/subaccount account number if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. ‘INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with no leading spaces), or b. ‘CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with 7 leading spaces).
FILLER	20	ALPHA	Contains one of the following:
			‘RESPONDENT ACCOUNT #’ or
			‘SUBACCOUNT ACCOUNT #’
RESP-ACCT-NBR	16	ALPHA	Respondent/Subaccount internal account number.
FILLER	44	ALPHA	Spaces
<u>ADVICE-LINE-38</u>			
LINE-TYPE-CD	1	ALPHA	‘F’ This is the third accounting summary heading line. It contains the respondent/subaccount ABA number and name if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. ‘INTERMEDIATE CORRESPONDENT/MASTER

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

Field	Length	Type	Value/Description
			ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces).
FILLER	15	ALPHA	Spaces
FILLER	5	ALPHA	'ABA #'
RESP-ABA-NBR	11	ALPHA	'9999-9999-9' Respondent/Subaccount ABA number
FILLER	2	ALPHA	Spaces
RESP-NAME	36	ALPHA	Respondent/Subaccount name
FILLER	11	ALPHA	Spaces
<u>ADVICE-LINE-39</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the fourth accounting summary heading line. It contains spaces if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. 'INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces).
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-40</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the fifth accounting summary heading line. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-41</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the sixth accounting summary heading line.

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
FILLER	2	ALPHA	Spaces
FILLER	4	ALPHA	‘TRAN’
FILLER	74	ALPHA	Spaces
<u>ADVICE-LINE-42</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the seventh accounting summary heading line.
FILLER	2	ALPHA	Spaces
FILLER	4	ALPHA	‘CODE’
FILLER	74	ALPHA	Spaces
<u>ADVICE-LINE-43</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the eighth accounting summary heading line. This line contains spaces.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-44</u>			
LINE-TYPE-CD	1	ALPHA	‘I’ This is the first accounting summary line. This line contains the accounting summary information. a. One line is provided for each transaction code within each settlement date. b. Each group of accounting summary lines for a settlement date is separated by a blank line.
FILLER	2	ALPHA	Spaces
TRAN-CODE	4	ALPHA	Transaction code of accounting summary information.
FILLER	1	ALPHA	‘-’
TRAN-CODE-DESC	26	ALPHA	Transaction code description.
SETTLE-DT	5	ALPHA	‘MM/DD’ Month and day that the activity will settle. The first character of the

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			month is suppressed if the month is less than '10'. a. This entire field will be suppressed if this is not the first accounting summary line for the settlement date.
FILLER	1	ALPHA	Spaces
DEBIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ or spaces. Debit dollar amount settling for the transaction code on the SETTLE-DT indicated. Note: If the transaction is a credit, the DEBIT-DLR-AMT is spaces.
FILLER	1	ALPHA	Spaces
CREDIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ or spaces. Credit dollar amount settling for the transaction code on the SETTLE-DT indicated. Note: If the transaction is a debit, the CREDIT-DLR-AMT is spaces.
<u>ADVICE-LINE-45</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the first accounting summary footing line. This line contains spaces and is provided after the accounting summary lines for each settlement date.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-46</u>			
LINE-TYPE-CD	1	ALPHA	'K' This is an optional second accounting summary footing line. It contains the 'EFFECTIVE ENTRY DATE CHANGED' message if the SETTLE-DT-IND field has a value of '*' on ADVICE-LINE-30.
FILLER	30	ALPHA	'* EFFECTIVE ENTRY DATE CHANGED'
FILLER	50	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
<u>ADVICE-LINE-47</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is an optional third accounting summary footing line. It contains spaces and is provided after ADVICE-LINE-43 if the SETTLE-DT-IND field has a value of ‘*’ on ADVICE-LINE-30.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-48</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first accounting summary footing line. This line contains spaces and is provided after the accounting summary lines for each settlement date.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-49</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the first correspondent/master account summary heading line. It contains spaces and is provided if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with no leading spaces), or b. ‘CORRESPONDENT/MASTER ACCOUNT ADVICE’ (with 7 leading spaces). ADVICE-LINE-01 through ADVICE-LINE-18 are printed immediately prior to this line.
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-50</u>			
LINE-TYPE-CD	1	ALPHA	‘Z’ This is the second correspondent summary heading line. It is provided if

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. 'INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces). ADVICE-LINE-01 through ADVICE-LINE-18 are printed immediately prior to this line.
FILLER	31	ALPHA	Spaces
FILLER	10	ALPHA	'SETTLEMENT'
FILLER	6	ALPHA	Spaces
FILLER	5	ALPHA	'DEBIT'
FILLER	16	ALPHA	Spaces
FILLER	6	ALPHA	'CREDIT'
FILLER	5	ALPHA	Spaces
<u>ADVICE-LINE-51</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the third correspondent/master account summary heading line. It is provided if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. 'INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces). ADVICE-LINE-01 through ADVICE-LINE-

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			18 are printed immediately prior to this line.
FILLER	34	ALPHA	Spaces
FILLER	4	ALPHA	'DATE'
FILLER	9	ALPHA	Spaces
FILLER	6	ALPHA	'AMOUNT'
FILLER	15	ALPHA	Spaces
FILLER	6	ALPHA	'AMOUNT'
FILLER	6	ALPHA	Spaces
FILLER	6	ALPHA	Spaces
<u>ADVICE-LINE-52</u>			
LINE-TYPE-CD	1	ALPHA	'Z' This is the fourth correspondent/master account summary heading line. It contains spaces and is provided if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. 'INTERMEDIATE CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces).
FILLER	80	ALPHA	Spaces
<u>ADVICE-LINE-53</u>			
LINE-TYPE-CD	1	ALPHA	'J' This is the first correspondent/master account summary line. It contains correspondent/master account summary information and is provided if the ADVC-TYPE-HDR field value from ADVICE-LINE-04 is: a. INTERMEDIATE

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices
Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
			CORRESPONDENT/MASTER ACCOUNT ADVICE' (with no leading spaces), or b. 'CORRESPONDENT/MASTER ACCOUNT ADVICE' (with 7 leading spaces). One line is provided for each settlement date.
FILLER	1	ALPHA	Spaces
FILLER	29	ALPHA	'SUMMARY CORRESPONDENT/MASTER:'
FILLER	3	ALPHA	Spaces
SETTLE-DT	5	ALPHA	'MM/DD' Month and day that the activity will settle. The first character of the month is suppressed if the month is less than '10'.
FILLER	1	ALPHA	Spaces
DEBIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Debit dollar amount settling for the correspondent/master account on the SETTLE-DT indicated.
FILLER	1	ALPHA	Spaces
CREDIT-DLR-AMT	20	ALPHA	Z,ZZZ,ZZZ,ZZZ,ZZZ.ZZ Credit dollar amount settling for the correspondent/master account on the SETTLE-DT indicated.
<u>ADVICE-LINE-54</u>			
LINE-TYPE-CD	1	ALPHA	'Y' This is the end of report line. This line is provided at the end of every advice. a. ADVICE-LINE-45 through ADVICE-LINE-47 are printed immediately prior to this line.
FILLER	28	ALPHA	Spaces

File-Based Data Formats

FedACH Advice Data Format

File: FedACH Print Display Format – Advices

Flow: Output to DI

Application Data

<u>Field</u>	<u>Length</u>	<u>Type</u>	<u>Value/Description</u>
END-OF-RPT	25	ALPHA	‘***** END OF REPORT *****’
FILLER	27	ALPHA	Spaces

END OF DAY BALANCE REPORT SPECIFICATIONS

The end-of-day (EOD) balance report is delivered via the institution's FedLine connection in a Federal Reserve print display format "FED PDF" at the end of each processing day. The report is automatically sent unless a depository institution (DI) elects to suppress it. The balance report lists all the input and output files by sending point and receiving point and the payment transactions that were processed during the day. See the next pages for the file format.

MSG-CNTRL-DATA

FILLER	8	ALPHA	Spaces.
MSG-ID	6	ALPHA	'AJQ713'
RELEASE-ID	2	ALPHA	Software version. '01'.
MSG-STAT-CD	1	ALPHA	Space.
PRINT-LN-SIZE	3	NUM	'077'.
MAX-NO-LNS	2	NUM	'66'
FILLER	2	ALPHA	Spaces.

LN-DATA

LN-TYPE	1	ALPHA	'B' through 'I'.
DATA-AND-FILLER	77	ALPHA	Details on LN-TYPEs B through I are defined below.

LN-TYPE-1-DATA

			Redefines LN-DATA
LN-TYPE-CD	1	ALPHA	'B'. This is the first heading line.
PROC-SITE-C	3	ALPHA	Processing Site.
FILLER	3	ALPHA	Spaces.
PROC-MODE-C	4	ALPHA	Processing Mode.
FILLER	3	ALPHA	Spaces.
MODE-MOD-C	3	ALPHA	Mode Modifier.
FILLER	14	ALPHA	Spaces.
HDR1-TITLE	22	ALPHA	'FEDERAL RESERVE SYSTEM'.
FILLER	25	ALPHA	Spaces.

LN-TYPE-2-DATA

			Redefines LN-DATA
LN-TYPE-CD	1	ALPHA	'C'. This is the second heading line.
PGM-NAME	8	ALPHA	'AJPQ713U'.
FILLER	20	ALPHA	Spaces.
HDR2-TITLE	24	ALPHA	'AUTOMATED CLEARING HOUSE'.
FILLER	3	ALPHA	Spaces.
FED PDF-RPT-T	5	ALPHA	Time the report was created. HH:MM
FILLER	3	ALPHA	Spaces.
FED PDF-RPT-D	8	ALPHA	Date the report was created. MM/DD/YY
FILLER	3	ALPHA	Spaces.

LN-TYPE-3-DATA

			Redefines LN-DATA
LN-TYPE-CD	1	ALPHA	'D'. This is the third heading line.
PROC	6	ALPHA	'PROC: '

FACE-PROC-D	8	ALPHA	Processing Date. MM/DD/YY
FILLER	63	ALPHA	Spaces.
 <u>LN-TYPE-4-DATA</u>			
LN-TYPE-CD	1	ALPHA	Redefines LN-DATA
FILLER	21	ALPHA	'E'. This is the fourth heading line.
FILLER	36	ALPHA	Spaces.
FILLER	20	ALPHA	'ACH END-OF-DAY BALANCE REPORT BY ABA'.
FILLER	20	ALPHA	Spaces.
 <u>LN-TYPE-5-DATA</u>			
LN-TYPE-CD	1	ALPHA	Redefines LN-DATA
SP-RP-LIT	11	ALPHA	'F'. This is the fifth heading line.
SP-RP-ABA	9	ALPHA	'SP/RP ABA: ' or blank.
FILLER	57	ALPHA	ABA used for report creation.
			Spaces.
 <u>LN-TYPE-6-DATA</u>			
LN-TYPE-CD	1	ALPHA	Redefines LN-DATA
FILLER	26	ALPHA	'G'. This is the sixth heading line.
OUT-FILE-LIT	20	ALPHA	Spaces.
OUT-FILE-OPT	10	ALPHA	'OUTPUT FILE OPTION: ' or blank.
FILLER	21	ALPHA	'DISCRETE ', 'COMINGLED' or blank.
			Spaces.
 <u>LN-TYPE-7-DATA</u>			
LN-TYPE-CD	1	ALPHA	Redefines LN-DATA
FIL-HDR1-1	4	ALPHA	'H'. This is the seventh heading line.
FILLER	11	ALPHA	'FILE'.
FIL-HDR1-2	4	ALPHA	Spaces.
FILLER	11	ALPHA	'FILE'.
FIL-HDR1-3	5	ALPHA	Spaces.
FILLER	11	ALPHA	'TOTAL'.
FIL-HDR1-4	5	ALPHA	Spaces.
FILLER	1	ALPHA	'TOTAL'.
FIL-HDR1-5	10	ALPHA	Spaces.
FIL-HDR1-5	6	ALPHA	'ITEM/ADDN '
FILLER	9	ALPHA	'STAT/ '
			Spaces.
 <u>LN-TYPE-8-DATA</u>			
LN-TYPE-CD	1	ALPHA	Redefines LN-DATA
FIL-HDR1-1	5	ALPHA	'I'. This is the eighth heading line.
FIL-HDR1-2	5	ALPHA	'TYP '
FIL-HDR1-3	6	ALPHA	'DATE '
FIL-HDR1-4	2	ALPHA	'TIME '
FILLER	12	ALPHA	'ID'
FIL-HDR1-5	6	ALPHA	Spaces.
FILLER	9	ALPHA	'DEBITS'
			Spaces.

FIL-HDR1-6	7	ALPHA	'CREDITS'
FILLER	3	ALPHA	Spaces.
FIL-HDR1-7	5	ALPHA	'COUNT'
FILLER	3	ALPHA	Spaces.
FIL-HDR1-8	6	ALPHA	'APPL '
HDR-NODE	4	ALPHA	'NODE'.
FILLER	4	ALPHA	Spaces.

LN-TYPE-9-DATA

LN-TYPE-CD	1	ALPHA	Redefines LN-DATA 'I'. This is the ninth heading line.
RFI-ABA-LIT	11	ALPHA	'RFI ABA: '
RFI-ABA	9	ALPHA	RFI ABA
FILLER	57	ALPHA	Spaces.

LN-TYPE-10-DATA

LN-TYPE-CD	1	ALPHA	Redefines LN-DATA 'I'. This is the tenth heading line.
FILE-TYPE	3	ALPHA	'IN ' or 'OUT'
FILLER	2	ALPHA	Spaces.
DATE	4	ALPHA	Received/Delivered Date. MMDD.
FILLER	1	ALPHA	Spaces.
TIME	4	ALPHA	Received/Delivered Time. HHMM.
FILLER	1	ALPHA	Spaces.
FILE-ID	5	ALPHA	File ID. MMDDX
FILLER	1	ALPHA	Spaces.
TOTAL-DEBITS	15	NUM	Total file debits. EDITED ZZZZ,ZZZ,ZZ9.99
FILLER	1	ALPHA	Spaces.
TOTAL-CREDITS	15	NUM	Total file credits. EDITED ZZZZ,ZZZ,ZZ9.99
ITEM-ADDN-COUNT	8	NUM	Total item count. EDITED ZZZZZZZ9
FILLER	2	ALPHA	Spaces.
STAT-APPL	4	ALPHA	Application ID (APPL ID)
FILLER	1	ALPHA	Spaces.
NODE	8	ALPHA	Node.
FILLER	2	ALPHA	Spaces.

LN-TYPE-END

LN-TYPE-CD	1	ALPHA	Redefines LN-DATA 'Z'. This is the last heading line.
FILLER	27	ALPHA	Spaces.
END-OF-REPORT	25	ALPHA	'***** END OF REPORT *****'
FILLER	25	ALPHA	Spaces.

FedPayments Reporter

Schema for Reports available via FedLine® Access Solutions

The following table documents the elements defined in the XML schema for FedPayments Reporter service. Fields are indented to appear as they are nested in the XML format. The actual XML schema, XSD and test files can be obtained at <https://FRBservices.org/>

XML Field Name	Type	Description
fedline-reports	Element	Root element that contains all other elements of the XML. Each XML document will contain reports that belong to one ABA and all customers of that ABA for one process date.
ach-header_	Element	Header Section – This element contains processing date and RTN attributes. There will be only one header section per each XML file.
processing-date	Attribute	Contains the process date the reports belong to.
rtn	Attribute	Contains the RTN the reports belong to.
report	Element	Report Section that contains single report information. There can be more than one report elements within an XML.
audience	Attribute	Indicates the report audience type. Possible Values: DFI Receiver Originator Originator_Receiver
logical-customer-name	Attribute	Contains the logical customer name defined in the service.
report-type-id	Attribute	Identifier that indicates the report type. Possible Values: BEX ACH Originator Setup Report - ODFI CA ACH Customer Transaction Activity Report - ODFI/RDFI DNE ACH Death Notification Report - RDFI IC ACH International (IAT) Report - Receiver IR ACH International (IAT) Report – RDFI NOC ACH Notification of Change Report - ODFI OB ACH Originated Batch Report - ODFI ORIGNOC ACH Notification of Change Report -

		Originator ORIGRAD ACH Remittance Advice Detail Report - Originator ORIGRAS ACH Remittance Advice Summary Report - Originator ORIGRRR ACH Return Reason Report - Originator PDI ACH Payment Data Information File - Receiver QS ACH Receiver Setup Report - RDFI RA ACH Routing Number Activity Report - ODFI/RDFI RAD ACH Remittance Advice Detail Report - Receiver RAS ACH Remittance Advice Summary Report - Receiver REC ACH Received Entries Detail Report - Receiver RER ACH Received Entries Detail Report - RDFI RI ACH Return Item Report - ODFI RIO ACH Return Item Report - Originator RR ACH Return Ratio Report - Originator RRR ACH Return Reason Report - ODFI
report-name	Attribute	Full name of the report. Possible Values: ACH Customer Transaction Activity Report ACH Death Notification Report ACH International (IAT) Report ACH Notification of Change Report ACH Originated Batch Report ACH Originator Setup Report ACH Payment Data Information File ACH Received Entries Detail Report ACH Receiver Setup Report ACH Remittance Advice Detail Report ACH Remittance Advice Summary Report ACH Return Item Report ACH Return Ratio Report ACH Return Reason Report ACH Routing Number Activity Report ACH Social Security Beneficiary Report ACH Volume Summary by SEC Code Report
format	Attribute	Identifier that indicates the report format. Possible Values: "pdf"; "html"; "txt"; "ach"; "csv"; "xlsx"

subscription-name	Attribute	Name of the subscription.
accounts	Element	Wrapper element that contains one or more account-number elements. This element will appear if the element audience is either "Receiver" or "Originator_Receiver".
account-number	Element	Contains the canonical form of the account number listed in the report. There can be more of than one account-number elements within a report element.
company-ids	Element	Wrapper element that contains one or more company-id elements. This element will appear if the element audience is either "Originator" or "Originator_Receiver".
company-id	Element	Contains the canonical form of the company-id listed in the report. There can be more of than one company-id elements within a report element.
content	Element	This element contains the report in Base64 encoded format. In order to reproduce the report, the content of this element has to be Base64 decoded.
file-number	Attribute	This is an optional attribute, it will present if there are more than one content elements. It will contain values starting from "1" to indicate the serial number.
max-file-size-exceeded	Element	This element is present if a single report is larger than the set threshold which is currently 2 GB. If this element exists the contents of the above element 'content' will be empty.

Questions

For additional questions, please contact FedACH support at
<https://www.frb services.org/contactus/fedach-check-customer-support.html>

“FedLine” is a registered service mark of the Federal Reserve Banks. A complete list of marks owned by the Federal Reserve Banks is available at FRBservices.org.