



Data Structure

**Lab Session:
Introduction**

**U Kang
Seoul National University**



Goals

- Goals in the lab sessions
 - How to use Java language
 - How to write programs using data structures
 - How to prepare programming assignments
- You can easily finish the assignments if you participate in the sessions actively
- Lab Sessions will be proceeded in English but we will receive questions both in English and Korean so feel free to ask!




How Java Works?

- JDK (Java Development Kit)
 - JDK is a bundle of software components that is used to develop Java based applications
- JVM (Java Virtual Machine)
 - JVM executes pre-compiled Java programs
- JRE (Java Runtime Environment)
 - JRE is an implementation of the JVM which actually executes Java programs



How Java Works? (cont.)





Install JDK

- We will use Java JDK 11 for our course
- <https://www.oracle.com/technetwork/java/javase/downloads/index.html>
- Click Download

Java SE 11.0.4 (LTS)

Java SE 11.0.4 is the latest release for the Java SE 11 Platform

[Learn more ➔](#)

- Installation Instructions
- Release Notes
- Oracle JDK License
- Java SE Licensing Information User Manual
 - Includes Third Party Licenses
- Certified System Configurations
- Readme

Oracle JDK

[DOWNLOAD ➔](#)



Install JDK

- Accept License
- (Window) jdk-11.0.4_windows-x64_bin.exe
- (Mac OS) jdk-11.0.4_osx-x64_bin.dmg

Java SE Development Kit 11.0.4

You must accept the [Oracle Technology Network License Agreement for Oracle Java SE](#) to download this software.

→ Accept License Agreement Decline License Agreement


Product / File Description	File Size	Download
Linux	147.85 MB	jdk-11.0.4_linux-x64_bin.deb
Linux	154.6 MB	jdk-11.0.4_linux-x64_bin.rpm
Linux	172.01 MB	jdk-11.0.4_linux-x64_bin.tar.gz
macOS	166.58 MB	jdk-11.0.4_osx-x64_bin.dmg ←
macOS	166.95 MB	jdk-11.0.4_osx-x64_bin.tar.gz
Solaris SPARC	188.21 MB	jdk-11.0.4_solaris-sparcv9_bin.tar.gz
Windows	151.22 MB	jdk-11.0.4_windows-x64_bin.exe ←
Windows	171.25 MB	jdk-11.0.4_windows-x64_bin.zip




Install JDK

- Click Continue or Next

Mac OS



Window







Install JDK

- Click Install or Next

Mac OS



Window






How to Code?

- Text pad and terminal
- Source-code editor
 - Code editor with syntax highlighting
 - Visual Studio Code, Atom, Sublime Text
- Integrated Development Environment (IDE)
 - Source-code editor + various tools to aid programmer
 - **IntelliJ IDEA**, Eclipse, NetBeans
 - IntelliJ IDEA comes with JDK 11 preinstalled



Install IntelliJ IDEA



Version: 2019.2.1

Build: 192.6262.58

August 21, 2019

[Release notes](#)

Download IntelliJ IDEA

[Windows](#)

[macOS](#)

[Linux](#)

Ultimate

For web and enterprise development

[DOWNLOAD](#)

Community

For JVM and Android development

[DOWNLOAD](#)



- Install IntelliJ IDEA Community
 - <https://www.jetbrains.com/idea/download>
 - Students who want to use IntelliJ Ultimate can apply for a student pack
 - <https://www.jetbrains.com/student/>
 - For this course, functions in Ultimate version is not required



Install IntelliJ IDEA (Window)


- Open EXE file and click Next





Install IntelliJ IDEA (Window)


- Click Next





Install IntelliJ IDEA (Window)


- Click 64-bit launcher and click Next





Install IntelliJ IDEA (Window)


- Click Install





Install IntelliJ IDEA (Window)


- Wait for it to install





Install IntelliJ IDEA (Window)


- Click Run IntelliJ IDEA Community Edition and click Finish





Install IntelliJ IDEA (Mac OS)


- Open DMG file and drag to Applications folder





Install IntelliJ IDEA (Mac OS)


- Open IntelliJ Application and click Do not import settings and press OK





Install IntelliJ IDEA (Mac OS)


■ Confirm Privacy Policy





Install IntelliJ IDEA (Mac OS)

- Pick a UI theme of your choice and click on Skip Remaining and Set Defaults






Download Project

- Download the project
 - https://drive.google.com/open?id=1NOSsg1alKo_ZwLSTTYafw1nCzh4otLa
 - Extract the downloaded file



Import Project in IntelliJ IDEA


- Click Import Project





Import Project in IntelliJ IDEA


- Navigate to downloaded file and click Open





Import Project in IntelliJ IDEA



- Click Next





Import Project in IntelliJ IDEA


- Click Next and click Yes





Import Project in IntelliJ IDEA


- Click Next





Import Project in IntelliJ IDEA


- Click Next





Import Project in IntelliJ IDEA


- Click Next





Import Project in IntelliJ IDEA

- Click Next





Import Project in IntelliJ IDEA

- Click Finish





Run Project in IntelliJ IDEA

- Navigate to Main.java and open
 - Location: ~/src/com.datalab/Main.java

The screenshot shows the IntelliJ IDEA interface with the following details:

- Title Bar:** HelloDataStructure [~/Downloads/Data Structure/HelloDataStructure] - .../src/com/datalab/Main.java
- Project Tool Window:** Shows the project structure: HelloDataStructure (~/Downloads/Data Structure) containing .idea, bin, src, and com.datalab. The Main.java file is selected.
- Editor:** Displays the code for Main.java:

```
package com.datalab;

import java.util.Random;

public class Main {

    public static void main(String[] args) {
        System.out.println("This is an example of a programming assignment");

        int[] iTestList = new int[16];
        Random random = new Random();

        for(int i=0; i<iTestList.length; ++i) {
            iTestList[i] = Math.abs(random.nextInt()%100);
        }

        int max = -1;
        for(int i=0; i<iTestList.length; ++i) {
            max = Math.max(max, iTestList[i]);
        }


        System.out.println("From the list :");
        for(int i=0; i<iTestList.length; ++i) {
            System.out.print(String.valueOf(iTestList[i]) + " ");
        }
        System.out.println("");

        System.out.println("Maximum value is " + String.valueOf(max));
    }
}
```
- Bottom Status Bar:** Event Log, 5:14, CRLF, UTF-8, Tab*, etc.



Run Project in IntelliJ IDEA

- Right click on Main.java and click Run Main.main()



The screenshot shows the IntelliJ IDEA interface with the following details:

- Title Bar:** HelloDataStructure [~/Downloads/Data Structure/HelloDataStructure] - .../src/com/datalab/Main.java
- Project Tool Window:** Shows the project structure with packages: HelloDataStructure, com.datalab, and Main.java.
- Main.java Content:** The code defines a Main class with a main method that prints the maximum value from a randomly generated list.
- Context Menu (Open with Shift+Right Click):** The "Run Main.main()" option is highlighted in blue, indicating it is the selected action.
- Status Bar:** Event Log, 4:1 CRLF, UTF-8, Tab*, and other system status indicators.



Run Project in IntelliJ IDEA

- You will see the results of the code

The screenshot shows the IntelliJ IDEA interface with the following details:

- Title Bar:** HelloDataStructure [~/Downloads/Data Structure/HelloDataStructure] - .../src/com/datalab/Main.java
- Project Tool Window (Left):** Shows the project structure with a tree view of files and folders. The 'out' folder is selected.
- Main.java Editor (Center):** Displays the Java code:

```
int max = -1;
for(int i=0; i<iTestList.length; ++i) {
    max = Math.max(max, iTestList[i]);
}

System.out.println("From the list :");
for(int i=0; i<iTestList.length; ++i) {
    System.out.print(String.valueOf(iTestList[i]) + " ");
}

System.out.println("");

System.out.println("Maximum value is " + String.valueOf(max));
```
- Run Tool Window (Bottom):** Shows the run configuration 'Main' and the output of the program:

```
/Applications/IntelliJ IDEA CE.app/Contents/jbr/Contents/Home/bin/java" "-javaagent:/Applications/IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=63927:/Applications/IntelliJ IDEA CE.app
This is an example of a programming assignment
From the list :
51 46 69 93 28 52 49 56 21 32 55 20 29 90 50 72
Maximum value is 93
Process finished with exit code 0
```
- Status Bar (Bottom):** Shows the build status: 'Build completed successfully in 3 s 154 ms (moments ago)' and the current time: '25:10'.




JAR File

- JAR is an executable file of a Java program
- JAR should be submitted for each assignment
- **You should know how to make a JAR file**



Create JAR File


- [File] - [Project Structure...] – [Artifacts]
- Click [+] – [JAR] – [From modules with dependencies...]





Create JAR File


- Click Folder icon in Main Class





Create JAR file


- Click Ok





Create JAR File


- Click Ok





Create JAR File


- Click Include in project build
 - The Output directory is where the JAR file is located





Create JAR File


- Right click and rename filename to the following format and click OK when done
 - LAB01_<Your Student ID>





Create JAR File


- Build Project
 - [Build] - [Build Project]





Check your JAR File

- Open Terminal
 - [View] - [Tool Windows] - [Terminal]





Terminal Commands

Details

■ Commands

□ pwd or chdir (Window)

- Print working directory

```
at 21:16:50 in ~/Downloads
→ pwd
/Users/parkch/Downloads
```

□ ls or dir (Window)

- List files and directories in current directory

```
at 21:20:04 in Downloads/Data Structure/HelloDataStructure
→ ls
rwxr-xr-x parkch staff 128 B   Tue Sep  3 18:51:00 2019 bin/
rwxr-xr-x parkch staff 128 B   Tue Sep  3 21:02:29 2019 out/
rwxr-xr-x parkch staff 160 B   Tue Sep  3 20:59:45 2019 src/
rw-r--r-- parkch staff 423 B   Tue Sep  3 20:38:31 2019 HelloDataStructure.iml
```



Terminal Commands

Details

■ Commands (cont.)

- `cd <directory name>`
 - Change directory to <directory name>

```
at 21:20:13 in Downloads/Data Structure/HelloDataStructure
→ cd bin

at 21:22:04 in Data Structure/HelloDataStructure/bin
→
```

- `cd ..`
 - Change directory to parent directory

```
at 21:22:04 in Data Structure/HelloDataStructure/bin
→ cd ..

at 21:22:36 in Downloads/Data Structure/HelloDataStructure
→
```



Check your JAR File

- Navigate to your JAR file using cd command

The screenshot shows a terminal window with the following session:

```
Terminal: Local × +  
at 21:11:03 in Downloads/Data Structure/HelloDataStructure  
→ cd out  
  
at 21:24:45 in Data Structure/HelloDataStructure/out  
→ cd artifacts  
  
at 21:24:47 in HelloDataStructure/out/artifacts  
→ cd HelloDataStructure_jar  
  
at 21:25:12 in out/artifacts/HelloDataStructure_jar  
→  
Build completed successfully in 2 s 647 ms (22 minutes ago)
```

The terminal window has a dark theme. On the left, there are navigation icons for Favorites (with 2 items) and Z: Structure. At the bottom, there are tabs for Terminal, Messages, Run, TODO, and Event Log. The status bar at the bottom right shows the build statistics: 31:2 CRLF, UTF-8, Tab*, and a small icon.



Check your JAR File

■ Type Command

- `java -classpath ./<jarFileName.jar> com.datelab.Main`

The screenshot shows a terminal window with the following output:

```
Terminal: Local +  
at 21:47:35 in out/artifacts/HelloDataStructure_jar  
→ java -classpath ./LAB01_2019-12345.jar com.datelab.Main  
This is an example of a programming assignment  
From the list :  
★ 46 61 61 38 43 11 84 12 19 65 94 55 12 99 43 22  
Maximum value is 99  
at 21:47:36 in out/artifacts/HelloDataStructure_jar  
→ []
```

The terminal window also displays the following status bar information:

- 2: Favorites
- Z: Structure
- Terminal 0: Messages 4: Run 6: TODO Event Log
- Build completed successfully in 2 s 714 ms (16 minutes ago) 31:2 CRLF UTF-8 Tab* 📁 🗑



Course Information

- T.A.

- Office 301-519
 - Huiwen Xu
 - E-mail: xuhuiwen33@snu.ac.kr
 - Office hour: Wed 13:00 – 14:00
 - Junghoon Kim
 - E-mail: joseph.junghoon.kim@gmail.com
 - Office hour: Thu 13:00 – 14:00
 - Seungcheol Park
 - E-mail: ant6si@snu.ac.kr
 - Office hour: Thu 14:00 – 15:00
 - Chaehyun Park
 - E-mail: chaehyun@snu.ac.kr
 - Office hour: Tue 14:00 – 15:00



Thank You