


# A Self-Hostable Open-Source Geospatial Platform for Small Teams, with Natural Language Querying via MCP

**Host · See · Ask**

Noboru Otsuka, Geolonia  
FOSS4G 2026 Hiroshima  
2026-09-02 17:30 · Dahlia1

# A small team may need its spatial data to do three jobs

Hypothetical small-team context — not a measured deployment



# Three ways to meet the same need

## External service

Provider-managed  
capabilities

## Self-assembled stack

Team selects and operates  
the components


## Assembled OSS platform

One self-hostable system


**geo-base takes the assembled OSS position.**

Design position — not a market, cost, or ownership result

# geo-base assembles the core geospatial pieces



# Three user actions frame the discussion




**A simple way to describe a team's GIS work**

# One deployment gives these actions a shared data path



One shared data layer · three practical entry points

# Host: Put the team's spatial data into the platform




Host

87 features

One GeoJSON dataset

Admin UI capture — File information after local GeoJSON import

# See: View the same data on a map



Map preview capture — the same 87 points in the Naka-ku extent

See

Same imported  
GeoJSON

Same source  
extent



# Ask: Query the same data through a natural-language interface

```
Tool Result: Success

Structured Content:

{
  features: [
    0: {
      id: "97e4561e-8b24-4e04-a03f-d763c12cbb5e"
      type: "Feature"
      geometry: { ... } 3 items
      properties: {
        地震: ""
        津波: ""
        洪水: "☉"
        高潮: ""
        所在地: "広島県広島市中区羽衣町16-15"
        内水氾濫: ""
        火山現象: ""
        大規模な火事: ""
        指定緊急避難場所: "中島集会所"
        がけ崩れ、土石流及び地滑り: "☉"
        layer_name: "imported"
        tileset_id: "6046b134-cd76-4599-a75f-75a08a59b18a"
      }
    }
  ]
}
```

Direct MCP Inspector capture — later verification, not the chat run


Ask

Original natural-language run — AI client selected MCP calls

Returned data — tested properties from the same dataset

Focused question → existing operation

# The demonstration connects a team's data to its next question



**A possible small-team pattern — not a measured productivity result**

# One hosted dataset can support three small-team tasks

## **Keep the team's data**

Host it as the starting point for the team's work.

## **See the same map**

Give the team one shared spatial context.


## **Ask the next question**

Use the shared data to begin a focused inquiry.

**Interpretation from the demonstrated workflow — not a measured productivity result**

# What to confirm before using geo-base

Does this fit your team's work?



Start with the tested scope, then verify your own use case

# Possible patterns for small teams

Inferred possibilities — not measured deployments

## Municipal facility management

Possible use: keep facility data visible.

## Field survey

Possible use: review collected points together.

## Nonprofit or public-data work

Possible use: share a focused data view.

Each pattern may use Host · See · Ask.

# One shared data layer. Three practical ways to use it.

**Host · See · Ask**

**A focused, self-hostable open-source platform  
for small teams**

**One shared data layer → three practical entry points**

**Thank you · Q&A**



**Repository**

[github.com/mopinfish/geo-base](https://github.com/mopinfish/geo-base)

**Contact**

[noboru.otsuka@geolonia.com](mailto:noboru.otsuka@geolonia.com)

出典：国土地理院ウェブサイト (<http://www.gsi.go.jp/bousaichiri/hinanbasho.html>)

加工：「指定緊急避難場所データ」（国土地理院）（<http://www.gsi.go.jp/bousaichiri/hinanbasho.html>）を AIGID が加工して作成  
上記データから広島市中区のフィーチャのみを抽出して使用。