UPENN 714

Problem Set 02

Rodrigo A. Morales M. 10. jan. 2020.



Contents

- Part I.
- The model.
- Parameters.
- Part II
- 2.a)

Prof. Jesús Fernández Villaverde.

Part I. The model

Partial equilibrium problem of a representative agent firm with two technologies, tangible and intangible capital.

$$(states_{i,t}) = (k_{i,t}^T, k_{i,t}^I, b_{i,t}, z_{1,i,t}, z_{2,i,t})$$

$$(controls_{i,t}) = (k_{1,i,t}^T, k_{1,i,t}^I, k_{i,t+1}^T, l_{1,i,t}, l_{2,i,t}, b_{i,t+1})$$

The producer faces the following recursive problem:

$$J(states_{i,t}) = \max_{controls_{i,t}} \left(d_{i,t} + \frac{1}{1 + r_{i,t}} E_{zz} \left[J(states_{i,t+1}) \right] \right)$$

S.T.
$$d_{i,t} = \left(\theta_1(k_{1,i,t}^T)^{\frac{\lambda_1-1}{\lambda_1}} + (1-\theta_1)(k_{1,i,t}^I)^{\frac{\lambda_1-1}{\lambda_1}}\right)^{\frac{\lambda_1-1}{\lambda_1-1}\alpha_1} \left(e^{z_{1,i,t}}l_{1,i,t}\right)^{\gamma_1} + (1-\delta_T)k_{i,t}^T - k_{i,t+1}^T - w(l_{1,i,t}+l_{2,i,t}) + b_{i,t+1} - (1+r_t)b_{i,t} - 0.02(b_{i,t+1}-b_{i,t})^2 - 0.01(b_{i,t}-0.2)^2$$

$$k_{i,t+1}^I = \left(\theta_2(k_{2,i,t}^T)^{\frac{\lambda_2-1}{\lambda_2}} + (1-\theta_2)(k_{2,i,t}^I)^{\frac{\lambda_2-1}{\lambda_2}}\right)^{\frac{\lambda_2}{\lambda_2-1}\alpha_2} \left(e^{z_{2,i,t}}l_{2,i,t}\right)^{\gamma_2} + (1-\delta_I)k_{i,t}^I$$

$$k_{2,i,t}^T = k_{i,t}^T - k_{1,i,t}^T$$

$$k_{2,i,t}^I = k_{i,t}^I - k_{1,i,t}^I$$

which gives the following equilibrium conditions (I drop subndices i,t and use recursive formulation notation to make the equations easier to read):

$$\begin{split} [k_1^T] : & \quad \theta_1 \alpha_1(k_1^T)^{\frac{-1}{\lambda_1}} \left(\theta_1(k_1^T)^{\frac{\lambda_1 - 1}{\lambda_1}} + (1 - \theta_1)(k_1^I)^{\frac{\lambda_1 - 1}{\lambda_1}} \right)^{\frac{\lambda_1}{\lambda_1 - 1}\alpha_1 - 1} (e^{z_1}l_1)^{\gamma_1} \\ & = \quad E_z \left[\frac{1}{1 + r_i} J_{k_1^T}(k'^T, k'^I, b', z_1', z_2') \right] = E_z \left[\frac{1}{1 + r_i} J_{k_1^T}(states') \right] \\ & = \quad E_z \left[\frac{1}{1 + r_i} J_{k'}(k'^T, k'^I, b', z_1', z_2') k_{k_1^T}^{II}(k'^T, k'^I, b', z_1', z_2') \right] \\ & = \quad E_z \left[\frac{1}{1 + r_i} \left\{ (1 - \theta_1)\alpha_1(k_1^I(states'))^{\frac{-1}{\lambda_1}} \left(\theta_1(k_1^T(states'))^{\frac{\lambda_1 - 1}{\lambda_1}} + (1 - \theta_1)(k_1^I(states'))^{\frac{\lambda_1 - 1}{\lambda_1}} \right)^{\frac{\lambda_1 - 1}{\lambda_1 - 1}\alpha_1 - 1} \right. \\ & \left. \left. \left(e^{z_1'}l_1(states') \right)^{\gamma_1} \right\} \right. \\ & \left. \left\{ \theta_2 \alpha_2(k^T - k_1^T)^{\frac{-1}{\lambda_2}} \left(\theta_2(k^T - k_1^T)^{\frac{\lambda_2 - 1}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2 - 1}{\lambda_2}} \right)^{\frac{\lambda_2 - 1}{\lambda_2 - 1}\alpha_2 - 1} (e^{z_2}l_2)^{\gamma_2} \right\} \right] \end{split} \tag{1} \\ [k_1^I] : \quad \left. (1 - \theta_1)\alpha_1(k_1^I)^{\frac{-1}{\lambda_1}} \left(\theta_1(k_1^T)^{\frac{\lambda_1 - 1}{\lambda_1}} + (1 - \theta_1)(k_1^I)^{\frac{\lambda_1 - 1}{\lambda_1}} \right)^{\frac{\lambda_1 - 1}{\lambda_1 - 1}\alpha_1 - 1} (e^{z_1}l_1)^{\gamma_1} \right. \\ & = \quad E_z \left[\frac{1}{1 + r_i} J_{k_1^I}(k'^T, k'^I, b', z_1', z_2') k_{k_1^I}^{II}(k'^T, k'^I, b', z_1', z_2') \right] \\ & = \quad E_z \left[\frac{1}{1 + r_i} J_{k_1^I}(k'^T, k'^I, b', z_1', z_2') k_{k_1^I}^{II}(k'^T, k'^I, b', z_1', z_2') \right] \end{split}$$

 $= E_z[\frac{1}{1+r_i}\{(1-\theta_1)\alpha_1(k_1^I(states'))^{\frac{-1}{\lambda_1}} \left(\theta_1(k_1^T(states'))^{\frac{\lambda_1-1}{\lambda_1}} + (1-\theta_1)(k_1^I(states'))^{\frac{\lambda_1-1}{\lambda_1}}\right)^{\frac{\lambda_1-1}{\lambda_1-1}\alpha_1-1}$

 $\left\{ (1 - \theta_2)\alpha_2(k^I - k_1^I)^{\frac{-1}{\lambda_2}} \left(\theta_2(k_2^T)^{\frac{\lambda_2 - 1}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2 - 1}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2 - 1}\alpha_2 - 1} (e^{z_2}l_2)^{\gamma_2} + (1 - \delta_I) \right\} \left| (2)^{-\frac{1}{\lambda_2}} \left(\theta_2(k_2^T)^{\frac{\lambda_2 - 1}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2 - 1}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2 - 1}\alpha_2 - 1} \right| \right| \left(\theta_2(k_2^T)^{\frac{\lambda_2 - 1}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2 - 1}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2 - 1}\alpha_2 - 1} \left(e^{z_2}l_2 \right)^{\gamma_2} + (1 - \delta_I) \right) \right| \left(\theta_2(k_2^T)^{\frac{\lambda_2}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2 - 1}\alpha_2 - 1} \left(e^{z_2}l_2 \right)^{\gamma_2} + (1 - \delta_I) \right) \right| \left(\theta_2(k_2^T)^{\frac{\lambda_2}{\lambda_2}} + (1 - \theta_2)(k^I - k_1^I)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2 - 1}\alpha_2 - 1} \left(e^{z_2}l_2 \right)^{\gamma_2} + (1 - \delta_I) \right) \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right)^{\frac{\lambda_2}{\lambda_2}} \right)^{\frac{\lambda_2}{\lambda_2}} \left(e^{z_2}l_2 \right$

where equation (2) uses: $k_2^T = k^T - k_1^T$.

 $\left(e^{z_1'}l_1(states')\right)^{\gamma_1}$

$$\begin{split} [k'^{T}]: & 1 \\ & = E_{z} \left[\frac{1}{1+r_{i}} \left\{ J_{k'^{T}}(k'^{T}, k'^{I}, b\prime, z_{1}\prime, z_{2}\prime) \right\} \right] = E_{z} \left[\frac{1}{1+r_{i}} \left\{ J_{k'^{T}}(states') \right\} \right] \\ & = E_{z} \left[\frac{1}{1+r_{i}} \left\{ 1 - \delta_{T} + \theta_{1}\alpha_{1}k_{1}^{I}(states')^{\frac{-1}{\lambda_{1}}} \right. \\ & \left. \left(\theta_{1}k_{1}^{T}(states')^{\frac{\lambda_{1}-1}{\lambda_{1}}} + (1-\theta_{1})k_{1}^{I}(states')^{\frac{\lambda_{1}-1}{\lambda_{1}}} \right)^{\frac{\lambda_{1}-1}{\lambda_{1}-1}\alpha_{1}-1} \left(e^{z_{1}}l_{1}(states') \right)^{\gamma_{1}} \right\} \right] (3) \end{split}$$

$$[b']: 1$$

$$= 0.04(b'-b) + E_z \left[\frac{1}{1+r_i} \{ J_{b'}(k'^T, k'^I, b', z_1', z_2') \} \right]$$

$$= 0.04(b'-b) + E_z \left[\frac{1}{1+r_i} \{ J_{b'}(states') \} \right]$$

$$= 0.04(b'-b) + E_z \left[\frac{1}{1+r_i} \{ (1+r) + 0.02(b'-0.2) - 0.04(b''-b') \} \right]$$
(4)

$$[l_1]: \qquad \gamma_1(e^{z_1})^{\gamma_1} l_1^{\gamma_1 - 1} \left(\theta_1(k_1^T)^{\frac{\lambda_1 - 1}{\lambda_1}} + (1 - \theta_1)(k_1^I)^{\frac{\lambda_1 - 1}{\lambda_1}}\right)^{\frac{\lambda_1}{\lambda_1 - 1}\alpha_1}$$

$$= w$$
(5)

$$[l_{2}]: \qquad \gamma_{2}(e^{z_{2}})^{\gamma_{2}}l_{2}^{\gamma_{2}-1} \left(\theta_{2}(k_{2}^{T})^{\frac{\lambda_{2}-1}{\lambda_{2}}} + (1-\theta_{2})(k_{2}^{I})^{\frac{\lambda_{2}-1}{\lambda_{2}}}\right)^{\frac{\lambda_{2}}{\lambda_{2}-1}\alpha_{2}}$$

$$= \gamma_{2}(e^{z_{2}})^{\gamma_{2}}l_{2}^{\gamma_{2}-1} \left(\theta_{2}(k^{T}-k_{1}^{T})^{\frac{\lambda_{2}-1}{\lambda_{2}}} + (1-\theta_{2})(k^{I}-k_{1}^{I})^{\frac{\lambda_{2}-1}{\lambda_{2}}}\right)^{\frac{\lambda_{2}}{\lambda_{2}-1}\alpha_{2}}$$

$$= w \qquad (6)$$

Gatherer:

$$V^{G}(z, w) = \max_{c, k', b'} (u(c) + \beta_{G} E_{z} [V(z', w')])$$

s.t.
$$c + qk' + b' = G(k) + qk + Rb$$

which gives the following equilibrium conditions (after FOCs):

$$q = \beta_G E_z \left[\frac{u'(c')}{u'(c)} (G'(k') + q) \right]$$

$$1 = \beta_G E_z \left[R \frac{u'(c')}{u'(c)} \right]$$

Parameters

params.a=1;

```
...
grids.theta80grid.kF = { linspace(0.01, 0.99, 10) };
grids.theta80grid.levF = { linspace(0.6,1,20) };
...
expers = {'bench',{}; % bench experiment
    'theta875',{'theta',0.875; 'grid','theta875grid'}; % second
    'alpha90',{'alpha',0.9; 'alower',0.85; 'grid','alpha90grid'}; % third
    'theta80',{'theta',0.80; 'grid','theta80grid'};% fourth
};
```

Part II

$$b_{t+1}^F \le \theta \left(a(x_{t+1}) + q(x_{t+1}) \right) k_{t+1}^F \qquad \forall x_{t+1} \in X_{t+1}$$

The:

$$V^{F}(z, w) = \max_{c, k', b'} (u(c) + \beta_F E_z [V(z', w'])$$

S.T.
$$c+qk'+b'=ak+qk+Rb-\phi(k'/k-1)^2k/2$$

$$b'\leq\theta\left(a'+q'\right)k'$$

which gives the following equilibrium conditions (after FOCs):

$$q = \beta_F E_z \left[\frac{u'(c')}{u'(c)} (a + q + \frac{\phi((k'/k)^2 - 1)}{2}) \right] + \mu \theta(a' + q')$$

$$1 = \mu + \beta_F E_z \left[R \frac{u'(c')}{u'(c)} \right]$$

$$0 = \mu \left[\theta(a' + q')k' + b' \right]$$

2.a)

The .

Figure 1: IRFs 1 for unmodified code:

Figure 2: IRFs 2 for unmodified code:

2.b) New Steady State.

Again, the steady state is very similar as the previous case, with a few modifications, namely:

$$\mu_{F} = 1 - \beta_{F}/\beta_{G}$$

$$q = \frac{\beta_{F}a + \theta a \mu_{F}}{1 - \beta_{F} - \theta \mu_{F}}$$

$$k_{F,ss} = \left[\frac{\alpha \underline{a}(1 - \beta_{F} - \theta \mu_{F})\beta_{G}}{(1 - \beta_{G})a(\beta_{F} + \theta \mu_{F})}\right]^{\frac{1}{1 - \alpha}}$$

$$b_{F} = -\theta(q + a)k_{F,ss}$$

2.c) Rewrite constraint.

Using the minimum of (q+a) at any given time is enough, as that guarantees that it will always be binding (if it is binding for the lowest state). The code already has an implementation for such variable, which needs to be indicated in the 'experdef' file, and needs to add min(q+a)) in the 'calcEquations' files.

2.f) Main economic effects.