

28976 - Remote connection data sheet

Component: XX-SER-NET-NEW (Miscellaneous > Service Messages > Remote Network Connections for On-Premise Customers > New or change connection requests for on premise customers), Version: 170, Released On: 03.07.2026

Symptom

The customer system has no connection to the SAP network, SAP Support Backbone.

Other Terms

Remote connection, Internet, VPN, SNC, provider, IP address, SAP Support Backbone, IKEv2

Reason and Prerequisites

Remote connection

Solution

Please send this form to the address specified under point 1. (see below) or create a case on the SAP for Me portal (<https://me.sap.com/getsupport>) in the component XX-SER-NET-NEW.

Remote connection data sheet (Internet)

Company: _____	
Customer no.: _____	Incident no. (1): _____
Contact person network: _____	
Phone: _____	Cell phone: _____
Fax: _____	E-mail: _____

Information about the requested Internet connection (2):

☐ Internet SNC (software encryption with digital certificate)	
☐ Internet VPN (IPSec)	
	VPN peer endpoint public IP address: _____
	Type of VPN gateway (name, model, software version): _____

Information about the computer with SAProuter (3):

IP address of the SAProuter computer (*): _____ [No private IP address; see important information under -3.-]	
Host name of the SAProuter computer (*): _____ [Host name is restricted to 16 characters]	
(*) This information is mandatory! See also important information under -3.-	

IPSec options (Select only 1 value per group. Other values are not supported!):

Phase1		
	IKE version	IKEv2 only
	Encryption	AES-256-CBC
	Hash	☐ HMAC-SHA256
		☐ HMAC-SHA512
	Diffie-Hellman	☐ GR20 (BSI recommendation ***)
		☐ GR16 (BSI recommendation ***)
	Lifetime IKE	86.400 seconds (Default)
Phase 2		
	Encryption	ESP AES-256-CBC
	Hash	☐ HMAC-SHA256
		☐ HMAC-SHA512
	PFS	☐ No
		☐ YES (GR20) (BSI recommendation ***)
		☐ YES (GR16) (BSI recommendation ***)
	Lifetime SA	7.200 seconds (Default)
	BSI recommendation ***	For more information about IKEv2, see the attached documents.

Security note:

- SAP recommends that you always update the SAProuter software to the latest version (SAP Note [1921693](#)).
- For increased security, SAP recommends to activate SAP SNC to encrypt the communication channel for SAP Support (if no hardware encryption exists on the basis of IPSEC).
- Restrict your route permission table (saproustab) to exclusively the required accesses.

Comments on the remote connection data sheet:

1. Transfer the completed remote connection data sheet via an incident on the SAP for Me Portal (<https://me.sap.com/getsupport> -> component XX-SER-NET-NEW) or send it to one of the following addresses or to the relevant e-mail address.

Enter the short text "New service connection" as well as the following values:

- Customer ERP number
- S user
- Installation number
- System ID

Europe/South Africa
SAP SE
Network Hotline
Dietmar-Hopp-Allee 16
D-69190 Walldorf

Germany

For all other countries: Contact the relevant SAP Support Center (refer to SAP Note 560499 for details).

America

SAP America
3999 West Chester Pike
Newtown Square, PA 19073
USA
E-mail: support.usca@sap.com

Japan

SAP Japan
SAP Japan Building
1-6-4 Kojimachi, Chiyoda-ku, Tokyo
102-8022 Japan
E-mail: support.japan@sap.com

SAP Australia

Level 1, Northside Gardens
168 Walker Street
North Sydney, NSW 2060 Australia
E-mail: support.australia@sap.com

Asia

SAP Asia
30 Pasir Panjang Road
#03-32 Mapletree Business City Singapore 117440
E-mail: support.asia@sap.com

2. Further information about the available types of network connections can be obtained from your local consulting partner (see below) or from the Support Center of your local SAP subsidiary.
 - Connection using the Internet
To ensure that the high security requirements necessary for Internet connections are met, you must use one of the two data encryption methods offered by SAP:
 - SNC (Secure Network Communication) for software encryption (sapserv2/sapserv9)
 - VPN (Virtual Private Network) for encryption at hardware level (sapserv1/sapserv4/sapserv7)

You can find detailed information in SAP Support Portal (SAP for Me customer portal) under <https://support.sap.com/remote-support/help.html>.

- Provider connection
 - Contact addresses for information and contract conclusion with provider, see SAP Note [33953](#) (Europe/Africa), [39894](#) (Japan). See SAP Note [126645](#) "SAP provider remote connection data sheet".
 - Inform us of the official IP address of the WAN interface. This address must be an official and registered IP address which your network provider or your system administrator told you.
3. Here you must enter the officially registered IP address of the computer on which the communication software SAProuter and the proxy for accessing the SAP service network are installed.

You cannot use the following address areas (=private addresses):

10.0.0.0	-	10.255.255.255
172.16.0.0	-	172.31.255.255
192.168.0.0	-	192.168.255.255

Only for VPN (IPsec):

The IP address assigned to the SAProuter server must not be routed (and cannot be accessed) via the public Internet; it must only be accessible via an established IPsec tunnel.

The IP address assigned to the SAProuter server must be an officially registered IP address and should not be the same IP address assigned to the VPN peer IP address.

If you have any of the following questions:

- How do I fill in the remote connection data sheet?
- Which type of remote connection is most suitable for us (VPN, SNC, provider)?
- What type of software and hardware do I need to establish remote access?
- Questions about using a firewall or address translation
- What kind of costs can I anticipate?
- Which are the prerequisites for an SNC/VPN connection to SAP using the Internet?

Contact the consulting partner responsible for your region or create a case on the SAP for Me portal (<https://me.sap.com/getsupport>) in the component XX-SER-NET-NEW.

Attributes

Key	Value
Transaction codes	HIER
Transaction codes	WEST

This document refers to

SAP Note/KBA	Component	Title
1698817	XX-SER-NET-NEW	Network Provider for Remote Connection in China
50430	XX-SER-NET-NEW	Official IP addresses for SAP access
39894	XX-SER-NET-NEW	Network Provider for Remote Connection in Japan
35010	XX-SER-NET	Service connections: Composite note (overview)).
33953	XX-SER-NET-NEW	Network provider for remote connection in EMEA

This document is referenced by

SAP Note/KBA	Component	Title
3207394	XX-SER-NET	Fadeout period and planned shutdown of SAP Network Provider Connections for Service and Support Connectivity in US Region (SAPserv4).
598265	XX-SER-NET	Various connection variants, listing sapservX
486688	XX-SER-NET	Schedule VPN connection to SAP network
33953	XX-SER-NET-NEW	Network provider for remote connection in EMEA
39894	XX-SER-NET-NEW	Network Provider for Remote Connection in Japan
1698817	XX-SER-NET-NEW	Network Provider for Remote Connection in China
102277	XX-SER-NET-RCSC	To establish remote connection to SAP America
50430	XX-SER-NET-NEW	Official IP addresses for SAP access

Attachments

File Name	File Size	Mime Type
<u>Internet Based Connections to the SAP Remote Connectivity Framework.pdf</u>	505	application/pdf
<u>Recommendations for the use of cryptographic mechanisms in the IPsec and IKE protocols.pdf</u>	51	application/pdf