

Prescription Summary Report

Generated on 07 October 2026

Medicines

Medicine	Strength	How often	Check
Enzoflam	tablet	1-0-1 after meals, 5 days (Morning and night, after meals, for 5 days)	Name confirmed by you
Pan D	40 mg tablet	1-0-0 before meals, 5 days (Morning, before meals, for 5 days)	Name matched our list
Hexigel gum paint		massage 1-0-1, 1 week	Name confirmed by you
Okacet	10 mg tab	0-0-1, 5 days (Night, for 5 days)	Name confirmed by you
Mucinac 600	600 mg tab	1-0-0, 5 days (Morning, for 5 days)	Name confirmed by you
Liv 52	tab	1-0-1 (Morning and night)	Not found - ask your pharmacist
Zentrovix	10 mg tab	1-0-1 (Morning and night)	Not found - ask your pharmacist

About your medicines

Enzoflam (Diclofenac (50mg) + Paracetamol (325mg))

Used for: Pain and inflammation relief

Precautions:

- Take with food or milk
- Avoid if you have severe liver disease
- Do not exceed recommended daily dose
- Tell doctor about kidney problems

Common side effects:

- Stomach upset
- Nausea
- Headache
- Dizziness

See a doctor if:

- Severe stomach pain or bleeding
- Yellowing of skin or eyes
- Rash or swelling
- Persistent vomiting

Source: Scrivia medicine lookup

Pan D (Pantoprazole + Domperidone)

Used for: Heartburn and acid reflux relief

Precautions:

- Take before meals
- Tell doctor about liver or heart problems
- Avoid if allergic to similar drugs

Common side effects:

- Headache
- Diarrhea
- Dry mouth
- Abdominal discomfort

See a doctor if:

- Severe stomach pain
- Vomiting blood
- Persistent diarrhea
- Allergic rash or swelling

Source: Scrivia medicine lookup

Hexigel gum paint (Chlorhexidine Gluconate (1% w/w))

Used for: Skin antiseptic for cleaning wounds and surgical sites

Precautions:

- Do not apply to deep wounds
- Avoid contact with eyes
- Use on intact skin only

Common side effects:

- Mild skin irritation
- Redness

See a doctor if:

- Severe rash or swelling
- Allergic reaction such as hives

Source: Scrivia medicine lookup

Okacet (Cetirizine (10mg))

Used for: Allergy symptoms such as sneezing and itchy eyes

Precautions:

- Take with water
- Avoid alcohol
- May cause drowsiness
- Do not exceed recommended dose

Common side effects:

- Drowsiness
- Dry mouth
- Headache
- Stomach discomfort

See a doctor if:

- Severe rash or hives
- Swelling of face or lips
- Difficulty breathing
- Rapid heartbeat

Source: Scrivia medicine lookup

Mucinac 600 (Acetylcysteine (600mg))

Used for: Thins mucus in lungs and airways

Precautions:

- Take with plenty of water
- Do not use if allergic to acetylcysteine

Common side effects:

- Nausea or vomiting
- Bad taste in mouth

See a doctor if:

- Rash or swelling
- Severe stomach pain

Source: Scrivia medicine lookup

Liv 52

We could not find this medicine, so no details are given. Please ask your pharmacist.

Zentrovix

We could not find this medicine, so no details are given. Please ask your pharmacist.

Summary in simple words

Enzoflam 1-0-1 after meals, 5 days

Pan D 1-0-0 before meals, 5 days

Hexigel gum paint massage 1-0-1, 1 week

Okacet 0-0-1, 5 days

Mucinac 600 1-0-0, 5 days

Liv 52 could not be confirmed; please check with your pharmacist.

Zentrovix could not be confirmed; please check with your pharmacist.

Follow your doctor's advice and ask the doctor or pharmacist if you are unsure.

Good questions to ask your doctor or pharmacist

- What is each medicine for, and what should I watch out for?
- Should I take it before or after food?
- What should I do if I miss a dose?
- When should I come back if I do not feel better?

This report is generated by an AI assistant for a hackathon. Always consult a human doctor or pharmacist before making any medical decisions.