# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

## SECTION 1: Identification of the hazardous chemical and of the supplier

**Product identifier** 

Product name : Sika® FerroGard®-903 Plus FD

Product code : 100000028669

Recommended use of the chemical and restrictions on use

Product use : Concrete protection

Manufacturer or supplier's details

Company : Sika Kimia Sdn. Bhd.

Lot 689 Nilai Industrial Estate

71800 Nilai

 Telephone
 : +60 6799 1762

 Telefax
 : +60 6799 1980

 E-mail address
 : EHS@my.sika.com

Emergency telephone num-

ber

## **SECTION 2: Hazards identification**

### Classification of the hazardous chemical

Skin corrosion/irritation : Category 1B

Serious eye damage/eye irri- :

ation

Category 1

Specific target organ toxicity - :

repeated exposure

(Inhalation)

Category 1

## Label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H372 Causes damage to organs through prolonged or repeated

exposure if inhaled.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Imme-

diately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

#### Other hazards which do not result in classification

None known.

#### SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
benzoic acid	65-85-0	>= 10 -< 30
2-aminoethanol	141-43-5	>= 10 -< 20
2,2'-iminodiethanol	111-42-2	>= 3 -< 5

## **SECTION 4: First aid measures**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

ty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

# Sika® FerroGard®-903 Plus FD



Revision Date: Date of last issue: 10.10.2019 Version SDS Number: 25.03.2021 100000028669 Date of first issue: 10.10.2019 2.0

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Health injuries may be delayed. corrosive effects

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms.

Causes serious eye damage.

Causes damage to organs through prolonged or repeated

exposure if inhaled. Causes severe burns.

Notes to physician Treat symptomatically.

## **SECTION 5: Firefighting measures**

## Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

#### Physicochemical hazards arising from the chemical

ucts

Hazardous combustion prod- : No hazardous combustion products are known

### Special protective equipment and precautions for fire-fighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Deny access to unprotected persons.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

## **SECTION 7: Handling and storage**

## Handling

## Precautions for safe handling

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

### **Storage**

## Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

## **SECTION 8: Exposure controls and personal protection**

#### **Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
2-aminoethanol	141-43-5	TWA	3 ppm 7.5 mg/m3	MY PEL	
		TWA	3 ppm	ACGIH	
		STEL	6 ppm	ACGIH	
2,2'-iminodiethanol	111-42-2	TWA	0.46 ppm 2 mg/m3	MY PEL	
	Further information: Skin				
		TWA (Inhal- able fraction and vapor)	1 mg/m3	ACGIH	

### Individual protection measures, such as personal protective equipment

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

Skin protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9: Physical and chemical properties**

Appearance : Aqueous solution

Colour : pink

Odour : characteristic

Odour Threshold : No data available

pH : ca. 10.0

Melting point/range / Freezing :

ooint

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 23 hPa

Relative vapour density : No data available

Density : ca. 1.0 g/cm3 (20 °C (68 °F))

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

**SECTION 10: Stability and reactivity** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

Conditions to avoid : No data available

Incompatible materials : No data available

No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information** 

Information on likely routes of : None known.

exposure

**Acute toxicity** 

Not classified based on available information.

**Components:** 

2-aminoethanol:

Acute oral toxicity : LD50 Oral (Rat): 1,720 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,025 mg/kg

# Sika® FerroGard®-903 Plus FD



Version Revision Date: SDS Number: Date of last issue: 10.10.2019 25.03.2021 100000028669 Date of first issue: 10.10.2019 2.0

#### Skin corrosion/irritation

Causes severe burns.

## Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure if inhaled.

## **Aspiration toxicity**

Not classified based on available information.

## **SECTION 12: Ecological information**

## **Ecotoxicity**

#### **Components:**

## 2,2'-iminodiethanol:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 55 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

: EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l

Exposure time: 72 h plants

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

## Mobility in soil

No data available

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

#### Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

## **SECTION 13: Disposal information**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14: Transport information**

## **International Regulations**

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

## **SECTION 16: Other information**

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

MY PEL : Malaysia. Occupational Safety and Health (Use and Stand-

ards of Exposure of Chemicals Hazardous to Health) Regula-

tions 2000.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

MY PEL / TWA : Eight-hour time-weighted average airborne concentration
ADR : European Agreement concerning the International Carriage of

# Sika® FerroGard®-903 Plus FD



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.10.2019

 2.0
 25.03.2021
 100000028669
 Date of first issue: 10.10.2019

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

MY / EN