

# Grade 6 Mathematics SESSION 1

This session contains 9 questions.

You may use your reference sheet during this session. You may **not** use a calculator during this session.



### **Directions**

Read each question carefully and then answer it as well as you can. You must record all answers in this Test & Answer Booklet.

For some questions, you will mark your answers by filling in the circles in your Test & Answer Booklet. Make sure you darken the circles completely. Do not make any marks outside of the circles. If you need to change an answer, be sure to erase your first answer completely.

For other questions, you will need to fill in an answer grid. Directions for completing questions with answer grids are provided on the next page.

If a question asks you to show or explain your work, you must do so to receive full credit. Write your response in the space provided in this Test & Answer Booklet. Only responses written within the provided space will be scored.


### **Directions for Completing Questions with Answer Grids**

- 1. Work the question and find an answer.
- 2. Enter your answer in the answer boxes at the top of the answer grid.
- 3. Print only one number or symbol in each box. Do not leave a blank box in the middle of an answer.
- 4. Under each answer box, fill in the circle that matches the number or symbol you wrote above. Make a solid mark that completely fills the circle.
- 5. Do not fill in a circle under an unused answer box.
- 6. Fractions cannot be entered into an answer grid and will not be scored. Enter fractions as decimals.
- 7. If you need to change an answer, be sure to erase your first answer completely.
- 8. See below for examples of how to correctly complete an answer grid.

### **EXAMPLES**

| _  | 1   | 4  |  |  |                     |                     |
|--|---|--|--|--|---------------------|---------------------|
|  |   |  |  |  |                     |                     |
| $\odot$  | $\odot$                                   | 0  | $\odot$  | $\odot$  | $\odot$             | $\odot$             |
| 0<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9 | 0<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9 | 0<br>1<br>2<br>3<br>•<br>5<br>6<br>7<br>8<br>9 | 0<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9 | 0<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9 | 0 1 2 3 4 5 6 7 8 9 | 0 1 2 3 4 5 6 7 8 9 |

| _          |            |            |            |            |            | _          |
|------------|------------|------------|------------|------------|------------|------------|
|            | 4          | 8          | 3          | 1          | 6          |            |
| Θ          |            |            |            |            |            |            |
| $\odot$    |
| 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| (1)<br>(2) | (1)<br>(2) | (1)<br>(2) | (1)<br>(2) | (2)        | (1)<br>(2) | (1)<br>(2) |
| 3          | 3          | 3          |            | 3          | 3          | 3          |
| 4          |            | 4          | 4          | 4          | 4          | 4          |
| (5)<br>(c) | (5)        | (5)        | (5)        | (5)        | 5          | (5)        |
| 6<br>7     | (6)<br>(7) | 6<br>7     | (6)<br>(7) | (6)<br>(7) | 7          | 6)<br>(7)  |
| 8          | 8          | Ŏ          | 8          | 8          | 8          | 8          |
| 9          | 9          | 9          | 9          | 9          | 9          | 9          |



|                       |                       |                       |                       |                       | _         | _                     |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------|-----------------------|
|                       | 9                     |                       | 5                     | 5                     | 5         | 5                     |
| Θ                     |                       |                       |                       |                       |           |                       |
| $\odot$               | $\odot$               |                       | $\odot$               | $\odot$               | 0         | $\odot$               |
| 0<br>1<br>2<br>3<br>4 | 0<br>1<br>2<br>3<br>4 | 0<br>1<br>2<br>3<br>4 | 0<br>1<br>2<br>3<br>4 | 0<br>1<br>2<br>3<br>4 | 0 1 2 3 4 | 0<br>1<br>2<br>3<br>4 |
| 56789                 | 5678                  | 56789                 |                       |                       |           |                       |



### Massachusetts Comprehensive Assessment System Grade 6 Mathematics Reference Sheet

#### **CONVERSIONS**

1 cup = 8 fluid ounces

1 pint = 2 cups

1 quart = 2 pints

1 gallon = 4 quarts

1 gallon ≈ 3.785 liters

1 liter ≈ 0.264 gallon

1 liter = 1000 cubic centimeters

1 inch = 2.54 centimeters

1 meter ≈ 39.37 inches

1 mile = 5280 feet

1 mile = 1760 yards

1 mile ≈ 1.609 kilometers

1 kilometer ≈ 0.62 mile

1 pound = 16 ounces

1 pound ≈ 0.454 kilogram

1 kilogram ≈ 2.2 pounds

1 ton = 2000 pounds

### AREA (A) FORMULAS

square . . . . . . . .  $A = s^2$ 

rectangle . . . . . . . A = bh

OR

A = Iw

parallelogram . . . . . A = bh

triangle . . . . . . . .  $A = \frac{1}{2}bh$ 

(b = length of base; h = height)

### **VOLUME (V) FORMULAS**

right rectangular prism . . . . V = lwh(I = length; w = width; h = height)
OR

V = Bh

(B = area of base; h = height)


- 1
- A mail carrier delivered mail to 84 houses in 3 hours. At what rate did the mail carrier deliver the mail?
- A 1 24 houses per hour
- B 28 houses per hour
- © 81 houses per hour
- ® 87 houses per hour
- 2

A student ate more than 16 ounces of cereal last week.

Which number line best represents the number of ounces of cereal the student could have eaten last week?

- © **411111111111111 8** 10 12 14 16 18 20 22 24 26

A gift box is in the shape of a right triangular prism. The net of the gift box is shown.



Which of the following expressions represents the total surface area, in square inches, of the gift box?

(A) 
$$(4 \times 4) + (4 \times 5) + (4 \times 6) + \frac{1}{2}(4 \times 4) + \frac{1}{2}(4 \times 4)$$

® 
$$(4 \times 5) + (4 \times 5) + (4 \times 6) + \frac{1}{2}(4 \times 6) + \frac{1}{2}(4 \times 6)$$

© 
$$(4 \times 4) + (4 \times 5) + (4 \times 6) + \frac{1}{2}(4 \times 5) + \frac{1}{2}(4 \times 5)$$

① 
$$(4 \times 5) + (4 \times 6) + (4 \times 6) + \frac{1}{2}(4 \times 6) + \frac{1}{2}(4 \times 6)$$

4

A student drew a triangle on a coordinate plane. The coordinates of each vertex of the triangle are shown.


- E(-2, -3)
- *F*(1, 5)
- G(4, -3)

What is the length, in units, of side *EG* of the triangle?

- A
- B 3
- © 6
- ① 7

**5** 

This graph represents the relationship between the number of hours a babysitter worked and the amount of money, in dollars, she earned.



What is the amount of money, in dollars, the babysitter earned for each hour she worked?

- A \$5
- ® \$8
- © \$30
- \$40



A farmer picked oranges and put them all into 9 boxes. Each box had the same number of oranges.


Which of the following could be the number of oranges the farmer picked?


- A 299
- ® 281
- © 273
- ① 261





A science teacher has 32 cubes. Each cube has an edge length of  $\frac{1}{4}$  foot. The teacher will use the cubes to find the volumes of right rectangular prisms by filling them with the cubes.

In which of the following groups of prisms can each prism be **completely** filled with the 32 cubes?









### This question has four parts. Be sure to label each part of your response.

8

A student had 30 tickets to use at a carnival. The numbers of tickets needed to go on some rides and play some games at the carnival are shown in this table.

### **Carnival Tickets**

| Ride or Game   | Tickets Needed |
|----------------|----------------|
| ball throw     | 3              |
| bumper cars    | t              |
| Ferris wheel   | 5              |
| ring toss      | 2              |
| roller coaster | 8              |

A. The student played one game of ball throw and rode the bumper cars one time. She used a total of 9 tickets for these two activities.

Write an equation that can be used to find t, the number of tickets needed to ride the bumper cars.

- B. Solve the equation you wrote in Part A to find *t*, the number of tickets needed to ride the bumper cars. Show or explain how you got your answer.
- C. The student used a total of 15 tickets for rides on the Ferris wheel. How many times did she ride the Ferris wheel?

Write and solve an equation that can be used to find r, the number of times the student rode the Ferris wheel.

D. The student used 24 of her 30 tickets. In order to play one ring toss game and ride the roller coaster one time, she needed to purchase additional tickets to use with the tickets she had left. The student spent \$2.60 on the additional tickets she needed.

What was the cost, in dollars, of each additional ticket? Show or explain how you got your answer.

| 8 |   |
|---|---|
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   | _ |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   | _ |
|   |   |
|   | _ |
|   |   |
|   | _ |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |

9

Robin reads 5 pages of a book in 4 minutes. Based on this rate, what is the total number of minutes it will take Robin to read 200 pages?

- 100 minutes
- B 160 minutes
- © 200 minutes
- ① 250 minutes

# Grade 6 Mathematics SESSION 2

This session contains 11 questions.

You may use your reference sheet during this session. You may **not** use a calculator during this session.



### **Directions**

Read each question carefully and then answer it as well as you can. You must record all answers in this Test & Answer Booklet.

For some questions, you will mark your answers by filling in the circles in your Test & Answer Booklet. Make sure you darken the circles completely. Do not make any marks outside of the circles. If you need to change an answer, be sure to erase your first answer completely.

For other questions, you will need to fill in an answer grid. Directions for completing questions with answer grids are provided on the next page.

If a question asks you to show or explain your work, you must do so to receive full credit. Write your response in the space provided in this Test & Answer Booklet. Only responses written within the provided space will be scored.


### **Directions for Completing Questions with Answer Grids**

- 1. Work the question and find an answer.
- 2. Enter your answer in the answer boxes at the top of the answer grid.
- 3. Print only one number or symbol in each box. Do not leave a blank box in the middle of an answer.
- 4. Under each answer box, fill in the circle that matches the number or symbol you wrote above. Make a solid mark that completely fills the circle.
- 5. Do not fill in a circle under an unused answer box.
- 6. Fractions cannot be entered into an answer grid and will not be scored. Enter fractions as decimals.
- 7. If you need to change an answer, be sure to erase your first answer completely.
- 8. See below for examples of how to correctly complete an answer grid.

### **EXAMPLES**

| -       | 1       | 4   |     |         |         |         |
|---------|---------|-----|-----|---------|---------|---------|
|         |         |     |     |         |         |         |
| $\odot$ | $\odot$ | 0   | 0   | $\odot$ | $\odot$ | $\odot$ |
| 0       | 0       | 0   | 0   | 0       | 0       | 0       |
| 1       |         | 1   | 1   | 1       | 1       | 1       |
| 2       | 2       | 2   | 2   | 2       | 2       | 2       |
| 3       | 3       | 3   | 3   | 3       | 3       | 3       |
| 4       | 4       |     | 4   | 4       | 4       | 4       |
| (5)     | (5)     | (5) | (5) | (5)     | (5)     | (5)     |
| 6       | 6       | 6   | 6   | 6       | 6       | 6       |
| 7       | 7       | 7   | 7   | 7       | 7       | 7       |
| 8       | 8       | 8   | 8   | 8       | 8       | 8       |
| 9       | 9       | 9   | 9   | 9       | 9       | 9       |

| _       | _       |     | _   | _       | _       | _       |
|---------|---------|-----|-----|---------|---------|---------|
|         | 4       | 8   | 3   | 1       | 6       |         |
| 0       |         |     |     |         |         |         |
| $\odot$ | $\odot$ | 0   | 0   | $\odot$ | $\odot$ | $\odot$ |
| 0       | 0       | 0   | 0   | 0       | 0       | 0       |
| 1       | 1       | 1   | 1   |         | 1       | 1       |
| 2       | 2       | 2   | 2   | 2       | 2       | 2       |
| 3       | 3       | 3   |     | 3       | 3       | 3       |
| 4       |         | 4   | 4   | 4       | 4       | 4       |
| 5       | (5)     | (5) | (5) | (5)     | (5)     | (5)     |
| 6       | 6       | 6   | 6   | 6       |         | 6       |
| 7       | 7       | 7   | 7   | 7       | 7       | 7       |
| 8       | 8       |     | 8   | 8       | 8       | 8       |
| 9       | 9       | 9   | 9   | 9       | 9       | 9       |



|                  | 9                          | •                | 5                | 5                | 5                | 5             |
|------------------|----------------------------|------------------|------------------|------------------|------------------|---------------|
| Θ                |                            |                  |                  |                  |                  |               |
| $\odot$          | $\odot$                    |                  | $\odot$          | $\odot$          | $\odot$          | $\odot$       |
| 0 1 2 3 4 5      | 0<br>1<br>2<br>3<br>4<br>5 | 0 1 2 3 4 5      | 0 1 2 3 4        | 0 1 2 3 4        | 0 1 2 3 4        | 0 1 2 3 4     |
| 6<br>7<br>8<br>9 | 6<br>7<br>8                | 6<br>7<br>8<br>9 | 6<br>7<br>8<br>9 | 6<br>7<br>8<br>9 | 6<br>7<br>8<br>9 | 6 (7) (8) (9) |

- Which of the following is less than  $\frac{20}{3}$ ?
  - $\bigcirc$   $\frac{20}{4}$

  - © 6.75
  - ① 20.3
- A basket of fruit contains 6 apples, 5 oranges, 3 bananas, and 2 limes.

  Which of the following statements about the fruits in the basket are true?

  Select the **two** correct statements.
  - A The ratio of oranges to limes is 5:2.
  - ® The ratio of apples to bananas is 3:6.
  - © The ratio of bananas to the total number of fruits in the basket is 3:16.
  - ① The ratio of limes to apples is 1:4 because there are 4 more apples than limes.
  - © The ratio of bananas to limes is 2:3 because  $\frac{2}{3}$  of the fruits in the basket are bananas.

On Saturday, a gymnast walked a distance of x miles. On Sunday, the gymnast walked half the distance that he walked on Saturday.

Which expression represents the total number of miles the gymnast walked on Saturday **and** Sunday?

- $\bigcirc$   $\frac{x-x}{2}$
- A book club has 36 members. There are 24 boys and 12 girls in the club. What is the ratio of the number of boys in the club to the number of girls in the club?
  - A 12:24
  - ® 24:12
  - © 24:36
  - ① 36:24

### This question has four parts. Be sure to label each part of your response.

This table shows the number of minutes a student spent drawing each day for 6 days.

**Time Spent Drawing** 


| Day | Number of<br>Minutes |
|-----|----------------------|
| 1   | 20                   |
| 2   | 8                    |
| 3   | 16                   |
| 4   | 40                   |
| 5   | 15                   |
| 6   | 45                   |

- A. Based on the table, what is the median number of minutes the student spent drawing each day for the 6 days? Show or explain how you got your answer.
- B. Based on the table, what is the mode of the numbers of minutes the student spent drawing each day for the 6 days? Show or explain how you got your answer.
- C. Based on the table, what is the mean number of minutes the student spent drawing each day for the 6 days? Show or explain how you got your answer.
- D. The student also spent time drawing on Day 7. The mean number of minutes the student spent drawing each day for all 7 days is 30 minutes.
  - How many minutes did the student spend drawing on Day 7? Show or explain how you got your answer.

| 14  |  |             |
|-----|--|-------------|
| 149 |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  |             |
|     |  | <del></del> |
|     |  |             |
|     |  |             |
|     |  |             |

**B** 

A kitchen cabinet is in the shape of a rectangular prism. The height of the cabinet is 2 yards. The dimensions of the base of the cabinet are shown in this diagram.



What is the **volume**, in cubic yards, of the kitchen cabinet?

- $\mathbb{B} \frac{4}{9}$
- © 2
- ① 3

**16** A student wrote this expression.


$$2(5x + 3)$$

- Which of the following expressions are equivalent to the student's expression?
- Select the **two** equivalent expressions.
- (A) 10x + 3
- © 25x + 3
- ① (5x + 3)(5x + 3)
- Which expressions each have a value of 64?
  - Select the **three** correct answers.
  - $\bigcirc$  26
  - ® 3<sup>4</sup>
  - © 4<sup>3</sup>
  - ① 6<sup>2</sup>
  - ⊕ 8<sup>2</sup>

This question has two parts.

### 18 Part A

Four points are shown on this coordinate plane.



Which ordered pair represents the location of point  $\boldsymbol{A}$  on the coordinate plane?

- (-6, -4)
- © (4, 6)
- ◎ (6, -4)

### Part B

Point E is represented by the ordered pair (-8, 5). A student will reflect the point over the x-axis.

Which ordered pair will represent point E after it has been reflected over the x-axis?

- (-8, -5)
- (-5, -8)
- © (5, -8)
- ◎ (8, -5)
- The ratio of mass to volume for a type of metal is 27 grams to 10 cubic centimeters. A sample of the metal has a mass of 81 grams.

What is the volume, in cubic centimeters, of the sample of metal?

- A 30
- **B** 64
- © 118
- ® 810

A parent needs  $\frac{1}{4}$  cup of lemonade mix to make one pitcher of lemonade. She has  $\frac{1}{3}$  cup of lemonade mix.

Which of the following expressions represents the number of pitchers of lemonade that the parent can make with  $\frac{1}{3}$  cup of lemonade mix?

- ①  $\frac{1}{4} + \frac{1}{3}$

### **Grade 6 Mathematics Spring 2019 Released Operational Items**

| PBT<br>Item<br>No. | Page<br>No. | Reporting<br>Category                    | Standard | Item<br>Type* | Item Description  | Correct<br>Answer** |
|--------------------|-------------|--|----------|---------------|---|---------------------|
| 1                  | 270         | Ratios and Proportional<br>Relationships | 6.RP.A.2 | SR            | Given a real-world context, determine the unit rate.  | В                   |
| 2                  | 270         | Expressions and<br>Equations             | 6.EE.B.8 | SR            | Choose the graph of the solution set of an inequality on a number line.   | A                   |
| 3                  | 271         | Geometry                                 | 6.G.A.4  | SR            | Identify an expression that can be used to find the surface area of a net consisting of rectangles and triangles.   | В                   |
| 4                  | 272         | Geometry                                 | 6.G.A.3  | SR            | Given the coordinates of the vertices of a triangle, determine the length of a side.  | С                   |
| 5                  | 273         | Expressions and<br>Equations             | 6.EE.C.9 | SR            | Analyze a graph to determine the unit rate in a real-world context.   | В                   |
| 6                  | 274         | The Number System                        | 6.NS.B.4 | SR            | Given one factor, determine a possible product by using common factors and common multiples in a real-world context.  | D                   |
| 7                  | 275         | Geometry                                 | 6.G.A.2  | SR            | Determine which group of right rectangular prisms with fractional edge lengths can be completely filled with unit cubes.                                    | С                   |
| 8                  | 276         | Expressions and<br>Equations             | 6.EE.B.7 | CR            | Create and solve equations that represent a given real-world context.   |                     |
| 9                  | 278         | Ratios and Proportional<br>Relationships | 6.RP.A.3 | SR            | Use ratios to solve a real-world problem involving a given rate.  | В                   |
| 10                 | 281         | The Number System                        | 6.NS.C.7 | SR            | Using the context of improper fractions and decimals, determine which rational number is less than a given rational number.                                 | A                   |
| 11                 | 281         | Ratios and Proportional<br>Relationships | 6.RP.A.1 | SR            | Select ratios that correctly describe given ratio relationships in a real-world context.  | A,C                 |
| 12                 | 282         | Expressions and<br>Equations             | 6.EE.B.6 | SR            | Determine which expression can be used to represent a given situation with real-world context.  | В                   |
| 13                 | 282         | Ratios and Proportional<br>Relationships | 6.RP.A.1 | SR            | Determine which ratio represents a given real-<br>world context.  | В                   |
| 14                 | 283         | Statistics and Probability               | 6.SP.B.5 | CR            | Find and describe the median, mode, and mean of a data set; then given the mean, determine the value of an unknown number in another data set.              |                     |
| 15                 | 285         | Geometry                                 | 6.G.A.2  | SR            | Given a diagram and a verbal description, determine the volume of a rectangular prism.  | В                   |
| 16                 | 286         | Expressions and<br>Equations             | 6.EE.A.3 | SR            | Identify equivalent expressions by using the Distributive Property.   | В,Е                 |
| 17                 | 286         | Expressions and<br>Equations             | 6.EE.A.1 | SR            | Determine if expressions with exponents are equivalent to a given value.  | A,C,E               |
| 18                 | 287–288     | The Number System                        | 6.NS.C.6 | SR            | Determine which ordered pair represents a point's location on a coordinate plane and which ordered pair represents the image of a point after a reflection. | C;A                 |
| 19                 | 288         | Ratios and Proportional<br>Relationships | 6.RP.A.3 | SR            | Determine the volume of a solid by using rate and ratio reasoning within a real-world context.  | A                   |
| 20                 | 289         | The Number System                        | 6.NS.A.1 | SR            | Determine which expression represents a real-<br>world problem involving division of a fraction<br>by a fraction.   | В                   |

<sup>\*</sup> Mathematics item types are: selected-response (SR), short-answer (SA), and constructed-response (CR).

<sup>\*\*</sup>Answers are provided here for selected-response and short-answer items only. Sample responses and scoring guidelines for any constructed-response items will be posted to the Department's website later this year.

## Grade 6 Mathematics Spring 2019 Unreleased Operational Items

| PBT<br>Item<br>No. | Reporting<br>Category                       | Standard | Item<br>Type* | Item Description  |
|--------------------|---|----------|---------------|---|
| 21                 | The Number System                           | 6.NS.B.2 | SR            | Determine whether the given division equations are true or false.   |
| 22                 | Expressions and<br>Equations                | 6.EE.A.2 | SA            | Evaluate an expression using substitution.  |
| 23                 | Ratios and<br>Proportional<br>Relationships | 6.RP.A.3 | CR            | Using ratio and proportional reasoning, solve real-world problems involving fractions, decimals, percentages, and whole numbers.            |
| 24                 | Ratios and<br>Proportional<br>Relationships | 6.RP.A.3 | SR            | Determine which graphical representation does not represent a given ratio.  |
| 25                 | Statistics and<br>Probability               | 6.SP.A.2 | SR            | Determine which statement about the mean and the mode of a given data set is true.  |
| 26                 | The Number System                           | 6.NS.C.6 | SR            | Determine the value of a given point on a number line.  |
| 27                 | Expressions and Equations                   | 6.EE.B.5 | SR            | Solve a two-step equation for an unknown value.   |
| 28                 | Statistics and<br>Probability               | 6.SP.B.4 | SR            | Determine which box plot represents a given set of data and interpret a box plot to solve a real-world problem.                             |
| 29                 | The Number System                           | 6.NS.A.1 | SA            | Solve a word problem with real-world context using division of mixed numbers by mixed numbers.  |
| 30                 | Expressions and<br>Equations                | 6.EE.B.6 | SR            | Determine which mathematical expression can be used to represent a given situation with real-world context.                                 |
| 31                 | The Number System                           | 6.NS.C.7 | SR            | Determine which list of absolute value expressions is ordered from least to greatest.   |
| 32                 | Expressions and<br>Equations                | 6.EE.B.5 | SR            | Solve a two-step equation to find the value of an unknown quantity.   |
| 33                 | The Number System                           | 6.NS.C.8 | SR            | Determine which points on a coordinate plane have a given distance between them.  |
| 34                 | Geometry                                    | 6.G.A.2  | CR            | Solve a real-world problem involving volumes of right rectangular prisms.   |
| 35                 | Expressions and<br>Equations                | 6.EE.B.7 | SR            | Given an equation of the form $px = q$ , select the equation that is equivalent to the given equation.                                      |
| 36                 | Ratios and<br>Proportional<br>Relationships | 6.RP.A.2 | SR            | Determine the unit rate given a real-world context.   |
| 37                 | The Number System                           | 6.NS.B.3 | SR            | Determine the product of multi-digit decimals to solve a real-world problem.  |
| 38                 | Statistics and<br>Probability               | 6.SP.A.3 | SR            | Determine the measures of center associated with a given set of data.   |
| 39                 | Expressions and<br>Equations                | 6.EE.A.4 | SR            | Identify expressions that are equivalent to a given expression.   |
| 40                 | Expressions and<br>Equations                | 6.EE.C.9 | SR            | Given the value of one variable, determine the value of another variable by analyzing the relationship of data shown on a coordinate plane. |

<sup>\*</sup> Mathematics item types are: selected-response (SR), short-answer (SA), and constructed-response (CR).