Massachusetts MCAS 2019 Grade 7 Math

Reference Materials
Page 2

Exam Materials Pages 3 - 25

Answer Key Materials Pages 26 - 27



Massachusetts Comprehensive Assessment System Grade 7 Mathematics Reference Sheet

CONVERSIONS

1 cup = 8 fluid ounces

1 pint = 2 cups

1 quart = 2 pints

1 gallon = 4 quarts

1 gallon ≈ 3.785 liters

1 liter ≈ 0.264 gallon

1 liter = 1000 cubic centimeters

1 inch = 2.54 centimeters

1 meter ≈ 39.37 inches

1 mile = 5280 feet

1 mile = 1760 yards

1 mile ≈ 1.609 kilometers

1 kilometer ≈ 0.62 mile

1 pound = 16 ounces

1 pound ≈ 0.454 kilogram

1 kilogram ≈ 2.2 pounds

1 ton = 2000 pounds

AREA (A) FORMULAS

square $A = s^2$

rectangle A = bh

OR

A = Iw

parallelogram . . A = bh

triangle $A = \frac{1}{2}bh$

trapezoid $A = \frac{1}{2}h(b_1 + b_2)$

circle $A = \pi r^2$

VOLUME (V) FORMULAS

cube $V = s^3$

(s = length of an edge)

right prism $\dots V = Bh$

TOTAL SURFACE AREA (SA) FORMULAS


right rectangular prism . . SA = 2(lw) + 2(hw) + 2(lh)

CIRCLE FORMULAS

circumference. . $C = 2\pi r$

OR

 $C = \pi d$



Grade 7 Mathematics SESSION 1

This session contains 11 questions.

You may use your reference sheet during this session. You may **not** use a calculator during this session.



Directions

Read each question carefully and then answer it as well as you can. You must record all answers in this Test & Answer Booklet.

For some questions, you will mark your answers by filling in the circles in your Test & Answer Booklet. Make sure you darken the circles completely. Do not make any marks outside of the circles. If you need to change an answer, be sure to erase your first answer completely.

For other questions, you will need to fill in an answer grid. Directions for completing questions with answer grids are provided on the next page.


If a question asks you to show or explain your work, you must do so to receive full credit. Write your response in the space provided in this Test & Answer Booklet. Only responses written within the provided space will be scored.


Directions for Completing Questions with Answer Grids

- 1. Work the question and find an answer.
- 2. Enter your answer in the answer boxes at the top of the answer grid.
- 3. Print only one number or symbol in each box. Do not leave a blank box in the middle of an answer.
- 4. Under each answer box, fill in the circle that matches the number or symbol you wrote above. Make a solid mark that completely fills the circle.
- 5. Do not fill in a circle under an unused answer box.
- 6. Fractions cannot be entered into an answer grid and will not be scored. Enter fractions as decimals.
- 7. If you need to change an answer, be sure to erase your first answer completely.
- 8. See below for examples of how to correctly complete an answer grid.

EXAMPLES

_	1	4				
\odot	\odot	\odot	\odot	\odot	\odot	\odot
0 1 2 3 4 5 6	0 2 3 4 5 6	0 1 2 3 5 6	0 1 2 3 4 5 6	0 1 2 3 4 5 6	0 1 2 3 4 5 6	0 1 2 3 4 5 6
789	789	789	789	789	789	





	9		5	5	5	5
Θ						
<u></u>	0		0	0	0	\odot
0 1 2 3 4 5 6	0 1 2 3 4 5 6	0 1 2 3 4 5 6	1 2 3 4	0 1 2 3 4 6	0 1 2 3 4 6	0 1 2 3 4 6
7 8 9	(7) (8)	7 8 9	7 8 9	7 8 9	(7) (8) (9)	7 8 9

- A student can run 6 miles in $\frac{3}{4}$ hour. At this rate, what is the total number of miles the student can run in 1 hour?
 - \bigcirc $\frac{1}{8}$
 - $\mathbb{B} \frac{2}{9}$
 - © 8
 - ① 9
- What is the value of this expression?

$$(2-3)(4-5)$$

Enter your answer in the answer boxes at the top of the answer grid **and** completely fill the matching circles.

Θ						
\odot	\odot	0	0	0	\odot	\odot
0	0	0	0	0	0	0
1	1	1	1	1	1	1
2	2	2	2	2	2	2
3	3	3	3	3	3	3
4	4	4	4	4	4	4
5	(5)	(5)	(5)	(5)	(5)	(5)
6	6	6	6	6	6	_
7	7	7	7	7	7	7
8	8	8	8	8	8	8
(9)	(9)	(9)	(9)	(9)	(9)	(9)

Mathematics



A principal surveyed 200 seventh-grade students to find out whether they prefer to participate in fall sports or spring sports. This table shows the results.

Sports Survey

Season	Boys	Girls	
fall	63	45	
spring	37	55	

Based on the table, what is the probability that a seventh-grade student chosen at random would prefer to participate in spring sports rather than fall sports?


- A 37%
- B 46%
- © 54%
- 92%

Mathematics Session 1

This question has four parts. Be sure to label each part of your response.

This graph shows the relationship between x, the number of hours Mr. David works, and y, the number of dollars he earns.

Mr. David's Earnings



- A. Based on the graph, is the relationship between x and y proportional? Explain your reasoning.
- B. What does the point (3, 90) represent in the context of this situation?
- C. Based on the graph, how many dollars will Mr. David earn if he works 10 hours? Show or explain how you got your answer.
- D. Write an equation that could be used to find y, the number of dollars Mr. David earns for working x hours.

Mathematics Session 1

4	

What is the value of this expression?

$$2.4 \div 0.12$$

- 0.05
- ® 0.2
- © 5
- ① 20
- 6 Consider this expression.

$$\left[-\frac{1}{5}-\left(-\frac{2}{3}\right)\right]\cdot\left(-\frac{5}{6}\right)$$

What is the value of the expression?

- \bigcirc $-\frac{7}{18}$


- ① 34 45



One evening, the temperature decreased by 5°F during the first hour after sunset, and then decreased by 2°F **each** hour for the next 7 hours. The temperature increased by 14.5°F the next morning and then increased by 11°F that afternoon.

What was the total change in temperature?

- (A) The temperature decreased by a total of 15.5°F.
- ® The temperature decreased by a total of 16.5°F.
- © The temperature increased by a total of 6.5°F.
- ① The temperature increased by a total of 32.5°F.
- 8 One of the vertices of a square pyramid is labeled V in this diagram.



What two-dimensional figure will result from slicing the pyramid perpendicular to its base through vertex V?

- A square
- B triangle
- © pentagon
- ① trapezoid

9

A student had 500 milliliters of water in a water bottle. She drank 25% of the water before soccer practice. After practice, she drank $\frac{1}{3}$ of the remaining water.

How much water, in milliliters, does the student have left in the bottle?

- **A** 250
- **B** 290
- © 330
- ① 375
- 10

Consider this expression.

$$|4| + |-7|$$

What is the value of the expression?

Enter your answer in the answer boxes at the top of the answer grid **and** completely fill the matching circles.

Mathematics Session 1



The manager of a company wants to survey a representative sample of the company's employees to choose a company logo. Which of the following is a representative sample of the company's employees?

- every third employee from the largest department in the company
- ® every employee who enters the employee cafeteria
- © every third employee on the company's payroll
- ① every employee who is under the age of 35

Grade 7 Mathematics SESSION 2

This session contains 9 questions.

You may use your reference sheet during this session. You may use a calculator during this session.



Directions

Read each question carefully and then answer it as well as you can. You must record all answers in this Test & Answer Booklet.

For some questions, you will mark your answers by filling in the circles in your Test & Answer Booklet. Make sure you darken the circles completely. Do not make any marks outside of the circles. If you need to change an answer, be sure to erase your first answer completely.

For other questions, you will need to fill in an answer grid. Directions for completing questions with answer grids are provided on the next page.

If a question asks you to show or explain your work, you must do so to receive full credit. Write your response in the space provided in this Test & Answer Booklet. Only responses written within the provided space will be scored.


Directions for Completing Questions with Answer Grids

- 1. Work the question and find an answer.
- 2. Enter your answer in the answer boxes at the top of the answer grid.
- 3. Print only one number or symbol in each box. Do not leave a blank box in the middle of an answer.
- 4. Under each answer box, fill in the circle that matches the number or symbol you wrote above. Make a solid mark that completely fills the circle.
- 5. Do not fill in a circle under an unused answer box.
- 6. Fractions cannot be entered into an answer grid and will not be scored. Enter fractions as decimals.
- 7. If you need to change an answer, be sure to erase your first answer completely.
- 8. See below for examples of how to correctly complete an answer grid.

EXAMPLES

_	1	4				
\odot	\odot	\odot	\odot	\odot	\odot	\odot
0 1 2 3 4 5 6 7 8 9	0 2 3 4 5 6 7 8 9	0 1 2 3 • 5 6 7 8	0 1 2 3 4 5 6 7 8 9	0 1 2 3 4 5 6 7 8 9	0 1 2 3 4 5 6 7 8	0 1 2 3 4 5 6 7 8

	_			_	_	_
	4	8	3	1	6	
0						
<u></u>	\odot	•	0	\odot	\odot	0
0	0	0	0	0	0	0
1	1	1	1		1	1
2	2	2	2	2	2	2
3	3	3		3	3	3
4		4	4	4	4	4
(5)	(5)	(5)	(5)	5	(5)	(5)
6	6	6	6	6		6
7	7	7	7	7	7	7
8	8		8	8	8	8
9	9	9	9	9	9	9



	9	•	5	5	5	5
Θ						
\odot	\odot		\odot	\odot	\odot	\odot
0 1 2 3 4 5	0 1 2 3 4 5	0 1 2 3 4 5	0 1 2 3 4	0 1 2 3 4	0 1 0 3 4	0 1 2 3 4
6 7 8 9	6 7 8	6 7 8 9	6 7 8 9	6 7 8 9	6 7 8 9	6 (7) (8) (9)

This question has four parts. Be sure to label each part of your response.

- Mia, Colton, and Ian use the same taxi company to travel.
 - The initial fee for a taxi ride is \$2.60.
 - Each mile traveled in a taxi costs an additional \$2.50.
 - A. One day, Mia rode 2 miles in a taxi. What was the total cost, in dollars, of her taxi ride?
 - B. Colton rode in a taxi to get to work. The total cost of his taxi ride was \$9.60. Let x represent the number of miles Colton rode in the taxi.

Which of the following equations represents this situation?

$$\triangle$$
 2.5 x + 2.6 = 9.6

$$\bigcirc$$
 2.5 x + 9.6 = 2.6

©
$$2.6x + 2.5 = 9.6$$

$$\bigcirc$$
 2.6 x + 9.6 = 2.5

- C. Based on your answer to Part B, what is the total distance, in miles, that Colton rode in the taxi? Show or explain how you got your answer.
- D. Ian rode in a taxi to get to an airport. The total cost of his taxi ride was more than \$12.

Write and solve an inequality to find the possible distances, in miles, Ian could have traveled in the taxi. Show or explain how you got your answer.

Mathematics Session 2

1	

B

What is the total number of unique triangles that can be formed with side lengths of 6.5 centimeters, 6 centimeters, and 2.5 centimeters?


Enter your answer in the answer boxes at the top of the answer grid **and** completely fill the matching circles.

Θ						
\odot	\odot	0	0	\odot	\odot	\odot
0	0	0	0	0	0	0
1	1	1	1	1	1	1
2	2	2	2	2	2	2
3	3	3	3	3	3	3
4	4	4	4	4	4	4
5	(5)	5	(5)	5	(5)	(5)
6	6	6	6	6	6	6
7	7	7	7	7	7	7
8	8	8	8	8	8	8
(9)	(9)	(9)	(9)	(9)	9	(9)


14

A ship's captain uses line plots to record the numbers of whales seen on morning and afternoon whale-watch trips, as shown.

Whales Seen on Morning Trips



Whales Seen on Afternoon Trips




Based on the line plots, which of the following comparisons are true? Select the **two** correct answers.

- The mean number of whales seen on morning trips is equal to the mean number of whales seen on afternoon trips.
- ® The mean number of whales seen on morning trips is greater than the mean number of whales seen on afternoon trips.
- © The mean number of whales seen on morning trips is less than the mean number of whales seen on afternoon trips.
- The mean absolute deviation in the number of whales seen on morning trips is equal to the mean absolute deviation in the number of whales seen on afternoon trips.
- © The mean absolute deviation in the number of whales seen on morning trips is greater than the mean absolute deviation in the number of whales seen on afternoon trips.
- © The mean absolute deviation in the number of whales seen on morning trips is less than the mean absolute deviation in the number of whales seen on afternoon trips.

A teacher has a number cube with faces numbered 1 through 6. He will roll the number cube two times.

This tree diagram shows all the possible outcomes that can result when the teacher rolls the number cube two times.



Each time the teacher rolls the number cube, he will record the number shown on the top face. Then he will find the sum of the two numbers he records.

What is the probability that the sum of the numbers he records will be 8?

- $\mathbb{B} \quad \frac{0}{36}$
- \bigcirc $\frac{1}{11}$
- ① $\frac{5}{6}$

16

This expression can be used to find the price of a television that is on sale for 20% off the regular price of p dollars.


$$p - \frac{1}{5}p$$

Which of the following is another expression that can be used to find the sale price of the television?

- © 0.80p
- ① 0.80p p

This question has two parts.

A circle has a radius of 6 meters, as shown.



Part A

Which of the following is **closest** to the circumference, in meters, of the circle? (Use 3.14 for π .)

- A 18.8
- ® 37.7
- © 59.2
- ① 113.0

Part B

What is the area, in square meters, of the circle?

- \bigcirc 6π
- $@~36\pi$
- ① 144π

18 Consider this expression.

$$-4(x-1)+2$$

- Which of the following is equivalent to the expression?
- \bigcirc -4x 8
- ⊕ -4x 2
- ① -4x + 6

There are 1,000 balls in a container. All of the balls are the same size and shape. In the container, there are

- 400 red balls;
- 250 orange balls;
- 100 green balls; and
- 250 yellow balls.

A student will pick **one** ball at random from the container. What are the probabilities that the student will pick a ball that is either red, orange, or green?

Select the **three** correct probabilities.

- (B) P(red) = 0.4
- © $P(\text{orange}) = \frac{1}{4}$
- ① P(orange) = 0.4
- \bigcirc *P*(green) = 0.1%
- \bigcirc P(green) = 10%

Mathematics Session 2

20

A customer wants to purchase a sweater from a store.

- The original price of the sweater is \$40.
- The sweater is on sale for 10% off the original price.
- The customer has a coupon for 25% off the sale price.

The customer claims that she can determine the final price of the sweater by taking 35% off the original price since 10% + 25% = 35%.

Which of the following statements is true?

- A The customer's claim is correct. The final price of the sweater will be \$5.
- ® The customer's claim is correct. The final price of the sweater will be \$26.
- © The customer's claim is incorrect. The final price of the sweater will be \$27.
- ① The customer's claim is incorrect. The final price of the sweater will be \$30.

Grade 7 Mathematics Spring 2019 Released Operational Items

PBT Item No.	Page No.	Reporting Category	Standard	Item Type*	Item Description	Correct Answer**
1	297	Ratios and Proportional Relationships	7.RP.A.1	SR	Determine the unit rate using fractions and whole numbers to solve a real-world problem.	С
2	297	The Number System	7.NS.A.2	SA	Determine the product of an expression using order of operations.	1
3	298	Statistics and Probability	7.SP.A.2	SR	Use a given two-way table containing data from two populations to determine the probability of an event.	В
4	299	Ratios and Proportional Relationships	7.RP.A.2	CR	Determine whether the graphed relationship is proportional; use rate and ratio language to analyze the relationship; and write an equation to describe a proportional relationship.	
5	301	The Number System	7.NS.A.2	SR	Determine the quotient when dividing a decimal number by a decimal number that has a value less than one.	D
6	301	The Number System	7.NS.A.3	SR	Use the four operations to determine the value of a given multi-step expression containing fractions.	A
7	302	The Number System	7.NS.A.3	SR	Compute with rational numbers representing temperature changes in a real-world context.	С
8	302	Geometry	7.G.A.3	SR	Determine which two-dimensional figure results from slicing a three-dimensional figure in a given way.	В
9	303	Expressions and Equations	7.EE.B.3	SR	Solve a multi-step real-life problem posed with a positive whole number, percent, and a fraction.	A
10	303	The Number System	7.NS.A.1	SA	Determine the sum of two numbers expressed as absolute values.	11
11	304	Statistics and Probability	7.SP.A.1	SR	Determine which sampling strategy will result in a representative sample of a population.	С
12	307	Expressions and Equations	7.EE.B.4	CR	Given a real-world context, create an equation and an inequality with variables, and use them to solve problems.	
13	309	Geometry	7.G.A.2	SA	Determine if a unique triangle can be formed using a given set of conditions.	1
14	310	Statistics and Probability	7.SP.B.3	SR	Choose correct comparison statements about mean and mean absolute deviation based on line plots.	С,Е
15	311	Statistics and Probability	7.SP.C.8	SR	Determine the probability of a given compound event by using a tree diagram.	A
16	312	Expressions and Equations	7.EE.A.2	SR	Determine an equivalent expression to a given expression representing a real-world context.	С
17	313	Geometry	7.G.B.4	SR	Determine the circumference and the area of a given circle.	В;С
18	314	Expressions and Equations	7.EE.A.1	SR	Using the distributive property, choose which expression represents the simplified form of a linear expression.	D
19	315	Statistics and Probability	7.SP.C.7	SR	Using a uniform probability model, determine the probabilities of events expressed as decimals, fractions, or percents.	B,C,F
20	316	Ratios and Proportional Relationships	7.RP.A.3	SR	Solve a multi-step percent problem using proportional relationships involving markdowns.	С

^{*} Mathematics item types are: selected-response (SR), short-answer (SA), and constructed-response (CR).

^{**}Answers are provided here for selected-response and short-answer items only. Sample responses and scoring guidelines for any constructed-response items will be posted to the Department's website later this year.

Grade 7 Mathematics Spring 2019 Unreleased Operational Items

PBT Item No.	Reporting Category	Standard	Item Type*	Item Description
21	The Number System	7.NS.A.1	SR	Determine which addition expression is equivalent to a given subtraction expression.
22	Expressions and Equations	7.EE.A.2	SR	Determine which expression is equivalent to a given expression.
23	Expressions and Equations	7.EE.B.4	SR	Determine which graph is the solution set of an inequality that represents a real-world problem.
24	Ratios and Proportional Relationships	7.RP.A.1	SR	Choose an equation that shows how to compute a unit rate associated with ratios of fractions in a real-world problem.
25	The Number System	7.NS.A.3	SR	Solve a real-world problem that involves fractions and mixed numbers using operations.
26	Statistics and Probability	7.SP.C.5	CR	Determine the likelihood of an event and calculate the probability of other events in a real-world context.
27	The Number System	7.NS.A.2	SA	Determine the product of a negative fraction multiplied by a negative fraction, and then express the product as a rational decimal number.
28	Statistics and Probability	7.SP.B.3	SR	Express the difference between two means in terms of the mean absolute deviation.
29	Expressions and Equations	7.EE.A.1	SR	Determine which expression represents an expansion of a linear expression with a rational coefficient.
30	Expressions and Equations	7.EE.B.4	SA	Solve a two-step equation.
31	The Number System	7.NS.A.3	SR	Convert a value from one system of measurement to another using operations.
32	Expressions and Equations	7.EE.B.4	SR	Determine which equation models a given written scenario based on a real-world context.
33	Ratios and Proportional Relationships	7.RP.A.2	SR	Determine which proportion represents a given real-world relationship.
34	Ratios and Proportional Relationships	7.RP.A.3	SR	Determine the solution of a percent increase problem with real-world context.
35	Expressions and Equations	7.EE.B.3	SR	Solve a real-world, multi-step problem involving mixed numbers, percents, and whole numbers.
36	Ratios and Proportional Relationships	7.RP.A.1	SA	Determine the unit rate in a multi-step problem, given a real-world scenario.
37	Geometry	7.G.B.5	CR	Use facts about angles to write and solve equations that can be used to find the measures of unknown angles in a diagram.
38	Ratios and Proportional Relationships	7.RP.A.2	SR	Determine the unit rate in a real-world problem.
39	Statistics and Probability	7.SP.B.3	SA	Determine the number of data that lie between the means of two data sets.
40	Expressions and Equations	7.EE.B.4	SR	Choose an expression that can be used to solve a real-world problem.

 $^{{\}rm *\ Mathematics\ item\ types\ are:\ selected-response\ (SR),\ short-answer\ (SA),\ and\ constructed-response\ (CR).}$