

Biology

Administered May 2022 RELEASED

DIRECTIONS

Read each question carefully. Determine the best answer to the question from the four answer choices provided. Then fill in the answer on your answer document.

1 A dichotomous key of different mollusks is shown.

Partial Mollusk Dichotomous Key


1a 1b	External shell is present
2a 2b	Single shell
3a 3b	Moves by jet propulsionSquid Moves by crawling with a single muscular footSlug
4a 4b	Moves by jet propulsionNautilus Moves by crawling with a single muscular footSnail
5a 5b	Can burrow in the sand

Which mollusk moves by jet propulsion and does not have an external shell?

- **A** Squid
- **B** Slug
- **C** Nautilus
- **D** Snail

- **2** Which statement best describes how a virus replicates?
 - **F** A virus divides into two identical virus particles before infecting the host cell.
 - **G** A virus enters a host cell and uses the materials from the host cell to produce new virus particles.
 - **H** Multiple virus particles fuse and form a large particle that breaks apart, releasing new virus particles.
 - **J** Multiple virus particles break down in component parts, which then reassemble into new copies of the virus.
- **3** Biting flies can transmit diseases and cause loss of blood for animals in nature. Horses have developed behaviors to repel biting flies such as ear twitching, head tossing, leg stomping, and tail swishing.
 - Which statement best describes the interaction between body systems that allows horses to repel biting flies?
 - A The nervous system senses the biting flies and sends a signal to the muscular system to move.
 - **B** The circulatory system senses the biting flies and sends a signal to the nervous system to move.
 - **C** The muscular system senses the biting flies and sends a signal to the integumentary system to move.
 - **D** The integumentary system senses the biting flies and sends a signal to the circulatory system to move.

4 Oil spills in the ocean affect marine food webs. Animals that are initially affected by oil spills include sea otters, seabirds, and other organisms that spend most of their time on the ocean surface.




Based on the food web, how would a significant decrease in the sea otter population due to an oil spill most likely affect this ecosystem?

- **F** The sea urchin population would increase causing the kelp population to decrease.
- **G** The fish population would increase in response to the changes in the mussel population.
- **H** The mussel population would increase in response to the changes in the algae population.
- **J** The killer whale population would increase causing the fish population to decrease.

- **5** Which of these shows an example of an insertion mutation?
 - A RSTUVOXYZ \rightarrow STUVOXY
 - B $(RS|T|U|V)O(X|Y|Z) \rightarrow (RS|T|V)O(X|Y|Z)$
 - c RSTUVOXYZ -> RUTSVOXYZ
 - \mathbf{D} (R|S|T|U|V) $\mathbf{O}(X|Y|Z) \rightarrow (K|L|R|S|T|U|V) \mathbf{O}(X|Y|Z)$
- **6** In a Central Texas grassland, the producers incorporate 12,000 kJ of energy from the sun into their tissues. About how much energy would be incorporated into the tissues of herbivores?
 - **F** 12,000 kJ
 - **G** 1,200 kJ
 - **H** 10,800 kJ
 - **J** 1,080 kJ

7 Positive thigmotropism is a response in plants in which they move and grow toward an object the plant comes into physical contact with, usually curling around the object.



This response of the shoot system benefits the plant by allowing the plant to -

- **A** produce more pollen for pollinators
- **B** take in more carbon dioxide to convert into glucose
- **C** absorb more water to transport to the leaves
- **D** reach more sunlight for photosynthesis

White clovers, *Trifolium repens*, are plants that are native to Europe and Central Asia and are able to produce the poison cyanide within their cells. Skunk cabbage, *Symplocarpus foetidus*, is a plant that is native to eastern North America and can produce a chemical that makes it have a strong, foul odor and bitter taste.

The chemicals produced by both the white clovers and skunk cabbages are adaptations that allow them to —

- **F** attract more pollinators
- **G** survive a long-term drought
- **H** protect against herbivores
- **J** grow better in colder habitats

9 A model of the genetic control of coat color in rabbits is shown.

Allele	Phenotype	Inheritance
С	Black	Dominant to all other alleles
c ^{ch}	Chinchilla	Recessive to C; Dominant to c ^h and c
c ^h	Himalayan	Recessive to C and c ^{ch} ; Dominant to c
С	Albino	Recessive to all other alleles

Which Punnett square represents a cross that would produce albino offspring?

		c ^{ch}	С
A	C _h		
	С		

		c ^{ch}	c ^h
В	c ^h		
	С		

		С	c ^{ch}
С	c ^h		
	c ^h		

		c ^{ch}	c ^h
)	c ^h		
	c ^h		

- 10 When a stem cell divides, it produces two daughter cells. One daughter cell will remain a stem cell, while the other daughter cell will differentiate into a specialized cell.
 - Which factor will most directly determine what type of specialized cell will be produced?
 - **F** The size of the cell
 - **G** The length of the cell cycle
 - **H** The number of chromosomes that are replicated
 - J The genes that are expressed
- **11** Blue flying fish live in the upper layers of the ocean. Blue flying fish have enlarged pectoral fins that enable them to glide for 400 meters above the ocean surface and appear to fly.
 - Which statement best describes how natural selection led to enlarged pectoral fins in blue flying fish?
 - A Fish were able to glide out of the ocean and into other bodies of water to mate with other species.
 - **B** Fish were able to live both on land and in the water as a result of their larger pectoral fins.
 - **C** Fish with enlarged pectoral fins were able to glide out of the ocean to escape predators, increasing their fitness.
 - **D** Fish changed their DNA to express enlarged pectoral fins, changing the allele frequency of the population.

12 Scientists determined the total mass of DNA from a sample of animal cells. The masses of equal numbers of cells were taken during three different stages of the cell cycle. Stage I contains cells massed during G_1 of the cell cycle.

Mass of DNA During the Cell Cycle 3 Mass of DNA (pg) 0 Ι ΙΙ III

Which statement best describes the cells during Stage II?

F The cells have replicated their DNA, but have not completed mitosis and cytokinesis.

Stages


- **G** The cells have completed mitosis and cytokinesis without replicating their DNA.
- **H** The cells have replicated their DNA and completed mitosis and cytokinesis.
- **J** The cells have temporarily exited the cell cycle without replicating their DNA.

- **13** Green anoles are lizards that can change their skin color rapidly in response to various stimuli. This adaptation is the result of
 - A selective breeding of lizards by humans
 - **B** beneficial traits passed from parents to offspring
 - **C** geographic isolation that prevented genetic mutation
 - **D** environmental pollutants that changed their genotype
- **14** Which type of movement across a cell's plasma membrane requires energy supplied by ATP?
 - **F** Passive transport
 - **G** Simple diffusion
 - **H** Active transport
 - **J** Osmosis

- 15 Leaf-cutter ants harvest leaves and carry them to fungi that convert plant material into a usable form for the ants to digest. The fungi depend on the leaves for nutrients. The ants also produce an antibiotic on their bodies that helps protect the fungi from harmful bacteria.
 - Which of these explains the relationship between the leaf-cutter ants and the fungi?
 - A Predation, because the ants feed on the fungi
 - **B** Mutualism, because both the ants and the fungi benefit from each other
 - **C** Competition, because both organisms consume the same resource for energy
 - **D** Commensalism, because the ants receive energy from the fungi and the fungi are unaffected

16 A model of transcription and a codon chart are shown.

Codon Chart




		S	econ	d Bas	е		
		U	С	A	G		
		Phe	Ser	Tyr	Cys	U	
	U	Phe	Ser	Tyr	Cys	С	
	U	Leu	Ser	Stop	Stop	Α	
		Leu	Ser	Stop	Trp	G	
		Leu	Pro	His	Arg	U	
ש	С	Leu	Pro	His	Arg	С	
3S(Leu	Pro	Gln	Arg	Α	<u> </u>
Base		Leu	Pro	Gln	Arg	G	Third
	A	lle	Thr	Asn	Ser	U	
First		lle	Thr	Asn	Ser	С	Base
ш		lle	Thr	Lys	Arg	Α	ñ
		Met	Thr	Lys	Arg	G	
		Val	Ala	Asp	Gly	U	
	G	Val	Ala	Asp	Gly	С	
	9	Val	Ala	Glu	Gly	Α	
		Val	Ala	Glu	Gly	G	

Which amino acid would be coded first from the DNA strand being transcribed?

- **F** Cys
- **G** Phe
- **H** Ile
- **J** Met


- **17** Why is it important to assign each organism a scientific name?
 - **A** Each scientific name applies to only one species, making it universally identifiable to scientists.
 - **B** Each scientific name allows scientists to better study the behavior of an organism.
 - **C** The scientific name allows scientists to develop common names for organisms.
 - **D** The scientific name describes how an individual looks relative to others of the same genus.
- **18** A cellular process is shown.



Which of these is the most likely result of the process shown in the diagram?

- **F** Chromosome replication will cease to avoid errors that result in mutations.
- **G** Offspring will no longer express traits from previous generations.
- **H** Gametes will contain new allele combinations.
- **J** Chromatids will have less genetic variety.

19 Students studying the interaction among the reproductive parts of flowering plants make the graphic organizer shown.




Which terms best complete the numbered blanks in the flowchart?

- A (1) filaments
 - (2) petals
 - (3) stigma
- **B** (1) petals
 - (2) ovule
 - (3) stigma

- C (1) filaments
 - (2) petals
 - (3) ovule
- **D** (1) petals
 - (2) stigma
 - (3) ovule
- 20 What components make up the backbone of a DNA molecule?
 - F Purines and deoxyribose
 - **G** Pyrimidines and purines
 - **H** Deoxyribose and phosphate groups
 - **J** Phosphate groups and pyrimidines

21 A prokaryotic cell and a eukaryotic cell are shown.




Which characteristic best distinguishes these cells as either prokaryotic or eukaryotic?

- **A** The organization of the genetic material
- **B** The location of the cytoplasm
- **C** The role of the cell membrane
- **D** The function of the flagella

- **22** Which sequence best describes an interaction between the integumentary and excretory systems that helps maintain homeostasis?
 - **F** Heart rate increases → Blood vessels constrict → Blood pressure increases
 - **G** Blood vessel is damaged → Platelets begin to clump → Blood vessel ruptures
 - **H** Blood sugar levels rise → Pancreas secretes insulin → Blood sugar continues to rise
 - **J** Body temperature increases → Glands release sweat → Body temperature decreases
- **23** Which statement best describes a similarity among trees, cats, and amoebas?
 - **A** They are prokaryotic organisms.
 - **B** They are classified as members of the same kingdom.
 - **C** They have genomes that consist of the same number of genes.
 - **D** They contain DNA composed of the same four types of nucleotides.

24 Students designed an experiment to model the carbon cycle. The students combined water and carbon dioxide-producing disks in a sealed flask. The flask represented Earth's atmosphere, and the lamp represented the sun. Their design is shown.




Which component can be added to the flask to reduce the concentration of carbon dioxide in the model atmosphere created by the disks?

- **F** Bacteria to use carbon during nitrification
- **G** Plants to absorb carbon in the process of photosynthesis
- **H** Snails to use carbon through cellular respiration
- **J** Mushrooms to absorb carbon during decomposition

- **25** Which characteristic do all organisms in Kingdoms Animalia, Protista, and Fungi have in common?
 - A They are eukaryotic.
 - **B** They are prokaryotic.
 - **C** They are unicellular.
 - **D** They are multicellular.

26 The graph shows the oxygen consumed by an athlete during different stages of training.





Based on the graph, which process is occurring between minute 5 and minute 10?

- **F** Nuclei are building amino acids for energy storage.
- **G** Ribosomes are building carbohydrates to increase energy output.
- $oldsymbol{\mathsf{H}}$ Chloroplasts are using energy to produce oxygen.
- **J** Mitochondria are using oxygen to produce ATP.


27 The table shows the classification of four mammals found in Texas.

	Peccary	Elk	Pronghorn	Fallow Deer
Kingdom	Animalia	Animalia	Animalia	Animalia
Phylum	Chordata	Chordata	Chordata	Chordata
Class	Mammalia	Mammalia	Mammalia	Mammalia
Order	Artiodactyla	Artiodactyla	Artiodactyla	Artiodactyla
Family	Tayassuidae	Cervidae	Antilocapridae	Cervidae
Genus	Tayassu	Cervus	Antilocapra	Cervus
Species	T. tajacu	C. elaphus	A. americana	C. dama

Based on this table, which explanation best describes why elk and fallow deer are classified in the same genus?

- **A** They are both in family Cervidae and share a more recent common ancestor.
- **B** They mate and produce fertile offspring.
- **C** They live in similar habitats.
- **D** They are both in kingdom Animalia and have similar diets.


28 A model of DNA is shown.




Which part of the DNA model is most directly associated with the coding of genetic information?


F

Н







29 A model of an enzyme and its corresponding substrate is shown.




Which model best represents the molecules at the end of the reaction?









30 In domesticated dogs, hair type is controlled by two different alleles. The allele for wire hair is (H) and the allele for smooth hair is (h).

When two heterozygous dogs are crossed, what percentage of the offspring is expected to be homozygous for smooth hair?

- **F** 0%
- **G** 25%
- **H** 50%
- **J** 75%
- **31** Which statements best compare a function of proteins and lipids in a human cell?
 - **A** Proteins provide energy for cellular processes. Lipids catalyze chemical reactions inside the cell.
 - **B** Proteins catalyze chemical reactions inside the cell. Lipids allow for the transport of certain molecules into and out of the cell.
 - C Proteins allow for the transport of certain molecules into and out of the cell. Lipids store genetic information for cells.
 - **D** Proteins store genetic information for cells. Lipids provide energy for cellular processes.

32 A table comparing the characteristics of four samples is shown.

Sample	Nucleus	Chloroplast	Ribosome	Size of Genome
Sample 1	Present	Present	Present	150 billion base pairs
Sample 2	Absent	Absent	Present	4.6 million base pairs
Sample 3	Absent	Absent	Absent	170,000 base pairs
Sample 4	Present	Absent	Present	3.2 billion base pairs

Which sample most likely contains viruses?

- **F** Sample 1
- **G** Sample 2
- **H** Sample 3
- **J** Sample 4

33 In a recent study, scientists investigated the effects of microorganisms naturally found in the body. They raised mice in two different environments and compared their immune system functions in response to a bacterial infection. Their data are shown.


Mouse	Environment	Immune System	Response to Bacterial Infection
1	Without microorganisms	 Low variety of immune cells 	 Weak immune response to bacteria
2	With microorganisms	 High variety of immune cells 	Strong immune response to bacteria

Which conclusion about the microorganisms naturally found in the body is most likely supported by these data?


- **A** All microorganisms are harmful to the body.
- **B** Microorganisms are important in promoting healthy immune systems.
- **C** All bacteria in the body increase the effectiveness of the immune system.
- **D** Bacteria that cause infections decrease the number and variety of immune cells in the body.

- **34** Which statements explain how a mutation in a somatic cell is different from a mutation that occurs in gametes?
 - **F** Somatic cell mutations occur in cells that give rise to gametes. Gamete mutations occur in cells that result in apoptosis.
 - **G** Somatic cell mutations are maintained in the gene pool. Gamete mutations are expelled from the gene pool.
 - **H** Somatic cell mutations are generally not passed to offspring. Gamete mutations are usually passed to offspring.
 - **J** Somatic cell mutations will not be expressed by the individual that contains the mutation.
 - Gamete mutations will be expressed by the individual.


35 Which model accurately shows a cell progressing through mitosis?




36 Some relationships between species found in the Texas Gulf Coast are shown in the food web.



Which energy pyramid best models energy flow in the Texas Gulf Coast community?




37 Normal cells have a contact inhibition feedback mechanism that prevents the cells from replicating when other cells are touched. A diagram of cells with contact inhibition and cells without contact inhibition is shown.



Which statement best describes what will happen to cells in an organism that lack contact inhibition?

- **A** The cells will continue to grow, causing a tumor in the body.
- **B** The cells will replicate normally, replacing body cells that die.
- **C** The cells will replicate until the food supply for each cell is used, causing each cell to die.
- **D** The cells will stop replicating once one layer is produced, as other body cells will crowd them out.

38 In some coral reefs, a symbiotic relationship exists between pygmy seahorses and sea fans. The pygmy seahorse can wrap its tail around the branches of the sea fan. This allows the pygmy seahorse to be camouflaged within the sea fan, protecting it from predators. The pygmy seahorse does not harm or benefit the sea fan while it grasps the branches with its tail.



What is the correct classification of this symbiotic relationship?

- **F** Predator/prey
- **G** Mutualism
- **H** Commensalism
- J Parasite/host

39 Two scientists studied patterns of evolution in the fossil record. Many species they analyzed showed periods of slow changes interrupted by a period of rapid change.

This pattern of periods of slow change interrupted by periods of rapid change with few, if any transitional fossils, best describes the theory of -

- A natural selection
- **B** genetic drift
- **C** punctuated equilibrium
- **D** gene flow
- **40** Which table best compares the events that occur during different stages of the cell cycle?


	Phase	Event
F	S Phase	DNA replication
	M Phase	Nuclear division

	Phase	Event
G	S Phase	Nuclear division
	M Phase	Cytoplasm division

	Phase	Event
н	S Phase	Cytoplasm division
	M Phase	Cell growth

	Phase	Event
J	S Phase	Cell growth
	M Phase	DNA replication

41 A phylogenetic tree based on genetic similarities is shown.




Which numbered location on the phylogenetic tree identifies characteristics shared by Species B, C, and D?


- A Location 1
- **B** Location 2
- C Location 3
- **D** Location 4

42 Both the respiratory system and the digestive system involve the uptake of necessary molecules from an animal's surroundings. Alveoli are tiny sacs that aid in the exchange of carbon dioxide and oxygen in the lungs. Intestinal villi are tiny projections along the lining of the intestines used to take in nutrients from food passing through.

Alveoli



Intestinal Villi



Which system must interact with the respiratory and digestive systems to transport gases and nutrients throughout the body?

- F Endocrine
- **G** Integumentary
- **H** Immune
- **J** Circulatory

- **43** Cross-pollination of flowers from different populations of the same species will most likely result in
 - **A** gene flow as new alleles are introduced
 - **B** evolution of a different species as alleles mix
 - **C** hybrid sterility as gametes from different individuals are incompatible
 - **D** a decrease of genetic variation among individuals
- **44** After a wheat field is cleared, wild grasses and weeds begin growing. This process is considered
 - **F** primary succession because pioneer species appear
 - **G** primary succession because there are no large trees
 - **H** secondary succession because soil is already present
 - **J** secondary succession because the field contains inorganic matter

45 A model of two structures that perform cellular processes is shown.



Ι



ΙΙ

What are the products of the cellular processes in these organelles?

- **A** I: glucose and carbon dioxide II: oxygen and water
- **B** I: carbon dioxide and oxygen II: glucose and water
- **C** I: oxygen and glucose II: water and carbon dioxide
- **D** I: carbon dioxide and water II: glucose and oxygen

- **46** During an extended dry season in an area, the majority of the ground cover dried up. Which description best explains how this would affect the ecosystem in that area?
 - **F** The ecosystem would become less stable because the ranges of many organisms would expand and overlap.
 - **G** The ecosystem would become more stable because there would be less competition among canopy plants.
 - **H** The ecosystem would become less stable because less energy would be available to it from the decrease in producers.
 - **J** The ecosystem would become more stable because organisms in higher trophic levels would be able to find prey more easily.
- **47** Water, sugar, and other important nutrients need to be transported from one part of a plant to another. Which statement correctly describes the interaction of the root and shoot systems during nutrient transport?
 - **A** The leaves take in water and sugar, which are then transported to the rest of the plant through vascular tissues.
 - **B** The roots take in water and sugar, which are then transported to the rest of the plant through vascular tissues.
 - **C** The leaves take in water and the roots produce sugar that are transported to the rest of the plant through vascular tissues.
 - **D** The roots take in water and the leaves produce sugar that are transported to the rest of the plant through vascular tissues.

48 *E. coli* has three genes that each code for different enzymes that break down lactose. Scientists conducted investigations about the production of these enzymes using samples of *E. coli*. Their results are shown in the table.

E. coli Investigation Results

Environment	Contains Lactose	Enzyme Concentration
1	Yes	High
2	No	Low

Which conclusion about the production of the enzymes can be determined by analyzing the scientists' results?

- **F** Gene expression for the enzymes was controlled by the temperature of lactose.
- **G** The genes for the enzymes were expressed in equal amounts during both experiments.
- **H** Gene expression for the enzymes was controlled by the presence of lactose.
- **J** The genes for the enzymes were mutated before being expressed by the presence of lactose.

- **49** Most animals avoid eating monarch butterflies due to their bad taste. Viceroy butterflies look very similar to the monarchs.
 - Which of these best explains how the viceroy butterfly benefits from looking like the monarch butterfly?
 - **A** Viceroy butterflies are able to reproduce with the monarch butterflies.
 - **B** Viceroy butterflies are able to deter predators in the same way as the monarch butterflies.
 - **C** Viceroy butterflies are able to follow the migratory patterns of the monarch butterflies.
 - **D** Viceroy butterflies are able to find additional sources of food used by the monarch butterflies.
- **50** Which sequence represents the levels of organization found in a multicellular organism, from smallest to largest?
 - **F** Cell → tissue → organ → organ system
 - **G** Organ system → organ → tissue → cell
 - **H** Tissue → organ → organ system → cell
 - **J** Cell → organ system → organ → tissue

Item	Reporting	Readiness or	Content Student	Process Student	Correct
Number	Category	Supporting	Expectation	Expectation	Answer
1	3	Readiness	B.8(B)	B.2(H)	А
2	1	Readiness	B.4(C)		G
3	4	Readiness	B.10(A)	B.3(A)	Α
4	5	Readiness	B.12(E)	B.2(G)	F
5	2	Readiness	B.6(E)	B.2(G)	D
6	5	Readiness	B.12(C)	B.2(F)	G
7	4	Readiness	B.10(B)	B.2(G)	D
8	5	Supporting	B.12(B)	B.2(G)	Н
9	2	Readiness	B.6(F)	B.2(G)	A
10	1	Supporting	B.5(B)	. (=)	ı
11	3	Supporting	B.7(D)		C
12	1	Readiness	B.5(A)	B.2(G)	F
13	3	Readiness	B.7(E)	. (=)	В
14	1	Readiness	B.4(B)		H
15	5	Readiness	B.12(A)		B
16	2	Supporting	B.6(C)	B.2(G)	
17	3	Supporting	B.8(A)	5.2(5)	A
18	2	Supporting	B.6(G)	B.2(G)	H
19	4	Readiness	B.10(B)	B.2(H)	D
20	2	Readiness	B.6(A)	5,2()	H
21	1	Supporting	B.4(A)	B.2(H)	A
22	4	Readiness	B.10(A)	5,2()	
23	2	Supporting	B.6(B)		
24	5	Supporting	B.12(D)	B.2(E)	G
25	3	Supporting	B.8(C)	D.2(L)	A
26	1	Readiness	B.4(B)	B.2(G)	
27	3	Readiness	B.8(B)	B.2(H)	A
28	2	Readiness	B.6(A)	D.2(11)	
29	4	Supporting	B.9(C)	B.3(E)	л В
30	2	Readiness	B.6(F)	B.2(G)	G G
31	4	Readiness	B.9(A)	D.2(G)	B
32	1	Readiness	B.4(C)	B.2(H)	Н
33	<u>'</u> 5	Supporting	B.11(A)	B.3(B)	B
34	2	Readiness	B.6(E)	0.3(0)	Н
35	1	Readiness	B.5(A)	B.2(F)	B
36	5	Readiness	B.12(C)	B.2(H)	Н
37	<u>5</u> 1	Supporting	B.5(C)	B.3(E)	A
38	5	Readiness	B.12(A)	B.2(G)	A
36 	3	Supporting	B.7(B)	B.3(A)	C
40	<u>5</u> 1	Readiness	B.5(A)	ריס(ע)	F
41	3	Readiness	B.7(A)	B.2(G)	B
42	4	Readiness	B.10(A)	B.2(H)	<u>5</u>
43	3	Supporting	B.7(F)	D.2(11)	J A
44	<u>5</u>	Readiness	B.11(B)		H
44 45	4	Supporting	B.9(B)	B.2(H)	<u> П</u>
45	5	Readiness	B.12(E)	D.2(11)	<u></u> Н
47	4	Readiness	B.10(B)		п
48	2	Supporting	B.6(D)	B.2(G)	<u></u> Н
49	3	Readiness	B.7(E)	ט.2(ט)	<u>п</u> В
50	4	Supporting		B.2(H)	<u>Б</u>
50	4	Supporting	B.10(C)	B.∠(Ħ)	F

Item #		Rationale
1	Option A is correct	According to the dichotomous key, squids move by jet propulsion and do not have an external shell.
	Option B is incorrect	According to the dichotomous key, slugs move by crawling with a singular muscular foot.
	Option C is incorrect	According to the dichotomous key, nautilus move by jet propulsion, but they do have an external shell.
	Option D is incorrect	According to the dichotomous key, snails move by crawling with a singular muscular foot and have an external shell.

Item #		Rationale
2	Option G is correct	Viruses cannot replicate on their own. They enter host cells. Once inside, they use the materials and metabolic pathways from the host cells and incorporate the viral RNA or DNA into the host cells to replicate new virus particles.
	Option F is incorrect	Viruses are not able to divide as a cell would in mitosis. Viruses can only replicate after entering a host cell.
	Option H is incorrect	Viruses do not fuse, and they are not able to replicate without entering the cell of a host organism.
	Option J is incorrect	Once virus particles break down, they are not able to reassemble and make new copies.

Item #	Rationale		
3	Option A is correct	The nervous and muscular systems in horses help the animal repel biting flies by ear twitching, head tossing, leg stomping, and tail swishing. This response is a result of the nervous system sensing the biting flies and sending a signal to the muscular system of the animal.	
	Option B is incorrect	The circulatory system does not sense the biting flies to send signals to the nervous system. The nervous system senses the biting flies. The circulatory system delivers nutrients and oxygen to cells and removes waste from animals.	
	Option C is incorrect	The muscular system does not sense the biting flies to send signals to the integumentary system, which comprises the outermost layer of animals.	
	Option D is incorrect	The integumentary system does not sense the biting flies to send signals to the circulatory system. The circulatory system delivers nutrients and oxygen to cells and removes waste from animals.	

Item #	Rationale		
4	Option F is correct	A decrease in the sea otter population would likely result in an increase in the sea urchin population, which in turn would lead to a decrease in the kelp population. Sea otters prey on sea urchins, and sea urchins prey on kelp. Fewer sea otters in the ecosystem preying on sea urchins would allow more sea urchins to survive over time. This would lead to a larger number of sea urchins to prey on kelp, resulting in a decrease in the size of the kelp population.	
	Option G is incorrect	The fish population in the food web is not directly impacted by changes in the mussel population.	
	Option H is incorrect	The algae population would decrease due to the increase in predation by the sea urchins. Less algae in the ecosystem would reduce the food source for mussels, leading to a decrease in the mussel population.	
	Option J is incorrect	The killer whale population would decrease due to the decrease in sea otters as an available food source.	

Item #		Rationale
5	Option D is correct	An insertion mutation is a result of inserting new nitrogenous bases into DNA. In this model, new "K" and "L" genes have been inserted into the chromosome.
	Option A is incorrect	This is an example of a deletion mutation. In this model, "R" and "Z" genes have been deleted from the chromosome.
	Option B is incorrect	This is an example of a deletion mutation. In this model, the "U" gene has been deleted from the chromosome.
	Option C is incorrect	This is an example of a translocation mutation. In this model, the "S" and "U" genes have swapped positions in the chromosome.

Item #	Rationale		
6	Option G is correct	Twelve thousand kilojoules (kJ) of energy from the sun is incorporated into the tissues of the producers. Only 10 percent, or 1,200 kJ, of energy is incorporated into the tissues of herbivores when they consume producers.	
	Option F is incorrect	Twelve thousand kilojoules of energy is the same amount of energy present in the producers. This answer is incorrect because it does not account for the approximately 90% loss of energy that occurs when herbivores consume plants.	
	Option H is incorrect	Ten-thousand-eight-hundred kilojoules is not approximately 10 percent of the initial kilojoules of energy incorporated into the tissues of the producers.	
	Option J is incorrect	One-thousand-eighty kilojoules is not approximately 10 percent of the initial kilojoules of energy incorporated into the tissues of the producers.	

Item #		Rationale
7	Option D is correct	This response of the shoot system benefits the plant by providing added support for the plant to grow and allowing the plant to put more energy into growing toward sunlight to perform photosynthesis.
	Option A is incorrect	Growing upward will not cause the plant to produce more pollen for pollinators.
	Option B is incorrect	Plants can absorb carbon dioxide at any height.
	Option C is incorrect	Plants absorb water through the roots, not the shoot system.

Item #		Rationale
8	Option H is correct	The chemicals produced by both the white clovers and skunk cabbages are adaptations that deter animals from eating them, and thus increase their chances of survival.
	Option F is incorrect	These adaptations do not allow the plants to attract more pollinators; however, they do allow the plants to attract specific pollinators.
	Option G is incorrect	These adaptations do not allow the plants to survive a long-term drought because they are not related to the plants' ability to retain water.
	Option J is incorrect	These adaptations do not allow the plants to grow better in colder habitats because they are not related to the plants' ability to grow in colder temperatures.

Item #	Rationale		
9	Option A is correct The albino allele (c) is recessive to all other alleles, so expression of the albino phenotype requires two copies of the allele. This option is the only option where two albino alleles would result.		
	Option B is incorrect	The chinchilla parent (c ^{ch} c ^h) is not carrying the recessive albino allele. Their offspring would be chinchilla and Himalayan.	
	Option C is incorrect	Neither parent is carrying the recessive albino allele. Their offspring would be black and chinchilla.	
	Option D is incorrect	Neither parent is carrying the recessive albino allele. Their offspring would be chinchilla and Himalayan.	

Item #		Rationale
10	Option J is correct	The genes that are expressed are directly responsible for the function of a cell.
	Option F is incorrect	The size of a cell can change depending on the environment, but it does not determine the type of cell that the daughter cell becomes.
	Option G is incorrect	The length of the cell cycle depends on the type of cell that the daughter cell becomes, which is determined by the genes that are expressed.
	Option H is incorrect	All chromosomes within a cell are replicated.

Item #		Rationale
11	Option C is correct	Natural selection led to enlarged pectoral fins in blue flying fish, allowing the fish to escape predators to survive and reproduce.
	Option A is incorrect	Blue flying fish do not glide from different bodies of water to mate with other species.
	Option B is incorrect	The fish do not live on land and water.
	Option D is incorrect	Organisms cannot self-mutate.

Item #		Rationale
12	Option F is correct	During Stage II, the cells have replicated their DNA, but have not completed mitosis and cytokinesis. Therefore, the mass of DNA is double the mass of the DNA in stages I and III.
	Option G is incorrect	These cells have half the mass of DNA as in stages I and III because DNA did not replicate.
	Option H is incorrect	These cells have the same mass of DNA as seen in stages I and III.
	Option J is incorrect	These cells are in the G ₀ phase and have the same mass of DNA as in stages I and III.

Item #		Rationale
13	Option B is correct	Adaptations (like the ability to change skin color to hide from predators) are beneficial traits that are passed down from parent to offspring that help organisms survive and reproduce.
	Option A is incorrect	Adaptations are beneficial traits acquired through natural selection that occur as a result of random mutation. Artificial selection is the intentional breeding of organisms with established adaptations.
	Option C is incorrect	Geographic isolation would not prevent genetic mutation. Mutations occur randomly and are not related to geographic isolation of an organism.
	Option D is incorrect	The adaptation is a result of a genetic trait that the green anole lizard possesses; however, environmental pressures may lead to a mutation in the genotype.

Item #	Rationale	
14	Option H is correct	Active transport requires cellular energy, which is supplied by ATP.
	Option F is incorrect	Passive transport does not require energy from ATP.
	Option G is incorrect	Simple diffusion is a type of passive transport and does not require energy from ATP.
	Option J is incorrect	Osmosis is a type of passive transport and does not require energy from ATP.

Item #		Rationale
15	Option B is correct	The relationship between the leaf-cutter ants and the fungi is mutualism. Both the ants and fungi benefit from each other.
	Option A is incorrect	Predation is a relationship where the predator benefits and the prey are eaten.
	Option C is incorrect	The leaf-cutter ants and the fungi are not competing for a resource.
	Option D is incorrect	Commensalism is a symbiotic relationship where one organism benefits and the other organism is unaffected.

Item #		Rationale
16	Option J is correct	The first mRNA codon is AUG. AUG on the codon chart codes for the amino acid Met.
	Option F is incorrect	A mRNA codon of UGU or UGC would code for the amino acid Cys.
	Option G is incorrect	An mRNA codon of UUU or UUC would code for the amino acid Phe.
	Option H is incorrect	An mRNA codon of AUU, AUC, or AUA would code for the amino acid Ile.

Item #	Rationale	
17	Option A is correct	Each scientific name applies to one species, making it universally identifiable to scientists across languages and regions. Additionally, scientific names help scientists avoid confusion when multiple common names may be used to describe a single species.
	Option B is incorrect	The name of an organism does not have any influence on scientists' understanding of the organism's behavior.
	Option C is incorrect	Scientists do not name organisms by a binomial name for the purpose of creating a common name.
	Option D is incorrect	The name of an organism does not indicate the appearance of an organism relative to others of the same genus.

Item #	Rationale	
18	Option H is correct	In meiosis, during the cellular process of crossing over, homologous chromosome pairs exchange parts with each other creating new allele combinations on each chromosome.
	Option F is incorrect	Chromosomes will continue to replicate after the process of crossover (as seen in the diagram) has been completed.
	Option G is incorrect	Offspring will continue to express traits from previous generations. The crossover process results in genetic recombination.
	Option J is incorrect	Chromatids will have increased genetic diversity as a result of the process seen in the diagram (crossover).

Item #		Rationale
19	Option D is correct	Petals attract pollinators, pollinators deposit pollen on the stigma, and the pollen grain must grow and fuse with an ovule to complete fertilization.
	Option A is incorrect	Filaments do not attract pollinators.
	Option B is incorrect	Pollinators do not deposit pollen onto the ovule.
	Option C is incorrect	Filaments do not attract pollinators.

Item #		Rationale
20	Option H is correct	The backbone of a DNA molecule is made up of alternating deoxyribose sugars and phosphates.
	Option F is incorrect	Purines are nitrogenous bases that connect the two backbones of a DNA molecule together.
	Option G is incorrect	Pyrimidines and purines are nitrogenous bases that connect the two backbones of a DNA molecule together.
	Option J is incorrect	Pyrimidines are nitrogenous bases that connect the two backbones of a DNA molecule together.

Item #		Rationale
21	Option A is correct	The organization of the genetic material is the best characteristic to distinguish these cells as either prokaryotic or eukaryotic.
	Option B is incorrect	The location of the cytoplasm is the same in prokaryotic and eukaryotic cells. The cytoplasm is a gel-like fluid found in all cells.
	Option C is incorrect	The role of the cell membrane is the same in prokaryotic and eukaryotic cells. The cell membrane allows molecules to enter and leave cells.
	Option D is incorrect	The function of the flagella is the same in prokaryotic and eukaryotic cells. The flagella are structures that enable motility for cells.

Item #		Rationale
22	Option J is correct	Sweat glands are part of the excretory system that is located within the integumentary system. When body temperature increases, the glands release sweat, and body temperature decreases.
	Option F is incorrect	The heart and blood vessels are part of the circulatory system.
	Option G is incorrect	Blood vessels and platelets are part of the circulatory system.
	Option H is incorrect	The pancreas and blood sugar levels are controlled by the digestive and endocrine systems.

Item #	Rationale	
23	Option D is correct	All organisms are composed of the same nucleotide bases.
	Option A is incorrect	Trees, cats, and amoebas are all eukaryotic organisms.
	Option B is incorrect	Trees, cats, and amoebas are each classified in a different kingdom.
	Option C is incorrect	The number of genes varies among organisms and species.

Item #	Rationale	
24	Option G is correct	Plants absorb carbon in the process of photosynthesis.
	Option F is incorrect	Bacteria use nitrogen, not carbon, during nitrification.
	Option H is incorrect	Snails use oxygen for cellular respiration.
	Option J is incorrect	Mushrooms are fungi that release enzymes to absorb nutrients during decomposition.

Item #	Rationale	
25	Option A is correct	Organisms in the Animalia, Protista, and Fungi kingdoms are all part of the domain Eukarya because their cells' DNA is located inside of a nucleus.
	Option B is incorrect	All organisms in the Animalia, Protista, and Fungi kingdoms are eukaryotic.
	Option C is incorrect	Some organisms in the Protista and Fungi kingdoms are multicellular, and all animals are multicellular.
	Option D is incorrect	Some organisms in the Protista and Fungi kingdoms are unicellular.

Item #	Rationale	
26	Option J is correct	Mitochondria produce energy for cells. The increase in the consumption of oxygen between 5 and 10 minutes is due to mitochondria using oxygen to produce ATP.
	Option F is incorrect	Nuclei are organelles that store genetic material, and amino acids are made in the cytoplasm of the cell. Amino acids are monomers of proteins, which are not molecules that store energy.
	Option G is incorrect	Ribosomes do not build carbohydrates to increase energy output. They provide the location for translation of messenger RNA to amino acids to make proteins.
	Option H is incorrect	Chloroplasts are found in the cells of producers, where they use the sun's energy to make glucose and oxygen. This graph represents an athlete's oxygen consumption.

Item #	Rationale	
27	Option A is correct	Under the Linnaean classification system, the lower the level of classification shared by organisms, the more closely related the organisms are. Family is the classification level directly above genus. The elk and the fallow deer are both members of the family Cervidae. The peccary and the pronghorn are members of different families (Tayassuidae and Antilocapridae, respectively).
	Option B is incorrect	Elk and fallow deer are different species, so they are not able to mate and produce fertile offspring. The definition of a species is having the ability to mate and produce fertile offspring.
	Option C is incorrect	Living in similar habitats would not lead to classifying these organisms in the same genus. Distantly related organisms can share similar habitats.
	Option D is incorrect	All the organisms in the table are in the kingdom Animalia, not just the elk and the fallow deer. Also, distantly related animals living in similar environments can share similar diets.

Item #	Rationale	
28	Option J is correct	The variability in nitrogenous bases carries the genetic information that encodes for traits.
	Option F is incorrect	Phosphate groups do not carry genetic information. Phosphate is a molecule that is part of the backbone of a DNA molecule.
	Option G is incorrect	The sugar phosphate backbone of a DNA molecule does not carry genetic information.
	Option H is incorrect	Deoxyribose does not carry genetic information. It is the sugar in the backbone of DNA.

Item #	Rationale	
29	Option B is correct	At the end of this chemical reaction, the enzyme remains unchanged, and the substrate has been broken down.
	Option A is incorrect	Enzymes are not altered during a chemical reaction.
	Option C is incorrect	A chemical reaction has not occurred in this model since the substrate has not changed.
	Option D is incorrect	The enzyme has been altered, and enzymes are not altered during chemical reactions. Also, the substrate has not undergone a chemical reaction.

Item #	Rationale	
30	Option G is correct	When two heterozygous dogs are crossed, the percentage of the offspring that are expected to be homozygous for smooth hair will be 25%. In a Punnett square, Hh \times Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair).
	Option F is incorrect	In a Punnett square, Hh \times Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Zero percent is not an option.
	Option H is incorrect	In a Punnett square, Hh × Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Therefore, 50 percent of the population will have a heterozygous genotype for wirehair.
	Option J is incorrect	In a Punnett square, Hh \times Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Therefore, 75 percent of the population will have wirehair.

Item #	Rationale	
31	Option B is correct	Proteins in the form of enzymes catalyze chemical reactions inside the cell. Lipids make up the cell membrane, which allows certain molecules to be transported into and out of the cell.
	Option A is incorrect	Proteins in the form of enzymes, not lipids, catalyze chemical reactions in the cell.
	Option C is incorrect	Lipids store energy, not genetic information, for the cell.
	Option D is incorrect	Nucleic acids, not proteins, store genetic information.

Item #	Rationale	
32	Option H is correct	Sample 3 is a virus due to the absence of organelles and the presence of a small genome.
	Option F is incorrect	Sample 1 is a plant due to the presence of a chloroplast.
	Option G is incorrect	Sample 2 is bacteria due to the absence of both a nucleus and a chloroplast.
	Option J is incorrect	Sample 4 is an animal due to the presence of a nucleus and ribosome and the absence of a chloroplast.

Item #		Rationale
33	Option B is correct	The microorganisms found in the body are important in promoting a healthy immune system because they keep the immune system strong, aid in digestion, and neutralize toxins.
	Option A is incorrect	Microorganisms are not harmful to the body; they are important for keeping the immune system strong, aiding in digestion, and neutralizing toxins.
	Option C is incorrect	Not all bacteria increase the effectiveness of the immune system. Some bacteria aid in digestion and neutralize toxins, while some bacteria can be harmful to the body.
	Option D is incorrect	Bacteria that cause infections often lead to an increase in the number of immune cells in the body that fight disease.

Item #		Rationale
34	Option H is correct	Somatic cell mutations occur in body cells affecting a single cell or tissue. They are not inherited/passed on to offspring. Gamete mutations occur in sperm or egg cells. Gamete mutations can be inherited/passed on to offspring.
	Option F is incorrect	Germ cells, not somatic cells, give rise to gametes. Apoptosis is programmed cell death and occurs in both somatic and gametic cells.
	Option G is incorrect	Cell mutations are found in an individual's genome, not a gene pool.
	Option J is incorrect	A mutation in any cell can be expressed by an individual.

Item #		Rationale
35	Option B is correct	The stages of mitosis (prophase, metaphase, anaphase, and telophase) are in the correct sequence based on the model shown.
	Option A is incorrect	DNA must line up in the middle of the cell before it can divide evenly.
	Option C is incorrect	During mitosis, one cell becomes two cells.
	Option D is incorrect	DNA must condense into visible chromosomes before it can line up in the middle of the cell.

Item #		Rationale
36	Option H is correct	Stone crabs consume gulf pipefish, and gulf pipefish consume aquatic plants.
	Option F is incorrect	Canadian geese do not consume silverside fish.
	Option G is incorrect	Aquatic plants are the producers for this energy pyramid, so aquatic plants should be located at the bottom of the energy pyramid.
	Option J is incorrect	Aquatic plants are the producers for this energy pyramid, so aquatic plants should be located at the bottom of the energy pyramid.

Item #		Rationale
37	Option A is correct	Contact inhibition is a mechanism that stops the cell cycle and prevents cells from performing replication/proliferation and growth. The cells in an organism that lack contact inhibition will continue to replicate/proliferate and grow, and potentially lead to the development of tumors.
	Option B is incorrect	Cells replicate normally, replacing body cells that die, when normal contact inhibition mechanisms are functioning correctly.
	Option C is incorrect	Cell replication is not based on the availability of food.
	Option D is incorrect	Cells do stop replicating when normal contact inhibition mechanisms are functioning correctly.

Item #		Rationale
38	Option H is correct	Commensalism is the symbiotic relationship that exists. The pygmy seahorse does not harm or benefit the sea fan while it grasps the branches with its tail.
	Option F is incorrect	The seahorse is not eating the sea fan.
	Option G is incorrect	The sea fan does not benefit from the relationship.
	Option J is incorrect	The seahorse is not harming the sea fan.

Item #		Rationale
39	Option C is correct	The theory of punctuated equilibrium, devised by Niles Eldredge and Stephen Jay Gould, is characterized by periods of slow change interrupted by periods of rapid change with few transitional fossils in the fossil record.
	Option A is incorrect	Charles Darwin's theory of natural selection proposed that evolution was a "steady, slow and continuous" process unlike punctuated equilibrium, which suggests periods of both slow and rapid change.
	Option B is incorrect	Genetic drift explains how gene frequencies change by chance.
	Option D is incorrect	Gene flow is the movement of genetic material from one population to another.

Item #	Rationale	
40	Option F is correct	DNA replication occurs during the S phase. Nuclear division occurs during the M phase.
	Option G is incorrect	Nuclear division occurs during the M phase.
	Option H is incorrect	Cytoplasm division occurs during the M phase. Cell growth occurs during the S phase.
	Option J is incorrect	DNA replication occurs during the S phase.

Item #		Rationale
41	Option B is correct	Location 2 is the branch point on the phylogenetic tree that identifies characteristics shared by Species B, C, and D.
	Option A is incorrect	Location 1 is the branch point that led to all lineages on this phylogenetic tree.
	Option C is incorrect	Location 3 is the branch point that led to all species on the phylogenetic tree except for Species A.
	Option D is incorrect	Location 4 is the branch point that led to Species E and F on the phylogenetic tree.

Item #	Rationale	
42	Option J is correct	The circulatory system transports blood to and from the heart and the rest of the body. Nutrients and gases, such as oxygen, are dissolved in the blood. The circulatory system must interact with the respiratory and digestive systems to transport the nutrients and gases in the blood throughout the body.
	Option F is incorrect	The endocrine system is comprised of hormones that regulate body processes, such as metabolism and growth.
	Option G is incorrect	The integumentary system is comprised of the outer layer of the body, including skin, nails, hair, and exocrine glands.
	Option H is incorrect	The immune system is comprised of a variety of cells and organs to protect organisms from pathogens.

Item #		Rationale
43	Option A is correct	Gene flow describes the transfer of genetic material from one population to another population. Cross-pollination of flowering plants from different populations of the same species will most likely result in a greater number of genetic combinations and an overall increase in the genetic diversity/variation within the species.
	Option B is incorrect	Evolution is due to environmental demands and natural selection over time.
	Option C is incorrect	Since the flowers are of the same species, the gametes would be compatible.
	Option D is incorrect	Cross-pollination will increase genetic variation.

Item #		Rationale
44	Option H is correct	After a wheat field is cleared, wild grasses and weeds begin growing due to secondary succession, since soil is already present. Primary succession can only occur in areas where life was not previously present e.g., newly formed volcanic rock.
	Option F is incorrect	Primary succession occurs when there is a lack of soil. Pioneer species such as lichen must make new soil before secondary succession can begin.
	Option G is incorrect	Primary succession occurs when there is a lack of soil, not a lack of large trees. Pioneer species such as lichen must make new soil before secondary succession can begin.
	Option J is incorrect	Soil is needed for secondary succession to occur; however, inorganic matter such as water is a necessary component for producers (grasses and weeds) to grow.

Item #	Rationale	
45	Option D is correct	Organelle I is mitochondria, where carbon dioxide and water are the products of the process of cellular respiration. Organelle II is a chloroplast, where glucose and oxygen are the products of the process of photosynthesis.
	Option A is incorrect	Glucose and oxygen are the products of photosynthesis, which occur in the chloroplast (organelle II). Oxygen and glucose are the reactants of cellular respiration, which takes place in the mitochondria (organelle I).
	Option B is incorrect	In organelle I, carbon dioxide and oxygen are not the products of cellular respiration. In organelle II, glucose and water are not the products of photosynthesis.
	Option C is incorrect	In organelle I, oxygen and glucose are not the products of cellular respiration. In organelle II, water and carbon dioxide are not the products of photosynthesis.

Item #	Rationale	
46	Option H is correct	The ecosystem would become less stable if most of the ground cover dried up. Less energy would be available to the ecosystem due to a decrease in the number of producers.
	Option F is incorrect	An extended dry season would reduce available resources and likely reduce the numbers and ranges of most organisms.
	Option G is incorrect	Water is the limiting factor affecting all organisms, including plants. Less water would lead to more competition among canopy plants and less stability within the ecosystem.
	Option J is incorrect	The ecosystem would become less stable and there would be fewer prey available.

Item #	Rationale	
47	Option D is correct	The roots take in/absorb water from the ground, and the leaves produce sugar through the process of photosynthesis. Water and sugar are transported throughout the plant via vascular tissues.
	Option A is incorrect	The leaves do not take in water or sugar.
	Option B is incorrect	The roots take in water, but they do not take in sugar.
	Option C is incorrect	The leaves do not take in water, and the roots do not produce sugar.

Item #	Rationale	
48	Option H is correct	The scientists' results indicate that gene expression for the enzymes was controlled by the presence of lactose because enzyme concentration was high when lactose was present and low when lactose was not present.
	Option F is incorrect	The scientists' results do not indicate that gene expression for the enzymes was controlled by the temperature of lactose.
	Option G is incorrect	The scientists' results do not indicate that gene expression for the enzymes was expressed in equal amounts during both experiments.
	Option J is incorrect	The scientists' results do not indicate that the genes for the enzymes were mutated before being expressed by the presence of lactose.

Item #	Rationale		
49	Option B is correct	The viceroy butterfly benefits from mimicking the monarch butterfly by being able to deter predators who avoid eating monarch butterflies due to their bad taste.	
	Option A is incorrect	Mimicking the monarch butterfly does not make it possible for viceroy butterflies and monarch butterflies to reproduce.	
	Option C is incorrect	Mimicking the monarch butterfly does not mean viceroy butterflies will follow the migratory patterns of monarch butterflies.	
	Option D is incorrect	Mimicking the monarch butterfly does not allow viceroy butterflies to find additional sources of food used by monarch butterflies.	

Item #	Rationale	
50	Option F is correct	The order of cell, tissue, organ, and organ system represents the smallest to largest levels of cellular organization.
	Option G is incorrect	This order is reversed from largest to smallest levels of organization. Cells form tissues, tissues form organs, and organs form organ systems.
	Option H is incorrect	Cells must form before they can be organized into tissues, organs, and organ systems.
	Option J is incorrect	Cells organize to form tissue before organs and organ systems can form.