
South Carolina SC READY 2018 Grade 8 Math Practice

Exam & Answer Key Materials Pages 2 - 24





Grade 8 Mathematics

Introduction

The South Carolina Department of Education provides districts and schools with tools to assist in delivering focused instruction aligned with the South Carolina College- and Career-Ready Standards (SCCCRS). This document contains a set of twenty SC READY test items that have been written to align with the South Carolina College- and Career-Ready Standards. These items were reviewed for content and bias prior to being field tested and approved for release to the public.

Purpose

This document is intended to be a resource for educators; it is not designed to be a practice test for students. The sample items are examples of college- and career-ready assessment items. These items were chosen to reflect the increased rigor of assessing the South Carolina College- and Career-Ready Standards which includes the Mathematical Process Standards. SC READY assesses content standards in a variety of ways. This document does not include all item types or standards. In addition, items are given a "calculator" or "no calculator" designation independent of standard alignment.

Item Information Format

Calculator Usage	Calculator or No Calculator
Standard Alignment	SCCCR
Standard Description	text from SCCCR
Answer Key	correct answer
Depth of Knowledge	cognitive demand
Estimated Difficulty	estimate based on student responses

Links

South Carolina College- and Career-Ready Standards https://ed.sc.gov/instruction/standards-learning/mathematics/standards/

Norman Webb's Depth-of-Knowledge for the Four Content Areas http://www.webbalign.org/Webbs-DOK-Levels-Summary.pdf


- 1. Which number is irrational?
 - A. $\frac{\pi}{6}$
 - B. 8.1
 - C. 11.9
 - D. $\sqrt{36}$

MATH Sample Item	1	Calculator Usage	No Calculator
		Standard Alignment	8.NS.1.a
		Standard Description	Explore the real number system and its appropriate usage in real-world situations. Recognize the differences between rational and irrational numbers.
READY M		Answer Key	A
SC RE		Depth of Knowledge	1
		Estimated Difficulty	Medium Difficulty

- **2.** Kaden says the number 13 is an irrational number. Which statement **best** explains whether Kaden is correct?
 - A. Kaden is correct because 13 only has 2 factors.
 - B. Kaden is correct because 13 is not written as a fraction.
 - C. Kaden is incorrect because 13 only has 2 factors.
 - D. Kaden is incorrect because 13 can be written as a fraction.

Sample Item		Calculator Usage	Calculator
		Standard Alignment	8.NS.1.a
МАТН Samp	2	Standard Description	Explore the real number system and its appropriate usage in real-world situations. Recognize the differences between rational and irrational numbers.
READY M		Answer Key	D
SC RE		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

3. The number line shows four points.



Which point represents the approximate location of $\sqrt{4.8}$?


- A. point P
- B. point Q
- C. point R
- D. point S

TH Sample Item		Calculator Usage	No Calculator
	3	Standard Alignment	8.NS.2
		Standard Description	Estimate and compare the value of irrational numbers by plotting them on a number line.
DY МАТН		Answer Key	A
C READY		Depth of Knowledge	2
၁၄		Estimated Difficulty	High Difficulty

4. A list of 4 numbers is shown.

$$\sqrt{7}$$
, 2. $\overline{1}$, $\frac{\pi}{2}$, 2 $\sqrt{3}$

The numbers are plotted on a number line.




Which number is represented by point P?

- A. $\sqrt{7}$
- B. 2.1
- C. $\frac{\pi}{2}$
- D. $2\sqrt{3}$

Sample Item		Calculator Usage	No Calculator
	4	Standard Alignment	8.NS.2
МАТН Sam		Standard Description	Estimate and compare the value of irrational numbers by plotting them on a number line.
		Answer Key	D
C READY		Depth of Knowledge	2
Sc 		Estimated Difficulty	High Difficulty

5. Two linear functions are created. The first linear function is represented by the graph shown.



The second linear function has the equation y = 2x - 6. Which statement **best** describes the difference between the values of the two functions at x = 8?

- A. The value of the first linear function is 1 greater than the value of the second linear function.
- B. The value of the first linear function is 14 greater than the value of the second linear function.
- C. The value of the second linear function is 4 greater than the value of the first linear function.
- D. The value of the second linear function is 10 greater than the value of the first linear function.

Sample Item		Calculator Usage	Calculator
		Standard Alignment	8.F.2
МАТН Samp	5	Standard Description	Compare multiple representations of two functions, including mappings, tables, graphs, equations, and verbal descriptions, in order to draw conclusions.
		Answer Key	С
SC READY		Depth of Knowledge	3
		Estimated Difficulty	Medium Difficulty

6. The table shows some values for a linear function.

X	У
0	-2
3	1
6	4
9	7

A second linear function passes the *y*-axis at the point (0, 4) and has a slope of $\frac{1}{4}$. Where do the two functions intersect?

- A. (5, 3)
- B. (8, 6)
- C. (1, -1)
- D. The two functions do not intersect.

MATH Sample Item		Calculator Usage	Calculator
		Standard Alignment	8.F.2
	6	Standard Description	Compare multiple representations of two functions, including mappings, tables, graphs, equations, and verbal descriptions, in order to draw conclusions.
READY M		Answer Key	В
SC RE/		Depth of Knowledge	3
		Estimated Difficulty	High Difficulty

- 7. Mika talks with two different companies about having a banner printed.
 - The first company uses the equation c = 2.75f + 75 to determine the cost, c, in dollars, for a banner with an area of f square feet.
 - The second company charges an initial fee of \$80 and charges \$3.05 per square foot.

Which statement **best** compares the costs at the two different companies to print Mika's banner?

- A. The cost at the first company is always less than the cost at the second company for banners with equal area.
- B. The cost at the second company is always less than the cost at the first company for banners with equal area.
- C. The cost at the first company is less than the cost at the second company for banners with an area less than a particular value.
- D. The cost at the second company is less than the cost at the first company for banners with an area less than a particular value.

Sample Item		Calculator Usage	Calculator
		Standard Alignment	8.F.2
МАТН Samp	7	Standard Description	Compare multiple representations of two functions, including mappings, tables, graphs, equations, and verbal descriptions, in order to draw conclusions.
READY M		Answer Key	A
SC RE		Depth of Knowledge	3
		Estimated Difficulty	High Difficulty

- **8.** The cost for a pizza at Pizza Palace depends on the size of the pizza and the number of toppings. For a large pizza, the cost in dollars, c, with t number of toppings can be determined with the equation c = 2t + 18. What does 2 represent in the equation?
 - A. the radius of a large pizza in inches
 - B. the cost to add one topping to a large pizza
 - C. the cost of a large pizza without any toppings
 - D. the number of toppings on a large pizza with a cost of \$18

READY MATH Sample Item		Calculator Usage	No Calculator
	8	Standard Alignment	8.F.4.d
		Standard Description	Apply the concepts of linear functions to real-world and mathematical situations. Interpret the meaning of the slope and the y -intercept of a linear function in the context of the situation.
EADY		Answer Key	В
SC R		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

- **9.** The linear function y = 14x + 22 represents the cost in dollars, y, to camp at a park for x nights. What is **most likely** represented by the y-intercept of the function?
 - A. the number of nights spent camping
 - B. the cost per night to camp at the park
 - C. the number of people camping
 - D. the cost of a one-time fee for a camping permit

		Calculator Usage	Calculator
Item	9	Standard Alignment	8.F.4.d
READY MATH Sample Item		Standard Description	Apply the concepts of linear functions to real-world and mathematical situations. Interpret the meaning of the slope and the y -intercept of a linear function in the context of the situation.
EADY		Answer Key	D
SC R		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

- **10.** Which expression is equivalent to $5^4 \cdot 5^3$?
 - A. 5⁷
 - B. 5¹²
 - C. 25⁷
 - D. 25¹²

MATH Sample Item	10	Calculator Usage	No Calculator
		Standard Alignment	8.EEI.1
		Standard Description	Understand and apply the laws of exponents (i.e., product rule, quotient rule, power to a power, product to a power, quotient to a power, zero power property, negative exponents) to simplify numerical expressions that include integer exponents.
READY		Answer Key	A
SCF		Depth of Knowledge	1
		Estimated Difficulty	Medium Difficulty

- 11. Which expression has a value that can be expressed as a whole number?
 - A. -3^{-5}
 - B. $\left(\frac{1}{4}\right)^{-3}$
 - C. $\left(\frac{1}{2}\right)^4$
 - D. 2⁻³

Item	11	Calculator Usage	No Calculator
		Standard Alignment	8.EEI.1
MATH Sample		Standard Description	Understand and apply the laws of exponents (i.e., product rule, quotient rule, power to a power, product to a power, quotient to a power, zero power property, negative exponents) to simplify numerical expressions that include integer exponents.
READY		Answer Key	В
SC		Depth of Knowledge	1
		Estimated Difficulty	High Difficulty

12. A system of equations is shown.

$$3x + 4y = 30$$

 $3x + 5y = 33$

What is the value of *y* in the solution to the system of equations?

- A. y = 3
- B. y = 4
- C. y = 5
- D. y = 6

tem	12	Calculator Usage	Calculator
		Standard Alignment	8.EEI.8.c
/ MATH Sample Item		Standard Description	Investigate and solve real-world and mathematical problems involving systems of linear equations in two variables with integer coefficients and solutions. Solve systems of linear equations algebraically, including methods of substitution and elimination, or through inspection.
READY		Answer Key	A
SCI		Depth of Knowledge	1
		Estimated Difficulty	High Difficulty
		zotimatou zimounty	- Ingli Emiouity

13. A company takes care of cats and dogs overnight when their owners are out of town. The company charges \$18 per cat per night and \$30 per dog per night. On Saturday night, the company took care of a total of 16 cats and dogs. The system of equations shows the total amount the company charged on Saturday night for the number of cats, *x*, and the number of dogs, *y*, that were taken care of.

$$x + y = 16$$

 $18x + 30y = 432$

How many cats did the company take care of on Saturday night?

- A. 4
- B. 5
- C. 8
- D. 12

MATH Sample Item	13	Calculator Usage	Calculator
		Standard Alignment	8.EEI.8.c
		Standard Description	Investigate and solve real-world and mathematical problems involving systems of linear equations in two variables with integer coefficients and solutions. Solve systems of linear equations algebraically, including methods of substitution and elimination, or through inspection.
READY		Answer Key	A
SCF		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

14. A system of equations is shown.

$$x + 4y = 10$$


 $3x + 12y = 20$

What is the solution to the system of equations?

- A. (3, 12)
- B. $(5, 1\frac{1}{4})$
- C. all real numbers
- D. no solution

tem	14	Calculator Usage	Calculator
		Standard Alignment	8.EEI.8.d
/ MATH Sample Item		Standard Description	Investigate and solve real-world and mathematical problems involving systems of linear equations in two variables with integer coefficients and solutions. Understand that systems of linear equations can have one solution, no solution, or infinitely many solutions.
READY		Answer Key	D
SCF		Depth of Knowledge	2
		Estimated Difficulty	Medium Difficulty

15. The figure below shows two congruent triangles.




Which series of transformations can be used to map triangle *EFG* onto triangle *EFG*'?

- A. a translation 11 units to the left and a reflection across the *x*-axis
- B. a reflection across the *y*-axis and a translation 11 units to the left
- C. a rotation of 180° around the origin and a translation 1 unit to the right
- D. a translation 1 unit to the right and a rotation of 180° around the origin

MATH Sample Item		Calculator Usage	Calculator
	15	Standard Alignment	8.GM.2.e
		Standard Description	Apply the properties of rigid transformations (rotations, reflections, translations). Given two congruent figures, describe the series of rigid transformations that justifies this congruence.
READY I		Answer Key	С
SC RE		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

16. The graph shows two congruent figures.



Which two transformations map figure A onto figure B?


- A. a reflection across the *x*-axis and a translation 1 unit to the right
- B. a reflection across the *x*-axis and a translation 5 units to the right
- C. a reflection across the *y*-axis and a translation 1 unit to the right
- D. a reflection across the *y*-axis and a translation 5 units to the right

MATH Sample Item		Calculator Usage	No Calculator
	16	Standard Alignment	8.GM.2.e
		Standard Description	Apply the properties of rigid transformations (rotations, reflections, translations). Given two congruent figures, describe the series of rigid transformations that justifies this congruence.
READY		Answer Key	В
SC RE		Depth of Knowledge	2
		Estimated Difficulty	Medium Difficulty

- **17.** A construction worker has a wooden board with a length of 12 feet and a height of 4 feet. The construction worker makes one cut through the entire board to create two triangular pieces. What is the measurement, rounded to the nearest tenth of a foot, of the cut the construction worker makes?
 - A. 6.9
 - B. 12.6
 - C. 32.0
 - D. 80.0

MATH Sample Item	17	Calculator Usage	Calculator
		Standard Alignment	8.GM.7
		Standard Description	Apply the Pythagorean Theorem to model and solve real- world and mathematical problems in two and three dimensions involving right triangles
READY M		Answer Key	В
SC RE/		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

18. The figure shows a bridge support, a cable, and the roadway of a bridge.




The bridge support is 80 feet tall. The length of the cable is 170 feet. What is the distance, in feet, from the base of the bridge support to the point where the cable connects to the roadway?

- A. 90
- B. 150
- C. 190
- D. 250


MATH Sample Item	18	Calculator Usage	Calculator
		Standard Alignment	8.GM.7
		Standard Description	Apply the Pythagorean Theorem to model and solve real- world and mathematical problems in two and three dimensions involving right triangles
READY M		Answer Key	В
SC RE/		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty

19. A candy store records the number of candies a customer purchases and the amount, in dollars, the customer spends. The scatter plot shows the data for the last 10 customers.




Which scatter plot shows the line of best fit for the candy store's data?


A.




В.



C.



D.



Item information on following page



MATH Sample Item	19	Calculator Usage	No Calculator
		Standard Alignment	8.DSP.2
		Standard Description	Draw an approximate line of best fit on a scatter plot that appears to have a linear association and informally assess the fit of the line to the data points.
READY M		Answer Key	A
SC RE		Depth of Knowledge	2
		Estimated Difficulty	Low Difficulty

20. On Saturday, Ari surveys 200 people at a music festival. She asks the people if they are camping overnight and if they are attending the festival on Sunday. She makes the two-way table shown to display her results.

Results of Music Festival Survey

	Attending on Sunday	Not Attending on Sunday
Camping Overnight	83	3
Not Camping Overnight	57	57

A randomly selected person from Ari's survey is not camping overnight. What is the probability, rounded to the nearest whole percentage, the randomly selected person is attending the music festival on Sunday?

- A. 41%
- B. 50%
- C. 57%
- D. 69%

Sample Item	20	Calculator Usage	Calculator
		Standard Alignment	8.DSP.4.b
т		Standard Description	Investigate bivariate categorical data in two-way tables. Interpret data in two-way tables using relative frequencies.
SC READY MATE		Answer Key	В
		Depth of Knowledge	2
		Estimated Difficulty	High Difficulty