

GEOMETRY

Tuesday, June 21, 2022 — 9:15 a.m. to 12:15 p.m., only

Student Name: _____

School Name: _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 35 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except for graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice...

A graphing calculator, a straightedge (ruler), and a compass must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

High School Math Reference Sheet

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilogram	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

Triangle	$A = \frac{1}{2}bh$
Parallelogram	$A = bh$
Circle	$A = \pi r^2$
Circle	$C = \pi d$ or $C = 2\pi r$
General Prisms	$V = Bh$
Cylinder	$V = \pi r^2 h$
Sphere	$V = \frac{4}{3}\pi r^3$
Cone	$V = \frac{1}{3}\pi r^2 h$
Pyramid	$V = \frac{1}{3}Bh$


Pythagorean Theorem	$a^2 + b^2 = c^2$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Geometric Sequence	$a_n = a_1 r^{n-1}$
Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Radians	1 radian = $\frac{180}{\pi}$ degrees
Degrees	1 degree = $\frac{\pi}{180}$ radians
Exponential Growth/Decay	$A = A_0 e^{k(t - t_0)} + B_0$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for
computations.

- 1 Triangle $A'B'C'$ is the image of $\triangle ABC$ after a dilation centered at the origin. The coordinates of the vertices of $\triangle ABC$ are $A(-2,1)$, $B(2,4)$, and $C(2,-3)$.




If the coordinates of A' are $(-4,2)$, the coordinates of B' are

- | | |
|-------------|--------------|
| (1) $(8,4)$ | (3) $(4,-6)$ |
| (2) $(4,8)$ | (4) $(1,2)$ |

**Use this space for
computations.**


- 2 In the diagram below, a plane intersects a square pyramid parallel to its base.



Which two-dimensional shape describes this cross section?

- (1) circle (3) triangle
(2) square (4) pentagon

- 3 In the diagram below, $\triangle CDE$ is the image of $\triangle CAB$ after a dilation of $\frac{DE}{AB}$ centered at C .



Which statement is always true?


- (1) $\sin A = \frac{CE}{CD}$ (3) $\sin A = \frac{DE}{CD}$
(2) $\cos A = \frac{CD}{CE}$ (4) $\cos A = \frac{DE}{CE}$

**Use this space for
computations.**

4 A regular pentagon is rotated about its center. What is the minimum number of degrees needed to carry the pentagon onto itself?

- (1) 72° (3) 144°
(2) 108° (4) 360°

5 On the set of axes below, $\triangle ABC \cong \triangle A'B'C'$.



Triangle ABC maps onto $\triangle A'B'C'$ after a


- (1) reflection over the line $y = -x$
(2) reflection over the line $y = -x + 2$
(3) rotation of 180° centered at $(1,1)$
(4) rotation of 180° centered at the origin

6 Right triangle TMR is a scalene triangle with the right angle at M . Which equation is true?

- (1) $\sin M = \cos T$ (3) $\sin T = \cos R$
(2) $\sin R = \cos R$ (4) $\sin T = \cos M$

Use this space for
computations.


7 In the diagram below of $\triangle AED$ and $\overline{ABCD}$, $\overline{AE} \cong \overline{DE}$.



Which statement is always true?

- | | |
|---|-----------------------------------|
| (1) $\overline{EB} \cong \overline{EC}$ | (3) $\angle EBA \cong \angle ECD$ |
| (2) $\overline{AC} \cong \overline{DB}$ | (4) $\angle EAC \cong \angle EDB$ |

8 As shown in the diagram below, right triangle ABC has side lengths of 8 and 15.




If the triangle is continuously rotated about $\overline{AC}$, the resulting figure will be

- (1) a right cone with a radius of 15 and a height of 8
- (2) a right cone with a radius of 8 and a height of 15
- (3) a right cylinder with a radius of 15 and a height of 8
- (4) a right cylinder with a radius of 8 and a height of 15

- 9 In the diagram below, lines k and ℓ intersect lines m and n at points A , B , C , and D .

Use this space for computations.




Which statement is sufficient to prove $ABCD$ is a parallelogram?

- | | |
|-------------------------------|---|
| (1) $\angle 1 \cong \angle 3$ | (3) $\angle 2 \cong \angle 5$ and $\angle 5 \cong \angle 7$ |
| (2) $\angle 4 \cong \angle 7$ | (4) $\angle 1 \cong \angle 3$ and $\angle 3 \cong \angle 4$ |

- 10 Which transformation does *not* always preserve distance?

- | | |
|------------------------------------|--|
| (1) $(x,y) \rightarrow (x + 2, y)$ | (3) $(x,y) \rightarrow (2x, y - 1)$ |
| (2) $(x,y) \rightarrow (-y, -x)$ | (4) $(x,y) \rightarrow (3 - x, 2 - y)$ |


- 11 In the diagram below, $\overline{EF} \parallel \overline{HG}$, $EF = 5$, $HG = 12$, $FI = 1.4x + 3$, and $HI = 6.1x - 6.5$.



Use this space for
computations.

What is the length of $\overline{HI}$?

- (1) 1 (3) 10
(2) 5 (4) 24
- 12 The square pyramid below models a toy block made of maple wood.




Each side of the base measures 4.5 cm and the height of the pyramid is 10 cm. If the density of maple is 0.676 g/cm^3 , what is the mass of the block, to the *nearest tenth of a gram*?

- (1) 45.6 (3) 136.9
(2) 67.5 (4) 202.5

Use this space for
computations.


- 13 In the diagram below of right triangle EFG , altitude $\overline{FH}$ intersects hypotenuse $\overline{EG}$ at H .



If $FH = 9$ and $EF = 15$, what is EG ?

- (1) 6.75 (3) 18.75
(2) 12 (4) 25

- 14 In triangle ABC below, D is a point on $\overline{AB}$ and E is a point on $\overline{AC}$, such that $\overline{DE} \parallel \overline{BC}$.



Which statement is always true?


- (1) $\angle ADE$ and $\angle ABC$ are right angles.
(2) $\triangle ADE \sim \triangle ABC$
(3) $DE = \frac{1}{2}BC$
(4) $\overline{AD} \cong \overline{DB}$

Use this space for
computations.

15 If one exterior angle of a triangle is acute, then the triangle must be


- (1) right (3) obtuse
(2) acute (4) equiangular

16 Given the information marked on the diagrams below, which pair of triangles can *not* always be proven congruent?




$\triangle ABC$ and $\triangle DBC$

(1)




$\triangle KLJ$ and $\triangle MJL$

(3)



$\triangle EFG$ and $\triangle HIG$


(2)



$\triangle NOP$ and $\triangle RSP$

(4)

17 The diagram below shows a tree growing vertically on a hillside. The angle formed by the tree trunk and the hillside is 100° . The distance from the base of the tree to the bottom of the hill is 140 feet.




What is the vertical drop, x , to the base of the hill, to the *nearest foot*?

- (1) 24 (3) 70
(2) 25 (4) 138

- 18 On the set of axes below, $\triangle LET$ and $\triangle L''E''T''$ are graphed in the coordinate plane where $\triangle LET \cong \triangle L''E''T''$.

Use this space for
computations.



Which sequence of rigid motions maps $\triangle LET$ onto $\triangle L''E''T''$?

- (1) a reflection over the y -axis followed by a reflection over the x -axis
- (2) a rotation of 180° about the origin
- (3) a rotation of 90° counterclockwise about the origin followed by a reflection over the y -axis
- (4) a reflection over the x -axis followed by a rotation of 90° clockwise about the origin

Use this space for
computations.


19 Diameter $\overline{ROQ}$ of circle O is extended through Q to point P , and tangent $\overline{PA}$ is drawn. If $m\widehat{RA} = 100^\circ$, what is $m\angle P$?

- (1) 10° (3) 40°
(2) 20° (4) 50°

20 Segment JM has endpoints $J(-5,1)$ and $M(7,-9)$. An equation of the perpendicular bisector of $\overline{JM}$ is

- (1) $y - 4 = \frac{5}{6}(x + 1)$ (3) $y - 4 = \frac{6}{5}(x + 1)$
(2) $y + 4 = \frac{5}{6}(x - 1)$ (4) $y + 4 = \frac{6}{5}(x - 1)$

21 Quadrilateral $EBCF$ and $\overline{AD}$ are drawn below, such that $ABCD$ is a parallelogram, $\overline{EB} \cong \overline{FB}$, and $\overline{EF} \perp \overline{FH}$.



If $m\angle E = 62^\circ$ and $m\angle C = 51^\circ$, what is $m\angle FHB$?

- (1) 79° (3) 73°
(2) 76° (4) 62°

**Use this space for
computations.**

22 Point P divides the directed line segment from point $A(-4, -1)$ to point $B(6, 4)$ in the ratio 2:3. The coordinates of point P are


- (1) $(-1, 1)$
- (2) $(0, 1)$
- (3) $(1, 0)$
- (4) $(2, 2)$

23 A line is dilated by a scale factor of $\frac{1}{3}$ centered at a point on the line. Which statement is correct about the image of the line?

- (1) Its slope is changed by a scale factor of $\frac{1}{3}$.
- (2) Its y -intercept is changed by a scale factor of $\frac{1}{3}$.
- (3) Its slope and y -intercept are changed by a scale factor of $\frac{1}{3}$.
- (4) The image of the line and the pre-image are the same line.

- 24 In the diagram below of circle O , tangent $\overline{AB}$ is drawn from external point B , and secant $\overline{BCOE}$ and diameter $\overline{AOD}$ are drawn.

Use this space for
computations.




If $m\angle OBA = 36^\circ$ and $OC = 10$, what is the area of shaded sector DOE ?

- (1) $\frac{3\pi}{10}$ (3) 10π
(2) 3π (4) 15π
-

Part II


Answer all 7 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [14]

- 25 The Leaning Tower of Pisa in Italy is known for its slant, which occurred after its construction began. The angle of the slant is 86.03° from the ground. The low side of the tower reaches a height of 183.27 feet from the ground.




Determine and state the slant height, x , of the low side of the tower, to the *nearest hundredth of a foot*.

- 26** In the diagram below, quadrilateral $ABCD$ is inscribed in circle O , and $m\widehat{CD} : m\widehat{DA} : m\widehat{AB} : m\widehat{BC} = 2:3:5:5$.




Determine and state $m\angle B$.

27 In the diagram below, a right circular cone has a diameter of 10 and a slant height of 13.




Determine and state the volume of the cone, in terms of π .

- 28** In the diagram below, parallelogram $EFGH$ is mapped onto parallelogram $IJKH$ after a reflection over line ℓ .



Use the properties of rigid motions to explain why parallelogram $EFGH$ is congruent to parallelogram $IJKH$.


- 29** Izzy is making homemade clay pendants in the shape of a solid hemisphere, as modeled below. Each pendant has a radius of 2.8 cm.



How much clay, to the *nearest cubic centimeter*, does Izzy need to make 100 pendants?

30 Determine and state the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 + 6x = 6y + 63$.


- 31** Use a compass and straightedge to construct a line parallel to $\overleftrightarrow{AB}$ through point C , shown below.
[Leave all construction marks.]



Part III


Answer all 3 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [12]

- 32 As modeled below, a projector mounted on a ceiling is 3.74 m from a wall, where a whiteboard is displayed. The vertical distance from the ceiling to the top of the whiteboard is 0.41 m, and the height of the whiteboard is 1.17 m.



Determine and state the projection angle, θ , to the *nearest tenth of a degree*.

33 Given: Parallelogram $PQRS$, $\overline{QT} \perp \overline{PS}$, $\overline{SU} \perp \overline{QR}$



Prove: $\overline{PT} \cong \overline{RU}$

- 34** A concrete footing is a cylinder that is placed in the ground to support a building structure. The cylinder is 4 feet tall and 12 inches in diameter. A contractor is installing 10 footings.



If a bag of concrete mix makes $\frac{2}{3}$ of a cubic foot of concrete, determine and state the minimum number of bags of concrete mix needed to make all 10 footings.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

35 The coordinates of the vertices of $\triangle ABC$ are $A(-2,4)$, $B(-7,-1)$, and $C(-3,-3)$.

Prove that $\triangle ABC$ is isosceles.


[The use of the set of axes on the next page is optional.]

State the coordinates of $\triangle A'B'C'$, the image of $\triangle ABC$, after a translation 5 units to the right and 5 units down.

Question 35 is continued on the next page.

Question 35 continued

Prove that quadrilateral $AA'C'C$ is a rhombus.
[The use of the set of axes below is optional.]



Regents Examination in Geometry – June 2022**Scoring Key: Part I (Multiple-Choice Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Geometry	June '22	1	2	MC	2	1
Geometry	June '22	2	2	MC	2	1
Geometry	June '22	3	1	MC	2	1
Geometry	June '22	4	1	MC	2	1
Geometry	June '22	5	3	MC	2	1
Geometry	June '22	6	3	MC	2	1
Geometry	June '22	7	4	MC	2	1
Geometry	June '22	8	1	MC	2	1
Geometry	June '22	9	3	MC	2	1
Geometry	June '22	10	3	MC	2	1
Geometry	June '22	11	4	MC	2	1
Geometry	June '22	12	1	MC	2	1
Geometry	June '22	13	3	MC	2	1
Geometry	June '22	14	2	MC	2	1
Geometry	June '22	15	3	MC	2	1
Geometry	June '22	16	4	MC	2	1
Geometry	June '22	17	1	MC	2	1
Geometry	June '22	18	3	MC	2	1
Geometry	June '22	19	1	MC	2	1
Geometry	June '22	20	4	MC	2	1
Geometry	June '22	21	1	MC	2	1
Geometry	June '22	22	2	MC	2	1
Geometry	June '22	23	4	MC	2	1
Geometry	June '22	24	4	MC	2	1

Regents Examination in Geometry – June 2022**Scoring Key: Parts II, III, and IV (Constructed-Response Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Geometry	June '22	25	-	CR	2	1
Geometry	June '22	26	-	CR	2	1
Geometry	June '22	27	-	CR	2	1
Geometry	June '22	28	-	CR	2	1
Geometry	June '22	29	-	CR	2	1
Geometry	June '22	30	-	CR	2	1
Geometry	June '22	31	-	CR	2	1
Geometry	June '22	32	-	CR	4	1
Geometry	June '22	33	-	CR	4	1
Geometry	June '22	34	-	CR	4	1
Geometry	June '22	35	-	CR	6	1

Key

MC = Multiple-choice question

CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2022 Regents Examination in Geometry** will be posted on the Department's web site at: <https://www.nysedregents.org/geometryre/> on the day of the examination. Conversion charts provided for the previous administrations of the Regents Examination in Geometry must NOT be used to determine students' final scores for this administration.

**Map to the Learning Standards
Geometry
June 2022**

Question	Type	Credits	Cluster
1	Multiple Choice	2	G-SRT.A
2	Multiple Choice	2	G-GMD.B
3	Multiple Choice	2	G-SRT.C
4	Multiple Choice	2	G-CO.A
5	Multiple Choice	2	G-CO.B
6	Multiple Choice	2	G-SRT.C
7	Multiple Choice	2	G-CO.C
8	Multiple Choice	2	G-GMD.B
9	Multiple Choice	2	G-CO.C
10	Multiple Choice	2	G-CO.A
11	Multiple Choice	2	G-SRT.B
12	Multiple Choice	2	G-MG.A
13	Multiple Choice	2	G-SRT.B
14	Multiple Choice	2	G-SRT.B
15	Multiple Choice	2	G-CO.C
16	Multiple Choice	2	G-SRT.B
17	Multiple Choice	2	G-SRT.C
18	Multiple Choice	2	G-CO.B
19	Multiple Choice	2	G-C.A
20	Multiple Choice	2	G-GPE.B
21	Multiple Choice	2	G-CO.C
22	Multiple Choice	2	G-GPE.B
23	Multiple Choice	2	G-SRT.A
24	Multiple Choice	2	G-C.B
25	Constructed Response	2	G-SRT.C
26	Constructed Response	2	G-C.A
27	Constructed Response	2	G-GMD.A
28	Constructed Response	2	G-CO.B
29	Constructed Response	2	G-MG.A
30	Constructed Response	2	G-GPE.A
31	Constructed Response	2	G-CO.D
32	Constructed Response	4	G-SRT.C
33	Constructed Response	4	G-CO.C
34	Constructed Response	4	G-MG.A
35	Constructed Response	6	G-GPE.B

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) [2] 183.71, and correct work is shown.

[1] Appropriate work is shown, but one computational or rounding error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] A correct relevant trigonometric equation is written, but no further correct work is shown.

or

[1] 183.71, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(26) [2] 60, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Appropriate work is shown to find the measures of $\widehat{AD}$ and $\widehat{CD}$ or $\widehat{ADC}$, but no further correct work is shown.

or

[1] 60, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (27) [2] 100π , and correct work is shown.
- [1] Appropriate work is shown, but one computational error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] Correct work is shown to find the height of the cone, but no further correct work is shown.
- or**
- [1] 100π , but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (28) [2] A complete and correct explanation is written.
- [1] An appropriate explanation is written, but one conceptual error is made.
- or**
- [1] An incomplete or partially correct explanation is written.
- or**
- [1] An appropriate explanation is written, but it does not use the properties of rigid motions.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (29) [2] 4598, and correct work is shown.
- [1] Appropriate work is shown, but one computational or rounding error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] Appropriate work is shown to find the volume of one bead.
- or**
- [1] 4598, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(30) [2] $(-3,3)$ and 9, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Correct work is shown to find $(x + 3)^2 + (y - 3)^2 = 81$, but no further correct work is shown.

or

[1] Correct work is shown to find $(-3,3)$ or 9.

or

[1] $(-3,3)$ and 9, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(31) [2] A correct construction is drawn showing all appropriate arcs.

[1] Appropriate work is shown, but one construction error is made.

[0] A drawing that is not an appropriate construction is shown.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(32) [4] 16.6, and correct work is shown.

[3] Appropriate work is shown, but one computational or rounding error is made.

or

[3] The measure of both angles of depression are found correctly, but no further correct work is shown.

[2] Appropriate work is shown, but two or more computational or rounding errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made.

or

[2] The measure of one angle of depression is found correctly, but no further correct work is shown.

[1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.

or

[1] At least one correct relevant trigonometric equation is written, but no further correct work is shown.

or

[1] 16.6, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (33) [4] A complete and correct proof that includes a conclusion is written.
- [3] A proof is written that demonstrates a thorough understanding of the method of proof and contains no conceptual errors, but one statement and/or reason is missing or incorrect, or the concluding statement is missing.
- or***
- [3] A proof is written that shows $\triangle QPT \cong \triangle SRU$, but no further correct work is shown.
- [2] A proof is written that demonstrates a good understanding of the method of proof and contains no conceptual errors, but two statements and/or reasons are missing or incorrect.
- or***
- [2] A proof is written that demonstrates a good understanding of the method of proof, but one conceptual error is made.
- [1] Only one correct relevant statement and reason are written.
- [0] The “given” and/or the “prove” statements are written, but no further correct relevant statements are written.
- or***
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (34) [4] 48, and correct work is shown.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] Correct work is shown to determine the volume of 10 footings, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or***
- [1] Correct work is shown to determine the volume of one footing, but no further correct work is shown.
- or***
- [1] 48, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (35) [6] Correct work is shown to prove $\triangle ABC$ is isosceles, $A'(3, -1)$, $B'(-2, -6)$, and $C'(2, -8)$ are stated, correct work is shown to prove $AA'C'C$ is a rhombus, and correct concluding statements are made.

- [5] Appropriate work is shown, but one computational or graphing error is made. Appropriate concluding statements are made.

or

- [5] Appropriate work is shown, but one concluding statement is missing or incorrect.

or

- [5] Correct work is shown to prove $\triangle ABC$ is isosceles, $AA'C'C$ is a rhombus, and correct concluding statements are made. The coordinates of $\triangle A'B'C'$ are not stated or are stated incorrectly.

- [4] Appropriate work is shown, but two computational or graphing errors are made. Appropriate concluding statements are made.

or

- [4] Appropriate work is shown, but one conceptual error is made when proving $AA'C'C$ is a rhombus. Appropriate concluding statements are made.

or

- [4] Appropriate work is shown, but both concluding statements are missing or incorrect.

- [3] Appropriate work is shown, but three or more computational or graphing errors are made.

or

- [3] Appropriate work is shown, but one conceptual error is made when proving $AA'C'C$ is a rhombus, and one computational or graphing error is made. Appropriate concluding statements are made.

or

- [3] Appropriate work is shown, but two computational or graphing errors are made, and one concluding statement is missing or incorrect.

or

- [3] Correct work is shown to prove $\triangle ABC$ is isosceles, and $A'(3, -1)$, $B'(-2, -6)$, and $C'(2, -8)$ are stated. No further correct work is shown.

or

- [3] Correct work is shown to prove $AA'C'C$ is a rhombus, and a correct concluding statement is made. No further correct work is shown.
- [2] Correct work is shown to prove $\triangle ABC$ is isosceles, and a correct concluding statement is made. No further correct work is shown.
- [1] Correct work is shown to find the lengths of $\overline{AB}$ and $\overline{AC}$, but no further correct work is shown.

or

- [1] $A'(3, -1)$, $B'(-2, -6)$, and $C'(2, -8)$ are stated. No further correct work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-