

GEOMETRY

Tuesday, June 20, 2023 — 9:15 a.m. to 12:15 p.m., only

Student Name: _____

School Name: _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 35 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator, a straightedge (ruler), and a compass must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

High School Math Reference Sheet

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilogram	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

Triangle	$A = \frac{1}{2}bh$
Parallelogram	$A = bh$
Circle	$A = \pi r^2$
Circle	$C = \pi d$ or $C = 2\pi r$
General Prisms	$V = Bh$
Cylinder	$V = \pi r^2 h$
Sphere	$V = \frac{4}{3}\pi r^3$
Cone	$V = \frac{1}{3}\pi r^2 h$
Pyramid	$V = \frac{1}{3}Bh$


Pythagorean Theorem	$a^2 + b^2 = c^2$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Geometric Sequence	$a_n = a_1 r^{n-1}$
Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Radians	1 radian = $\frac{180}{\pi}$ degrees
Degrees	1 degree = $\frac{\pi}{180}$ radians
Exponential Growth/Decay	$A = A_0 e^{k(t-t_0)} + B_0$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]


**Use this space for
computations.**

- 1 A square pyramid is intersected by a plane passing through the vertex and perpendicular to the base.



Which two-dimensional shape describes this cross section?

- (1) square (3) pentagon
(2) triangle (4) rectangle
- 2 Trapezoid $ABCD$ is drawn such that $\overline{AB} \parallel \overline{DC}$. Trapezoid $A'B'C'D'$ is the image of trapezoid $ABCD$ after a rotation of 110° counterclockwise about point P .



Which statement is always true?


- (1) $\angle A \cong \angle D'$ (3) $\overline{A'B'} \parallel \overline{D'C'}$
(2) $\overline{AC} \cong \overline{B'D'}$ (4) $\overline{B'A'} \cong \overline{C'D'}$

Use this space for
computations.

- 3 What is the volume of a right circular cone that has a height of 7.2 centimeters and a radius of 2.5 centimeters, to the *nearest tenth of a cubic centimeter*?

(1) 37.7 (3) 113.1
(2) 47.1 (4) 141.4


- 4 In the diagram below of right triangle SUN , where $\angle N$ is a right angle, $SU = 13.6$ and $SN = 12.3$.



What is $m\angle S$, to the *nearest degree*?

(1) 25° (3) 48°
(2) 42° (4) 65°

- 5 In the diagram below of circle O , diameter $\overline{AOB}$ and chord $\overline{CB}$ are drawn, and $m\angle B = 28^\circ$.




What is $m\widehat{BC}$?

(1) 56° (3) 152°
(2) 124° (4) 166°


Use this space for
computations.

- 6 In the diagram below of parallelogram $ABCD$, diagonal $\overline{BED}$ and $\overline{EF}$ are drawn, $\overline{EF} \perp \overline{DFC}$, $m\angle DAB = 111^\circ$, and $m\angle DBC = 39^\circ$.



What is $m\angle DEF$?

- (1) 30° (3) 60°
(2) 51° (4) 120°
- 7 In the diagram below of $\triangle ACT$, $\overline{ES}$ is drawn parallel to $\overline{AT}$ such that E is on $\overline{CA}$ and S is on $\overline{CT}$.




Which statement is always true?

- (1) $\frac{CE}{CA} = \frac{CS}{ST}$ (3) $\frac{CE}{EA} = \frac{CS}{ST}$
(2) $\frac{CE}{ES} = \frac{EA}{AT}$ (4) $\frac{CE}{ST} = \frac{EA}{CS}$

Use this space for
computations.

- 8 On the set of axes below, congruent triangles ABC and DEF are drawn.




Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- (1) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 8 units to the right.
 - (2) A counterclockwise rotation of 90 degrees about the origin, followed by a reflection over the y -axis.
 - (3) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 4 units down.
 - (4) A clockwise rotation of 90 degrees about the origin, followed by a reflection over the x -axis.
- 9 An equation of circle M is $x^2 + y^2 + 6x - 2y + 1 = 0$. What are the coordinates of the center and the length of the radius of circle M ?
- (1) center $(3, -1)$ and radius 9
 - (2) center $(3, -1)$ and radius 3
 - (3) center $(-3, 1)$ and radius 9
 - (4) center $(-3, 1)$ and radius 3

Use this space for
computations.


- 10 Parallelogram $BETH$, with diagonals $\overline{BT}$ and $\overline{HE}$, is drawn below.



Which additional statement is sufficient to prove that $BETH$ is a rectangle?

- (1) $\overline{BT} \perp \overline{HE}$ (3) $\overline{BT} \cong \overline{HE}$
(2) $\overline{BE} \parallel \overline{HT}$ (4) $\overline{BE} \cong \overline{ET}$
- 11 A gardener wants to buy enough mulch to cover a rectangular garden that is 3 feet by 10 feet. One bag contains 2 cubic feet of mulch and costs \$3.66. How much will the minimum number of bags cost to cover the garden with mulch 3 inches deep?
- (1) \$3.66 (3) \$14.64
(2) \$10.98 (4) \$29.28

- 12 In the diagram below, $\triangle DOG \sim \triangle CAT$, where $\angle G$ and $\angle T$ are right angles.




Which expression is always equivalent to $\sin D$?

- (1) $\cos A$ (3) $\tan A$
(2) $\sin A$ (4) $\cos C$

Use this space for
computations.

- 13 On the set of axes below, $\triangle DEF$ is the image of $\triangle ABC$ after a dilation of scale factor $\frac{1}{3}$.




The center of dilation is at

- | | |
|--------------|--------------|
| (1) $(0,0)$ | (3) $(0,-2)$ |
| (2) $(2,-3)$ | (4) $(-4,0)$ |

Use this space for
computations.

- 14 In the diagram below of isosceles triangle AHE with the vertex angle at H , $\overline{CB} \perp \overline{AE}$ and $\overline{FD} \perp \overline{AE}$.



Which statement is always true?

- (1) $\frac{AH}{AC} = \frac{EH}{EF}$ (3) $\frac{AB}{ED} = \frac{CB}{FE}$
(2) $\frac{AC}{EF} = \frac{AB}{ED}$ (4) $\frac{AD}{AB} = \frac{BE}{DE}$

- 15 Rectangle $ABCD$ has two vertices at coordinates $A(-1, -3)$ and $B(6, 5)$. The slope of $\overline{BC}$ is

- (1) $-\frac{7}{8}$ (3) $-\frac{8}{7}$
(2) $\frac{7}{8}$ (4) $\frac{8}{7}$

- 16 In right triangle ABC , $m\angle A = 90^\circ$, $m\angle B = 18^\circ$, and $AC = 8$.

To the *nearest tenth*, the length of $\overline{BC}$ is


- (1) 2.5 (3) 24.6
(2) 8.4 (4) 25.9

Use this space for
computations.

- 17 The measure of one of the base angles of an isosceles triangle is 42° .
The measure of an exterior angle at the vertex of the triangle is

- (1) 42° (3) 96°
(2) 84° (4) 138°

- 18 In the diagram below, $\overline{AFKB} \parallel \overline{CHLM}$, $\overline{FH} \cong \overline{LH}$, $\overline{FL} \cong \overline{KL}$, and $\overline{LF}$ bisects $\angle HFK$.



Which statement is always true?

- (1) $2(m\angle HLF) = m\angle CHE$ (3) $m\angle AFD = m\angle BKL$
(2) $2(m\angle FLK) = m\angle LKB$ (4) $m\angle DFK = m\angle KLF$

- 19 The line whose equation is $6x + 3y = 3$ is dilated by a scale factor of 2 centered at the point $(0,0)$. An equation of its image is


- (1) $y = -2x + 1$ (3) $y = -4x + 1$
(2) $y = -2x + 2$ (4) $y = -4x + 2$

Use this space for
computations.

20 Which figure will *not* carry onto itself after a 120-degree rotation about its center?

- (1) equilateral triangle
- (2) regular hexagon
- (3) regular octagon
- (4) regular nonagon

21 Triangle ADF is drawn and $\overline{BC} \parallel \overline{DF}$.



Which statement must be true?


- (1) $\frac{AB}{BC} = \frac{BD}{DF}$
- (2) $BC = \frac{1}{2}DF$
- (3) $AB:AD = AC:CF$
- (4) $\angle ACB \cong \angle AFD$

22 In $\triangle ABC$, M is the midpoint of $\overline{AB}$ and N is the midpoint of $\overline{AC}$. If $MN = x + 13$ and $BC = 5x - 1$, what is the length of $\overline{MN}$?

- (1) 3.5
- (2) 9
- (3) 16.5
- (4) 22

Use this space for
computations.

- 23 In the diagram below of isosceles trapezoid $STAR$, diagonals $\overline{AS}$ and $\overline{RT}$ intersect at O and $\overline{ST} \parallel \overline{RA}$, with nonparallel sides $\overline{SR}$ and $\overline{TA}$.



Which pair of triangles are *not* always similar?


- (1) $\triangle STO$ and $\triangle ARO$ (3) $\triangle SRA$ and $\triangle ATS$
(2) $\triangle SOR$ and $\triangle TOA$ (4) $\triangle SRT$ and $\triangle TAS$
- 24 The endpoints of $\overline{AB}$ are $A(0,4)$ and $B(-4,6)$. Which equation of a line represents the perpendicular bisector of $\overline{AB}$?

- (1) $y = -\frac{1}{2}x + 4$ (3) $y = 2x + 8$
(2) $y = -2x + 1$ (4) $y = 2x + 9$
-


Part II

Answer all 7 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [14]

- 25** In $\triangle ABC$ below, use a compass and straightedge to construct the altitude from C to $\overline{AB}$.
[Leave all construction marks.]




26 Triangles ABC and DEF are graphed on the set of axes below.



Describe a sequence of transformations that maps $\triangle ABC$ onto $\triangle DEF$.

- 27** Line segment PQ has endpoints $P(-5,1)$ and $Q(5,6)$, and point R is on $\overline{PQ}$. Determine and state the coordinates of R , such that $PR:RQ = 2:3$.

[The use of the set of axes below is optional.]




28 A circle has a radius of 6.4 inches. Determine and state, to the *nearest square inch*, the area of a sector whose arc measures 80° .

29 A large snowman is made of three spherical snowballs with radii of 1 foot, 2 feet, and 3 feet, respectively. Determine and state the amount of snow, in cubic feet, that is used to make the snowman.

[Leave your answer in terms of π .]


- 30** In the diagram below of right triangle ACB , altitude $\overline{CD}$ is drawn to hypotenuse $\overline{AB}$, $AD = 2$ and $AC = 6$.



Determine and state the length of $\overline{AB}$.

31 Triangle RST has vertices with coordinates $R(-3, -2)$, $S(3, 2)$ and $T(4, -4)$. Determine and state an equation of the line parallel to $\overline{RT}$ that passes through point S .


[The use of the set of axes below is optional.]



Part III

Answer all 3 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [12]

- 32** Cape Canaveral, Florida is where NASA launches rockets into space. As modeled in the diagram below, a person views the launch of a rocket from observation area A , 3280 feet away from launch pad B . After launch, the rocket was sighted at C with an angle of elevation of 15° . The rocket was later sighted at D with an angle of elevation of 31° .



Determine and state, to the *nearest foot*, the distance the rocket traveled between the two sightings, C and D .

33 A small can of soup is a right circular cylinder with a base diameter of 7 cm and a height of 9 cm. A large container is also a right circular cylinder with a base diameter of 9 cm and a height of 13 cm.

Determine and state the volume of the small can and the volume of the large container to the *nearest cubic centimeter*.


What is the minimum number of small cans that must be opened to fill the large container? Justify your answer.

34 Parallelogram $MATH$ has vertices $M(-7, -2)$, $A(0, 4)$, $T(9, 2)$, and $H(2, -4)$.

Prove that parallelogram $MATH$ is a rhombus.

[The use of the set of axes below is optional.]


Determine and state the area of $MATH$.



Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

35 Given: Quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal $\overline{AC}$ intersects $\overline{EF}$ at G , and $\overline{DE} \cong \overline{BF}$



Prove: G is the midpoint of $\overline{EF}$

Work space for question 35 is continued on the next page.

Regents Examination in Geometry – June 2023**Scoring Key: Part I (Multiple-Choice Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Geometry	June '23	1	2	MC	2	1
Geometry	June '23	2	3	MC	2	1
Geometry	June '23	3	2	MC	2	1
Geometry	June '23	4	1	MC	2	1
Geometry	June '23	5	2	MC	2	1
Geometry	June '23	6	3	MC	2	1
Geometry	June '23	7	3	MC	2	1
Geometry	June '23	8	1	MC	2	1
Geometry	June '23	9	4	MC	2	1
Geometry	June '23	10	3	MC	2	1
Geometry	June '23	11	3	MC	2	1
Geometry	June '23	12	1	MC	2	1
Geometry	June '23	13	2	MC	2	1
Geometry	June '23	14	2	MC	2	1
Geometry	June '23	15	1	MC	2	1
Geometry	June '23	16	4	MC	2	1
Geometry	June '23	17	2	MC	2	1
Geometry	June '23	18	4	MC	2	1
Geometry	June '23	19	2	MC	2	1
Geometry	June '23	20	3	MC	2	1
Geometry	June '23	21	4	MC	2	1
Geometry	June '23	22	4	MC	2	1
Geometry	June '23	23	3	MC	2	1
Geometry	June '23	24	4	MC	2	1

Regents Examination in Geometry – June 2023**Scoring Key: Parts II, III, and IV (Constructed-Response Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Geometry	June '23	25	-	CR	2	1
Geometry	June '23	26	-	CR	2	1
Geometry	June '23	27	-	CR	2	1
Geometry	June '23	28	-	CR	2	1
Geometry	June '23	29	-	CR	2	1
Geometry	June '23	30	-	CR	2	1
Geometry	June '23	31	-	CR	2	1
Geometry	June '23	32	-	CR	4	1
Geometry	June '23	33	-	CR	4	1
Geometry	June '23	34	-	CR	4	1
Geometry	June '23	35	-	CR	6	1

Key

MC = Multiple-choice question

CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2023 Regents Examination in Geometry** will be posted on the Department's web site at: <https://www.nysedregents.org/geometryre/> on the day of the examination. Conversion charts provided for the previous administrations of the Regents Examination in Geometry must NOT be used to determine students' final scores for this administration.

**Map to the Learning Standards
Geometry
June 2023**

Question	Type	Credits	Cluster
1	Multiple Choice	2	G-GMD.B
2	Multiple Choice	2	G-CO.A
3	Multiple Choice	2	G-GMD.A
4	Multiple Choice	2	G-SRT.C
5	Multiple Choice	2	G-C.A
6	Multiple Choice	2	G-CO.C
7	Multiple Choice	2	G-SRT.B
8	Multiple Choice	2	G-CO.B
9	Multiple Choice	2	G-GPE.A
10	Multiple Choice	2	G-CO.C
11	Multiple Choice	2	G-MG.A
12	Multiple Choice	2	G-SRT.C
13	Multiple Choice	2	G-SRT.A
14	Multiple Choice	2	G-SRT.B
15	Multiple Choice	2	G-GPE.B
16	Multiple Choice	2	G-SRT.C
17	Multiple Choice	2	G-CO.C
18	Multiple Choice	2	G-CO.C
19	Multiple Choice	2	G-SRT.A
20	Multiple Choice	2	G-CO.A
21	Multiple Choice	2	G-SRT.B
22	Multiple Choice	2	G-CO.C
23	Multiple Choice	2	G-SRT.B
24	Multiple Choice	2	G-GPE.B
25	Constructed Response	2	G-CO.D
26	Constructed Response	2	G-CO.A
27	Constructed Response	2	G-GPE.B
28	Constructed Response	2	G-C.B
29	Constructed Response	2	G-MG.A
30	Constructed Response	2	G-SRT.B
31	Constructed Response	2	G-GPE.B
32	Constructed Response	4	G-SRT.C
33	Constructed Response	4	G-MG.A
34	Constructed Response	4	G-GPE.B
35	Constructed Response	6	G-CO.C

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (25) [2] A correct construction of the altitude is drawn showing all appropriate arcs.
- [1] A correct construction is drawn showing all appropriate arcs, but the altitude is not drawn.
- or**
- [1] A correct construction is drawn showing all appropriate arcs, but an altitude other than one from C to $\overline{AB}$ is drawn.
- [0] A drawing that is not an appropriate construction is shown.
- or**
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (26) [2] A correct sequence of transformations is described.
- [1] Appropriate work is shown, but one computational or graphing error is made.
- or**
- [1] An appropriate sequence of transformations is described, but one conceptual error is made.
- or**
- [1] An appropriate sequence of transformations is written, but it is incomplete or partially correct.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (27) [2] $(-1,3)$, and correct work is shown.
- [1] Appropriate work is shown, but one computational or graphing error is made. Appropriate coordinates are stated.
- or**
- [1] Appropriate work is shown, but one conceptual error is made. Appropriate coordinates are stated.
- or**
- [1] Appropriate work is shown and point R is graphed correctly, but the coordinates are not stated or are stated incorrectly.
- or**
- [1] $(-1,3)$, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (28) [2] 29, and correct work is shown.
- [1] Appropriate work is shown, but one computational or rounding error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] 29, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (29) [2] 48π , and correct work is shown.
- [1] Appropriate work is shown, but one computational error is made.
- or***
- [1] Appropriate work is shown, but one conceptual error is made.
- or***
- [1] Correct work is shown to find the volume of all three snowballs, but no further correct work is shown.
- or***
- [1] 48π , but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (30) [2] 18, and correct work is shown.
- [1] Appropriate work is shown, but one computational error is made.
- or***
- [1] Appropriate work is shown, but one conceptual error is made.
- or***
- [1] A correct equation is written to determine the length of $\overline{AB}$, but no further correct work is shown.
- or***
- [1] 18, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(31) [2] $y - 2 = -\frac{2}{7}(x - 3)$ or an equivalent equation, and correct work is shown.

[1] Appropriate work is shown, but one computational or graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Correct work is shown to find a slope of $-\frac{2}{7}$, but no further correct work is shown.

or

[1] $y - 2 = -\frac{2}{7}(x - 3)$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (32) [4] 1092, and correct work is shown.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- or**
- [3] Correct work is shown to find the length of $\overline{CB}$ and $\overline{DB}$, but no further correct work is shown.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or**
- [2] Appropriate work is shown, but one conceptual error is made.
- or**
- [2] Correct work is shown to find the length of $\overline{CB}$ or $\overline{DB}$, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or**
- [1] At least one correct relevant trigonometric equation is written, but no further correct work is shown.
- or**
- [1] 1092, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (33) [4] 346, 827, and correct work is shown. 3, and a correct justification is given.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or**
- [2] Correct work is shown to find the volumes of the can and the container, but no further correct work is shown.
- [1] Correct work is shown to find the volume of either the can or the container, but no further correct work is shown.
- or**
- [1] 346, 827, and 3, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (34) [4] Correct work is shown to prove parallelogram *MATH* is a rhombus, and correct concluding statement(s) are written. 68, and correct work is shown.
- [3] Appropriate work is shown, but one computational or graphing error is made.
- or**
- [3] Correct work is shown to prove parallelogram *MATH* is a rhombus and 68, but the concluding statement is missing or incorrect.
- [2] Appropriate work is shown, but two or more computational or graphing errors are made.
- or**
- [2] Correct work is shown to prove parallelogram *MATH* is a rhombus and correct concluding statement(s) are written, but no further correct work is shown.
- or**
- [2] Correct work is shown to find 68, but no further correct work is shown.
- [1] Correct work is shown to find the lengths of at least two consecutive sides, and/or the slopes of the two diagonals, but no further correct work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
-

Part IV

For each question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (35) [6] A complete and correct proof that includes a concluding statement is written.
- [5] A proof is written that demonstrates a thorough understanding of the method of proof and contains no conceptual errors, but one statement and/or reason is missing or incorrect.
- [4] A proof is written that demonstrates a good understanding of the method of proof and contains no conceptual errors, but two statements and/or reasons are missing or are incorrect.
- or**
- [4] A proof is written that demonstrates a good understanding of the method of proof, but one conceptual error is made.
- or**
- [4] $\triangle AGE \cong \triangle CGF$ is proven, but no further correct work is shown.
- [3] A proof is written that demonstrates a method of proof, but three statements and/or reasons are missing or are incorrect.
- or**
- [3] A proof is written that demonstrates a method of proof, but one conceptual error is made, and one statement and/or reason is missing or incorrect.
- [2] A proof is written that demonstrates a method of proof, but one conceptual error is made, and two statements and/or reasons are missing or incorrect.
- or**
- [2] A proof is written that demonstrates a method of proof, but two conceptual errors are made.
- or**
- [2] Some correct relevant statements about the proof are made, but four or more statements and/or reasons are missing or are incorrect.
- [1] Only one correct relevant statement and reason are written.
- [0] The “given” and/or the “prove” statements are rewritten in the style of a formal proof, but no further correct relevant statements are written.
- or**
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.