

GEOMETRY

Wednesday, June 11, 2025 — 9:15 a.m. to 12:15 p.m., only

Student Name: _____

School Name: _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 35 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except for graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator, a straightedge (ruler), and a compass must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

Tear Here

Tear Here

Reference Sheet for Geometry

Volume	Cylinder	$V = Bh$ where B is the area of the base
	General Prism	$V = Bh$ where B is the area of the base
	Sphere	$V = \frac{4}{3}\pi r^3$
	Cone	$V = \frac{1}{3}Bh$ where B is the area of the base
	Pyramid	$V = \frac{1}{3}Bh$ where B is the area of the base

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for
computations.

- 1 The perimeter of a triangle is 18. What is the perimeter of a similar triangle after a dilation with a scale factor of 3?

(1) 6 (3) 54
(2) 18 (4) 162

- 2 The Washington Monument, shown below, is in Washington, D.C. At a point on the ground 200 feet from the center of the base of the monument, the angle of elevation to the top of the monument is 70.19° .




What is the height of the monument, to the *nearest foot*?

(1) 188 (3) 555
(2) 213 (4) 590

Use this space for
computations.

- 3 On the set of axes below, $\triangle EQA$ and $\triangle SUL$ are graphed.



Which sequence of transformations shows that $\triangle EQA \cong \triangle SUL$?

- (1) Rotate $\triangle EQA$ 90° counterclockwise about the origin and then translate 9 units right and 1 unit down.
 - (2) Rotate $\triangle EQA$ 90° counterclockwise about the origin and then reflect over the line $x = 4$.
 - (3) Reflect $\triangle EQA$ over the x -axis and then rotate 90° clockwise about the origin.
 - (4) Translate $\triangle EQA$ 10 units right and then reflect over the line $x = -1$.
- 4 If two sides of a triangle have lengths of 2 and 8, the length of the third side could be
- | | |
|--------|-------|
| (1) 10 | (3) 6 |
| (2) 7 | (4) 4 |

**Use this space for
computations.**


5 A regular octagon is rotated about its center. Which angle measure will carry the octagon onto itself?

- (1) 36° (3) 144°
(2) 90° (4) 160°

6 An equation of a circle is $x^2 + y^2 - 6x + 2y = 14$. What are the coordinates of the center and the length of the radius of this circle?

- (1) $(-3,1)$ and $r = 5$ (3) $(-3,1)$ and $r = \sqrt{24}$
(2) $(3,-1)$ and $r = 5$ (4) $(3,-1)$ and $r = \sqrt{24}$

7 In $\triangle HSF$ below, $m\angle S = 90^\circ$, $HF = 30$, and $FS = 23$.




What is $m\angle F$, to the *nearest degree*?

- (1) 53° (3) 40°
(2) 50° (4) 37°

8 In $\triangle CAB$ below, midsegments $\overline{DE}$, $\overline{EF}$, and $\overline{FD}$ are drawn.


Use this space for
computations.



If $CA = 14$, $CB = 20$, and $FB = 9$, what is the perimeter of quadrilateral $DEFA$?

- | | |
|--------|--------|
| (1) 26 | (3) 44 |
| (2) 32 | (4) 52 |

9 A candle can be modeled by a pyramid with a square base, as shown below. The height of the candle is 10 cm, and each side of the base measures 6 cm.




If the candle wax burns at a rate of 3.5 cubic centimeters per hour, what is the approximate number of hours this candle could burn?

- | | |
|---------|--------|
| (1) 103 | (3) 34 |
| (2) 51 | (4) 11 |

Use this space for
computations.


- 10 In the diagram below, tangent $\overline{SR}$ and secant $\overline{STU}$ are drawn to circle O from external point S .



- If $\widehat{TU} \cong \widehat{RU}$ and $m\widehat{TR} = 68^\circ$, what is $m\angle S$?
- (1) 22° (3) 39°
(2) 34° (4) 78°
- 11 Triangle RST has $m\angle S = 33^\circ$, $RS = 7$, and $ST = 12$. What is the area of $\triangle RST$, to the nearest tenth?
- (1) 22.9 (3) 35.2
(2) 27.3 (4) 45.7

Use this space for
computations.

- 12** Triangle ABC , with vertices whose coordinates are $A(-3,-2)$, $B(-1,2)$, and $C(4,1)$, is graphed on the set of axes below.



Triangle $A'B'C'$, whose vertices have coordinates $A'(-6,-2)$, $B'(-2,2)$, and $C'(8,1)$, is the image of $\triangle ABC$. The transformation that maps $\triangle ABC$ onto $\triangle A'B'C'$ is a


- | | |
|-----------------|------------------------|
| (1) dilation | (3) vertical stretch |
| (2) translation | (4) horizontal stretch |
- 13** Which equation represents a line parallel to the line represented by $y = 4x + 6$ and passing through the point $(-3,2)$?
- | | |
|------------------------|-----------------------------------|
| (1) $y - 2 = 4(x + 3)$ | (3) $y - 2 = -\frac{1}{4}(x + 3)$ |
| (2) $y + 3 = 4(x - 2)$ | (4) $y + 3 = -\frac{1}{4}(x - 2)$ |

Use this space for
computations.

14 Which two-dimensional figure is always formed when a plane intersects a right cylinder perpendicular to its base?

- (1) circle
- (2) triangle
- (3) rhombus
- (4) rectangle

15 In $\triangle KMP$ below, $\overline{CE}$ is drawn parallel to $\overline{MP}$.



If $KC = 8$, $CM = 3$, and $CE = 12$, what is the length of $\overline{MP}$?

- (1) 24
- (2) 16.5
- (3) 15
- (4) 4.5

16 A parallelogram must be a rectangle if its diagonals

- (1) are perpendicular
- (2) bisect each other
- (3) bisect its angles
- (4) are congruent

Use this space for
computations.

- 17 Point O divides $\overline{COA}$ such that $CO:OA = 1:4$.


If C has coordinates $(-2, -9)$ and A has coordinates $(3, 6)$, the coordinates of O are

- (1) $(2, 3)$ (3) $(0, -3)$
(2) $(1, 0)$ (4) $(-1, -6)$

- 18 A spherical balloon is fully inflated with helium to a diameter of 1.7 feet. If helium costs \$0.80 per cubic foot, what is the cost to completely fill the balloon with helium?

- (1) \$2.06 (3) \$3.22
(2) \$2.42 (4) \$16.46

- 19 In right triangle ABD below, altitude $\overline{BC}$ is drawn to hypotenuse $\overline{AD}$, $AC = 2.5$, and $CD = 4.3$.



What is the length of $\overline{BA}$, to the *nearest tenth*?

- (1) 3.3 (3) 4.1
(2) 3.4 (4) 5.4

20 Trapezoid $ZOYD$ has parallel sides $\overline{ZO}$ and $\overline{DY}$. If $m\angle Z = 141^\circ$ and $m\angle Y = 73^\circ$, what is $m\angle D$?

(1) 39°

(3) 107°

(2) 73°

(4) 141°

**Use this space for
computations.**

21 Triangle ABC is translated 5 units to the left and 2 units up to map onto $\triangle PQR$. Which statement is *not* always true?

(1) $\triangle PQR \cong \triangle ABC$


(3) $BQ = \sqrt{29}$

(2) $\angle A \cong \angle Q$

(4) $RQ = CB$

Use this space for
computations.

- 22 In the diagram below, congruent triangles PEN and PAL are drawn.



Which rigid motion maps $\triangle PEN$ onto $\triangle PAL$?

- (1) a point reflection of $\triangle PEN$ through P
 - (2) a reflection of $\triangle PEN$ over the angle bisector of $\angle EPA$
 - (3) a rotation of $\triangle PEN$ about point P , mapping $\overline{PE}$ onto $\overline{PA}$
 - (4) a translation of $\triangle PEN$ along $\overline{EA}$, mapping point E onto A
- 23 A cone has a height of 8 inches and volume of 75.4 cubic inches.
What is the diameter of the cone, to the *nearest inch*?
- (1) 9
 - (2) 2
 - (3) 3
 - (4) 6
- 24 The line represented by the equation $5x - 2y = 10$ is transformed by a dilation centered at $(2,0)$ with a scale factor of 2. The image of the line
- (1) is the original line
 - (2) passes through the point $(4,0)$
 - (3) passes through the point $(0,-10)$
 - (4) is perpendicular to the original line
-


Part II

Answer all 7 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [14]

- 25** In the year 2020, the village of Depew, New York had an area of 5.1 square miles and a population of 15,069. In the same year, the village of Lancaster, New York had an area of 2.7 square miles and a population of 10,087.


Which village had the larger population density in 2020? Justify your answer.

- 26** In $\triangle ABC$ below, $\overline{AC}$ is extended through C to D , $m\angle A = (3x - 22)^\circ$, $m\angle B = (4x - 18)^\circ$, and $m\angle BCD = (6x - 23)^\circ$.




Determine and state $m\angle ACB$.

27 Parallelogram $ABCD$ is shown below. Using a compass and straightedge, construct the altitude from point A to side $\overline{DC}$. [Leave all construction marks.]



28 Quadrilateral $QUAD$ is graphed on the set of axes below.




Determine and state the area of quadrilateral $QUAD$.

29 In a right triangle, the acute angles have the relationship $\sin(3x - 7)^\circ = \cos(x + 1)^\circ$.


Determine and state the value of x .

30 In circle A below, $m\angle BAM = 36^\circ$.



If $AB = 20$, determine and state the length of $\widehat{MB}$.
[Leave your answer in terms of π .]

31 In triangles ANT and ELM below, $AN = 6$, $NT = 5.6$, $TA = 4$, $EL = 9$, $LM = 8.4$, and $ME = 6$.



Explain why $\triangle ANT \sim \triangle ELM$.

Part III

Answer all 3 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [12]

32 A store sells colored craft sand in the three different containers below.

Container 1: A square prism with a base length of 4 inches and a height of 7.5 inches.


Container 2: A cylinder with a diameter of 5 inches and a height of 6 inches.

Container 3: A cone with a diameter of 7.5 inches and a height of 8.5 inches.


If the containers are filled to the top, which container will hold the most sand?
Justify your answer.

33 Quadrilateral *MIKE* has vertices with coordinates $M(-1,-3)$, $I(-3,3)$, $K(5,4)$, and $E(7,-2)$.

Prove *MIKE* is a parallelogram, and prove *MIKE* is *not* a rhombus.
[The use of the set of axes below is optional.]



- 34** A park ranger needs to secure two different trees with wire. A wire is to be attached from a stake in the ground to each tree. The wire is attached at two different heights and two different angles of elevation, as indicated in the model below.




The park ranger has 20 feet of wire. Does the park ranger have enough wire to secure both trees? Justify your answer.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

35 Given: Quadrilateral $CARI$ with $\overline{CA} \cong \overline{RI}$ and $\overline{CI} \cong \overline{RA}$, and $\overline{AEI}$ and $\overline{LEH}$ are drawn



Prove: $HA \cdot EL = LI \cdot EH$

Regents Examination in Geometry – June 2025

Scoring Key: Part I (Multiple-Choice Questions)

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Geometry	June '25	1	3	MC	2
Geometry	June '25	2	3	MC	2
Geometry	June '25	3	1	MC	2
Geometry	June '25	4	2	MC	2
Geometry	June '25	5	2	MC	2
Geometry	June '25	6	4	MC	2
Geometry	June '25	7	3	MC	2
Geometry	June '25	8	2	MC	2
Geometry	June '25	9	3	MC	2
Geometry	June '25	10	3	MC	2
Geometry	June '25	11	1	MC	2
Geometry	June '25	12	4	MC	2
Geometry	June '25	13	1	MC	2
Geometry	June '25	14	4	MC	2
Geometry	June '25	15	2	MC	2
Geometry	June '25	16	4	MC	2
Geometry	June '25	17	4	MC	2
Geometry	June '25	18	1	MC	2
Geometry	June '25	19	3	MC	2
Geometry	June '25	20	1	MC	2
Geometry	June '25	21	2	MC	2
Geometry	June '25	22	2	MC	2
Geometry	June '25	23	4	MC	2
Geometry	June '25	24	1	MC	2

Regents Examination in Geometry – June 2025

Scoring Key: Parts II, III, and IV (Constructed-Response Questions)

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Geometry	June '25	25	-	CR	2
Geometry	June '25	26	-	CR	2
Geometry	June '25	27	-	CR	2
Geometry	June '25	28	-	CR	2
Geometry	June '25	29	-	CR	2
Geometry	June '25	30	-	CR	2
Geometry	June '25	31	-	CR	2
Geometry	June '25	32	-	CR	4
Geometry	June '25	33	-	CR	4
Geometry	June '25	34	-	CR	4
Geometry	June '25	35	-	CR	6

Key

MC = Multiple-choice question
CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2025 Regents Examination in Geometry** will be posted on the Department's web site at: <https://www.nysedregents.org/geometryre/> no later than June 26, 2025. Conversion charts provided for the previous administrations of the Regents Examination in Geometry must NOT be used to determine students' final scores for this administration.

**Map to the Learning Standards
Geometry
June 2025**

Question	Type	Credits	Cluster
1	Multiple Choice	2	G-SRT.A
2	Multiple Choice	2	G-SRT.C
3	Multiple Choice	2	G-CO.B
4	Multiple Choice	2	G-CO.C
5	Multiple Choice	2	G-CO.A
6	Multiple Choice	2	G-GPE.A
7	Multiple Choice	2	G-SRT.C
8	Multiple Choice	2	G-CO.C
9	Multiple Choice	2	G-MG.A
10	Multiple Choice	2	G-C.A
11	Multiple Choice	2	G-SRT.D
12	Multiple Choice	2	G-CO.A
13	Multiple Choice	2	G-GPE.B
14	Multiple Choice	2	G-GMD.B
15	Multiple Choice	2	G-SRT.B
16	Multiple Choice	2	G-CO.C
17	Multiple Choice	2	G-GPE.B
18	Multiple Choice	2	G-MG.A
19	Multiple Choice	2	G-SRT.B
20	Multiple Choice	2	G-CO.C
21	Multiple Choice	2	G-CO.B
22	Multiple Choice	2	G-CO.B
23	Multiple Choice	2	G-GMD.A
24	Multiple Choice	2	G-SRT.A
25	Constructed Response	2	G-MG.A
26	Constructed Response	2	G-CO.C
27	Constructed Response	2	G-CO.D
28	Constructed Response	2	G-GPE.B
29	Constructed Response	2	G-SRT.C
30	Constructed Response	2	G-C.B
31	Constructed Response	2	G-SRT.A
32	Constructed Response	4	G-MG.A
33	Constructed Response	4	G-GPE.B
34	Constructed Response	4	G-SRT.C
35	Constructed Response	6	G-SRT.B

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) [2] Lancaster is indicated, and a correct justification is given.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Correct work is shown to find the population density of either village, but no further correct work is shown.

[0] Lancaster, but no work is shown.

or

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(26) [2] 101, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Correct work is shown to find $x = 17$, but no further correct work is shown.

or

[1] 101, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (27) [2] A correct construction is drawn showing all appropriate arcs.
- [1] An appropriate construction is drawn showing all appropriate arcs, but the altitude from point A to side $\overline{DC}$ is not drawn.
- or**
- [1] A correct construction is drawn showing all appropriate arcs, but an altitude from B to $\overline{DC}$, C to $\overline{AB}$, or D to $\overline{AB}$ is drawn.
- [0] A drawing that is not an appropriate construction is shown.
- or**
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (28) [2] 30, and correct work is shown.
- [1] Appropriate work is shown, but one computational error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] 30, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(29) [2] 24, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] A correct equation is written to determine the value of x , but no further correct work is shown.

or

[1] 24, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(30) [2] 4π , and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 4π , but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(31) [2] A complete and correct explanation is written.

[1] An appropriate explanation is written, but one conceptual error is made.

or

[1] Correct proportions are written, but the explanation is incomplete or partially correct.

[0] Correct proportions are written, but the explanation is missing or incorrect.

or

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (32) [4] Container 3 is indicated, and correct work is shown.
- [3] Appropriate work is shown, but one computational error is made. An appropriate container is selected.
- or***
- [3] Correct work is shown to find the volumes of all three containers, but no further correct work is shown.
- [2] Appropriate work is shown, but two computational errors are made. An appropriate container is selected.
- or***
- [2] Correct work is shown to find the volumes of two containers, but no further correct work is shown.
- [1] Appropriate work is shown, but three or more computational errors are made. An appropriate container is selected.
- or***
- [1] Correct work is shown to find the volume of one container, but no further correct work is shown.
- [0] Container 3, but no work is shown.
- or***
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (33) [4] Correct work is shown to prove *MIKE* is a parallelogram, and not a rhombus. Correct concluding statements are written.
- [3] Appropriate work is shown, but one computational or graphing error is made. Appropriate concluding statements are written.
- or**
- [3] Correct work is shown to prove *MIKE* is a parallelogram, and not a rhombus, but one concluding statement is missing or incorrect.
- [2] Appropriate work is shown, but two or more computational or graphing errors are made.
- or**
- [2] Correct work is shown to prove *MIKE* is a parallelogram and a correct concluding statement is written.
- or**
- [2] Correct work is shown to prove *MIKE* is not a rhombus and a correct concluding statement is written.
- [1] Correct work is shown to prove *MIKE* is a parallelogram, but the concluding statement is missing or incorrect.
- or**
- [1] Correct work is shown to prove *MIKE* is not a rhombus, but the concluding statement is missing or incorrect.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (34) [4] No is indicated, and a correct justification is shown.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- or***
- [3] Correct work is shown to find the length of the wire from the stake to both trees, but no further correct work is shown.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] Correct work is shown to find the length of the wire from the stake to one tree, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or***
- [1] At least one correct relevant trigonometric equation is written correctly, but no further correct work is shown.
- [0] No, but no work is shown.
- or***
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
-

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (35) [6] A complete and correct proof that includes a concluding statement is written.
- [5] A proof is written that demonstrates a thorough understanding of the method of proof and contains no conceptual errors, but one statement and/or reason is missing or incorrect.
- [4] A proof is written that demonstrates a good understanding of the method of proof and contains no conceptual errors, but two statements and/or reasons are missing or incorrect.
- or**
- [4] A proof is written that demonstrates a good understanding of the method of proof, but one conceptual error is made.
- or**
- [4] $\triangle IEL \sim \triangle AEH$ is proven, but no further correct work is shown.
- [3] A proof is written that demonstrates a method of proof, but three statements and/or reasons are missing or incorrect.
- or**
- [3] A proof is written that demonstrates a method of proof, but one conceptual error is made, and one statement and/or reason is missing or incorrect.
- [2] A proof is written that demonstrates a good understanding of the method of proof, but two conceptual errors are made.
- or**
- [2] Some correct relevant statements about the proof are made, but four statements and/or reasons are missing or incorrect.
- or**
- [2] $\triangle ICA \cong \triangle ARI$ is proven, but no further correct work is shown.
- [1] Only one correct relevant statement and reason are written.
- [0] The “given” and/or the “prove” statements are rewritten in the style of a formal proof, but no further correct relevant statements are written.
- or**
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.