

**ALGEBRA I****Thursday, June 16, 2022 — 9:15 a.m. to 12:15 p.m., only****Student Name** _____**School Name** _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 37 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except for graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator and a straightedge (ruler) must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

High School Math Reference Sheet

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilogram	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

Triangle	$A = \frac{1}{2}bh$
Parallelogram	$A = bh$
Circle	$A = \pi r^2$
Circle	$C = \pi d$ or $C = 2\pi r$
General Prisms	$V = Bh$
Cylinder	$V = \pi r^2 h$
Sphere	$V = \frac{4}{3}\pi r^3$
Cone	$V = \frac{1}{3}\pi r^2 h$
Pyramid	$V = \frac{1}{3}Bh$

Pythagorean Theorem	$a^2 + b^2 = c^2$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Geometric Sequence	$a_n = a_1 r^{n-1}$
Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Radians	1 radian = $\frac{180}{\pi}$ degrees
Degrees	1 degree = $\frac{\pi}{180}$ radians
Exponential Growth/Decay	$A = A_0 e^{k(t-t_0)} + B_0$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for computations.

1 Which correlation shows a causal relationship?

- (1) The more minutes an athlete is on the playing field, the more goals he scores.
- (2) The more gasoline that you purchase at the pump, the more you pay.
- (3) The longer a shopper stays at the mall, the more purchases she makes.
- (4) As the price of a gift increases, the size of the gift box increases.

2 Given $f(x) = 3x - 5$, which statement is true?

- (1) $f(0) = 0$
- (2) $f(3) = 4$
- (3) $f(4) = 3$
- (4) $f(5) = 0$

3 At Benny's Café, a mixed-greens salad costs \$5.75. Additional toppings can be added for \$0.75 each. Which function could be used to determine the cost, $c(s)$, in dollars, of a salad with s additional toppings?

- (1) $c(s) = 5.75s + 0.75$
- (2) $c(s) = 0.75s + 5.75$
- (3) $c(s) = 5.00s + 0.75$
- (4) $c(s) = 0.75s + 5.00$

4 Which expression is equivalent to $x^2 + 5x - 6$?

- (1) $(x + 3)(x - 2)$
- (2) $(x + 2)(x - 3)$
- (3) $(x - 6)(x + 1)$
- (4) $(x + 6)(x - 1)$

5 Peter has \$100 to spend on drinks for his party. Bottles of lemonade cost \$2 each, and juice boxes cost \$0.50 each.

If x is the number of bottles of lemonade and y is the number of juice boxes, which inequality models this situation?

- (1) $0.50x + 2y \leq 100$
- (2) $0.50x + 2y \geq 100$
- (3) $2x + 0.50y \leq 100$
- (4) $2x + 0.50y \geq 100$

Use this space for
computations.

6 Which domain is most appropriate for a function that represents the number of items, $f(x)$, placed into a laundry basket each day, x , for the month of January?

- (1) integers
(2) whole numbers
(3) rational numbers
(4) irrational numbers

7 What is the solution to $\frac{3}{2}b + 5 < 17$?

- (1) $b < 8$
(2) $b > 8$
(3) $b < 18$
(4) $b > 18$

8 Which table of values represents an exponential relationship?

x	f(x)
1	6
2	9
3	12
4	15
5	18

(1)

x	k(x)
1	4
2	16
3	64
4	256
5	1024

(3)

x	h(x)
1	2
2	7
3	12
4	17
5	22

(2)

x	p(x)
1	-9.5
2	-12
3	-14.5
4	-17
5	-19.5

(4)

9 Which expression is *not* equivalent to $(5^{2x})^3$?


- (1) $(5^x)^6$
(2) $(5^{3x})^2$
(3) $(5^5)^x$
(4) $(5^2)^{3x}$

Use this space for
computations.

10 Which relation is a function?

x	y
-1	1
0	0
1	1
1	2
2	4
3	9

(1)



(3)

$$y = \begin{cases} x, & -1 < x \leq 2 \\ x^2, & 2 \leq x < 4 \end{cases}$$

(2)

$$\{(0,1), (2,3), (3,2), (3,4)\}$$

(4)

11 The formula $Ax + By = C$ represents the equation of a line in standard form. Which expression represents y in terms of A , B , C , and x ?

(1) $\frac{C - Ax}{B}$

(3) $\frac{C - A}{x + B}$

(2) $\frac{C - A}{Bx}$

(4) $\frac{C - B}{Ax}$

12 What are the zeros of $f(x) = (2x - 4)(3x + 4)$?

(1) $\left\{-\frac{4}{3}, 2\right\}$

(3) $\left\{-2, \frac{4}{3}\right\}$

(2) $\{-4, 4\}$

(4) $\{-4, 2\}$

13 Joe has dimes and nickels in his piggy bank totaling \$1.45. The number of nickels he has is 5 more than twice the number of dimes, d . Which equation could be used to find the number of dimes he has?

(1) $0.10d + 0.05(2d + 5) = 1.45$

(2) $0.10(2d + 5) + 0.05d = 1.45$

(3) $d + (2d + 5) = 1.45$

(4) $(d - 5) + 2d = 1.45$

**Use this space for
computations.**

- 14** Donna and Andrew compared their math final exam scores from grade 8 through grade 12. Their scores are shown below.

Donna	
8th	90
9th	92
10th	87
11th	94
12th	95

Andrew	
8th	78
9th	96
10th	87
11th	94
12th	93

Which statement about their final exam scores is correct?

- (1) Andrew has a higher mean than Donna.
 - (2) Donna and Andrew have the same median.
 - (3) Andrew has a larger interquartile range than Donna.
 - (4) The 3rd quartile for Donna is greater than the 3rd quartile for Andrew.
- 15** The first term in a sequence is 5 and the fifth term is 17. What is the common difference?
- (1) 2.4
 - (2) 12
 - (3) 3
 - (4) 4
- 16** A quadratic function and a linear function are graphed on the same set of axes. Which situation is *not* possible?
- (1) The graphs do not intersect.
 - (2) The graphs intersect in one point.
 - (3) The graphs intersect in two points.
 - (4) The graphs intersect in three points.
- 17** The expression $(m - 3)^2$ is equivalent to
- (1) $m^2 + 9$
 - (2) $m^2 - 9$
 - (3) $m^2 - 6m + 9$
 - (4) $m^2 - 6m - 9$

**Use this space for
computations.**

- 18** Mrs. Rossano asked her students to explain why $(3, -4)$ is a solution to $2y + 3x = 1$. Three student responses are given below.

Andrea:

“When the equation is graphed on a calculator, the point can be found within its table.”

Bill:

“Substituting $x = 3$ and $y = -4$ into the equation makes it true.”

Christine:


“The graph of the line passes through the point $(3, -4)$.”

Which students are correct?

- (1) Andrea and Bill, only (3) Andrea and Christine, only
(2) Bill and Christine, only (4) Andrea, Bill, and Christine

- 19** Four quadratic functions are shown below.

x	$f(x)$
-4	-4
-2	4
-1	5
0	4
2	-4



$$g(x) = -(x - 4)^2 + 5$$

$$j(x) = -\frac{1}{2}x^2 + x + 4$$

Which statement is true?

- (1) The maximum of $f(x)$ is less than the maximum of $j(x)$.
(2) The maximum of $g(x)$ is less than the maximum of $h(x)$.
(3) The maximum of $f(x)$ equals the maximum of $g(x)$.
(4) The maximum of $h(x)$ equals the maximum of $j(x)$.

- 20** An example of a sixth-degree polynomial with a leading coefficient of seven and a constant term of four is

- (1) $6x^7 - x^5 + 2x + 4$ (3) $7x^4 + 6 + x^2$
(2) $4 + x + 7x^6 - 3x^2$ (4) $5x + 4x^6 + 7$

- 21** In the equation $A = P(1 \pm r)^t$, A is the total amount, P is the principal amount, r is the annual interest rate, and t is the time in years. Which statement correctly relates information regarding the annual interest rate for each given equation?

- (1) For $A = P(1.025)^t$, the principal amount of money is increasing at a 25% interest rate.
(2) For $A = P(1.0052)^t$, the principal amount of money is increasing at a 52% interest rate.
(3) For $A = P(0.86)^t$, the principal amount of money is decreasing at a 14% interest rate.
(4) For $A = P(0.68)^t$, the principal amount of money is decreasing at a 68% interest rate.

- 22** It takes Tim 4.5 hours to run 50 kilometers. Which expression will allow him to change this rate to minutes per mile?

- (1) $\frac{4.5 \text{ hr}}{50 \text{ km}} \cdot \frac{1.609 \text{ km}}{1 \text{ mi}} \cdot \frac{60 \text{ min}}{1 \text{ hr}}$ (3) $\frac{50 \text{ km}}{4.5 \text{ hr}} \cdot \frac{1 \text{ mi}}{1.609 \text{ km}} \cdot \frac{1 \text{ hr}}{60 \text{ min}}$
(2) $\frac{50 \text{ km}}{4.5 \text{ hr}} \cdot \frac{1 \text{ mi}}{1.609 \text{ km}} \cdot \frac{60 \text{ min}}{1 \text{ hr}}$ (4) $\frac{4.5 \text{ hr}}{50 \text{ km}} \cdot \frac{1 \text{ mi}}{1.609 \text{ km}} \cdot \frac{60 \text{ min}}{1 \text{ hr}}$

- 23** When the equation $\frac{x-1}{2} - \frac{a}{4} = \frac{3a}{4}$ is solved for x in terms of a , the solution is

- (1) $\frac{3a}{2} + 1$ (3) $\frac{4a+1}{2}$
(2) $a + 1$ (4) $2a + 1$

- 24** If a sequence is defined recursively as $a_1 = -3$ and $a_n = -3a_{n-1} - 2$, then a_4 is

- (1) -107 (3) 55
(2) -95 (4) 67
-


Part II

Answer all 8 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

25 Is the product of $\sqrt{1024}$ and -3.4 rational or irrational? Explain your answer.

26 Describe the transformations performed on the graph of $f(x) = x^2$ to obtain the graph of $g(x)$ when $g(x) = (x - 3)^2 - 4$.


- 27** The total profit earned at a garage sale during the first five hours is modeled by the graph shown below.



Determine the average rate of change, in dollars per hour, over the interval $1 \leq x \leq 4$.

28 Subtract $3x(x - 2y)$ from $6(x^2 - xy)$ and express your answer as a monomial.

29 A function is graphed on the set of axes below.



State the domain of this function.

State the range of this function.

30 Solve $6x^2 + 5x - 6 = 0$ algebraically for the exact values of x .


31 Factor the expression $x^4 - 36x^2$ completely.

32 Determine the exact values of x for $x^2 - 8x - 5 = 0$ by completing the square.

Part III

Answer all 4 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

33 The graph below models the height of Sam's kite over a period of time.




Explain what the zeros of the graph represent in the context of the situation.

State the time intervals over which the height of the kite is increasing.

State the maximum height, in feet, that the kite reaches.

34 On the set of axes below, graph $f(x) = x^2 - 1$ and $g(x) = 3^x$.



Based on your graph, for how many values of x does $f(x) = g(x)$? Explain your reasoning.

- 35** An insurance agent is looking at records to determine if there is a relationship between a driver's age and percentage of accidents caused by speeding. The table below shows his data.

Age (x)	17	18	21	25	30	35	40	45	50	55	60	65
Percentage of Accidents Caused by Speeding (y)	49	49	48	38	31	33	24	25	16	10	5	6


State the linear regression equation that models the relationship between the driver's age, x , and the percentage of accidents caused by speeding, y . Round all values to the *nearest hundredth*.

State the value of the correlation coefficient to the *nearest hundredth*. Explain what this means in the context of the problem.

- 36** Solve the system of inequalities graphically on the set of axes below.
Label the solution set S .

$$2x + 3y < 9$$

$$2y \geq 4x + 6$$



Determine if the point $(0,3)$ is a solution to this system of inequalities. Justify your answer.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

- 37** At an amusement park, the cost for an adult admission is a , and for a child the cost is c . For a group of six that included two children, the cost was \$325.94. For a group of five that included three children, the cost was \$256.95. All ticket prices include tax.

Write a system of equations, in terms of a and c , that models this situation.

Use your system of equations to determine the exact cost of each type of ticket algebraically.

Determine the cost for a group of four that includes three children.

Regents Examination in Algebra I – June 2022**Scoring Key: Part I (Multiple-Choice Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Algebra I	June '22	1	2	MC	2	1
Algebra I	June '22	2	2	MC	2	1
Algebra I	June '22	3	2	MC	2	1
Algebra I	June '22	4	4	MC	2	1
Algebra I	June '22	5	3	MC	2	1
Algebra I	June '22	6	2	MC	2	1
Algebra I	June '22	7	1	MC	2	1
Algebra I	June '22	8	3	MC	2	1
Algebra I	June '22	9	3	MC	2	1
Algebra I	June '22	10	3	MC	2	1
Algebra I	June '22	11	1	MC	2	1
Algebra I	June '22	12	1	MC	2	1
Algebra I	June '22	13	1	MC	2	1
Algebra I	June '22	14	3	MC	2	1
Algebra I	June '22	15	3	MC	2	1
Algebra I	June '22	16	4	MC	2	1
Algebra I	June '22	17	3	MC	2	1
Algebra I	June '22	18	4	MC	2	1
Algebra I	June '22	19	3	MC	2	1
Algebra I	June '22	20	2	MC	2	1
Algebra I	June '22	21	3	MC	2	1
Algebra I	June '22	22	1	MC	2	1
Algebra I	June '22	23	4	MC	2	1
Algebra I	June '22	24	4	MC	2	1

Regents Examination in Algebra I – June 2022**Scoring Key: Parts II, III, and IV (Constructed-Response Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit	Weight
Algebra I	June '22	25	-	CR	2	1
Algebra I	June '22	26	-	CR	2	1
Algebra I	June '22	27	-	CR	2	1
Algebra I	June '22	28	-	CR	2	1
Algebra I	June '22	29	-	CR	2	1
Algebra I	June '22	30	-	CR	2	1
Algebra I	June '22	31	-	CR	2	1
Algebra I	June '22	32	-	CR	2	1
Algebra I	June '22	33	-	CR	4	1
Algebra I	June '22	34	-	CR	4	1
Algebra I	June '22	35	-	CR	4	1
Algebra I	June '22	36	-	CR	4	1
Algebra I	June '22	37	-	CR	6	1

Key

MC = Multiple-choice question

CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2022 Regents Examination in Algebra I** will be posted on the Department's web site at: <https://www.nysedregents.org/algebraone/> on the day of the examination. Conversion charts provided for the previous administrations of the Regents Examination in Algebra I must NOT be used to determine students' final scores for this administration.

**Map to the Learning Standards
Algebra I
June 2022**

Question	Type	Credits	Cluster
1	Multiple Choice	2	S-ID.C
2	Multiple Choice	2	F-IF.A
3	Multiple Choice	2	F-BF.A
4	Multiple Choice	2	A-SSE.B
5	Multiple Choice	2	A-CED.A
6	Multiple Choice	2	F-IF.B
7	Multiple Choice	2	F-LE.A
8	Multiple Choice	2	A-REI.B
9	Multiple Choice	2	A-SSE.B
10	Multiple Choice	2	F-IF.A
11	Multiple Choice	2	A-CED.A
12	Multiple Choice	2	A-APR.B
13	Multiple Choice	2	A-CED.A
14	Multiple Choice	2	S-ID.A
15	Multiple Choice	2	F-IF.A
16	Multiple Choice	2	F-IF.C
17	Multiple Choice	2	A-APR.A
18	Multiple Choice	2	A-REI.D
19	Multiple Choice	2	F-IF.C
20	Multiple Choice	2	A-SSE.A

21	Multiple Choice	2	F-LE.A
22	Multiple Choice	2	N-Q.A
23	Multiple Choice	2	A-REI.B
24	Multiple Choice	2	F-IF.A
25	Constructed Response	2	N-RN.B
26	Constructed Response	2	F-BF.B
27	Constructed Response	2	F-IF.B
28	Constructed Response	2	A-APR.A
29	Constructed Response	2	F-IF.A
30	Constructed Response	2	A-REI.B
31	Constructed Response	2	A-SSE.A
32	Constructed Response	2	A-REI.B
33	Constructed Response	4	F-IF.B
34	Constructed Response	4	A-REI.D
35	Constructed Response	4	S-ID.C
36	Constructed Response	4	A-REI.D
37	Constructed Response	6	A-CED.A

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) **[2]** Rational, and a correct explanation is written.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Rational, but the explanation is incomplete.

[0] Rational, but the explanation is missing or incorrect.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(26) **[2]** It shifts to the right 3 and down 4.

[1] One conceptual error is made.

or

[1] Only one transformation is described correctly.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(27) **[2]** 20, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 20, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(28) [2] $3x^2$, and correct work is shown.

[1] Appropriate work is shown, but one computational or simplification error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Appropriate work is shown, but the answer is not written as a monomial.

or

[1] $3x^2$, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(29) [2] The domain is all real numbers, range $y \geq 3$, or equivalent answers are stated.

[1] Either the correct domain or the correct range is stated.

or

[1] One conceptual error is made.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(30) [2] $-\frac{18}{12}$ and $\frac{8}{12}$ or equivalent, and correct algebraic work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $-\frac{18}{12}$ and $\frac{8}{12}$, but a method other than algebraic is used.

or

[1] $-\frac{18}{12}$ and $\frac{8}{12}$, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(31) **[2]** $x^2(x + 6)(x - 6)$, and correct work is shown.

[1] Appropriate work is shown, but one computational or factoring error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $x^2(x^2 - 36)$ or $(x^2 - 6x)(x^2 + 6x)$ is written, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(32) **[2]** $4 \pm \sqrt{21}$, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $4 \pm \sqrt{21}$, but a method other than completing the square is used.

or

[1] $4 \pm \sqrt{21}$, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (33) [4] A correct explanation is written, 0 to $\frac{1}{2}$ and 1 to 2, and 60.
- [3] Appropriate work is shown, but the explanation is missing, incomplete, or incorrect.
- or**
- [3] Appropriate work is shown, but only one correct interval is stated.
- [2] Both intervals are stated correctly, but no further correct work is shown.
- [1] A correct explanation is written, but no further correct work is shown.
- or**
- [1] Only one correct interval is stated, but no further correct work is shown.
- or**
- [1] 60, but no further correct work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (34) [4] Correct graphs are drawn, 1, and a correct explanation based on the graph is written.
- [3] Correct graphs are drawn, 1, but the explanation is missing, incomplete, or incorrect.
- or**
- [3] Appropriate work is shown, but one graphing error is made.
- [2] Appropriate work is shown, but two or more graphing errors are made.
- or**
- [2] Correct graphs are drawn, but no further correct work is shown.
- or**
- [2] 1 and a correct explanation based on the graph are written, but no further correct work is shown.
- [1] One correct graph is drawn, but no further correct work is shown.
- or**
- [1] 1, but no graphs are drawn.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(35) [4] $y = -0.96x + 64.74$, -0.98 , and a correct explanation in context is written.

[3] Appropriate work is shown, but one computational or rounding error is made.

or

[3] The full display of the student's calculator showing incorrect values for a , b , and r is written, but used appropriately.

or

[3] Appropriate work is shown, but the explanation is missing or not written in context.

or

[3] Appropriate work is shown, but a correct expression is written.

[2] $y = -0.96x + 64.74$, but no further correct work is shown.

[1] The expression $-0.96x + 64.74$ is written, but no further correct work is shown.

or

[1] -0.98 is stated, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(36) [4] Both inequalities are graphed correctly, and at least one is labeled, the solution set is labeled S , and a correct justification indicating a negative response is given.

[3] Appropriate work is shown, but one computational, graphing, or labeling error is made.

or

[3] Appropriate work is shown, but the solution set is not labeled S .

or

[3] Appropriate work is shown, but the justification is missing or incorrect.

or

[3] One inequality is graphed incorrectly, but the system is used appropriately.

[2] Both inequalities are graphed correctly, and at least one is labeled, but no further correct work is shown.

[1] A correct justification is given, but no further correct work is shown.

or

[1] One inequality is graphed and labeled correctly, but no further correct work is shown.

or

[1] $2x + 3y = 9$ and $2y = 4x + 6$ are graphed correctly, and at least one is labeled, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(37) [6] $4a + 2c = 325.94$ and $2a + 3c = 256.95$ are stated, correct algebraic work is shown to find $c = 46.99$ and $a = 57.99$, and 198.96.

[5] Appropriate work is shown, but one computational error is made.

or

[5] Appropriate work is shown to find either $c = 46.99$ or $a = 57.99$, and an appropriate cost is found for the group of four.

or

[5] Appropriate work is shown, but 198.96 is not stated.

or

[5] Only one equation is written correctly, but the system of equations is solved appropriately, and an appropriate cost is stated.

[4] Appropriate work is shown to find either $c = 46.99$ or $a = 57.99$, but no further correct work is shown.

[3] Both equations are written incorrectly but solved appropriately for both a and c , but no further correct work is shown.

[2] A correct system of equations is stated, but no further correct work is shown.

[1] One equation is written correctly, but no further correct work is shown.

or

[1] $c = 46.99$ and $a = 57.99$, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
