

**ALGEBRA I****Wednesday, June 17, 2026 — 9:15 a.m. to 12:15 p.m., only****Student Name** _____**School Name** _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 35 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except for graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will *not* be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator and a straightedge (ruler) must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

Tear Here

Tear Here

Reference Sheet for Algebra I

Conversions

1 mile = 5280 feet
 1 mile = 1760 yards
 1 pound = 16 ounces
 1 ton = 2000 pounds

Conversions Across Measurement Systems

1 inch = 2.54 centimeters
 1 meter = 39.37 inches
 1 mile = 1.609 kilometers
 1 kilometer = 0.6214 mile
 1 pound = 0.454 kilogram
 1 kilogram = 2.2 pounds

Quadratic Equation	$y = ax^2 + bx + c$	Exponential Equation	$y = ab^x$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$	Annual Compound Interest	$A = P(1 + r)^n$
Equation of the Axis of Symmetry	$x = -\frac{b}{2a}$	Arithmetic Sequence	$a_n = a_1 + d(n - 1)$
Slope	$m = \frac{y_2 - y_1}{x_2 - x_1}$	Geometric Sequence	$a_n = a_1 r^{n-1}$
Linear Equation Slope Intercept	$y = mx + b$	Interquartile Range (IQR)	$IQR = Q_3 - Q_1$
Linear Equation Point Slope	$y - y_1 = m(x - x_1)$	Outlier	Lower Outlier Boundary = $Q_1 - 1.5(IQR)$
			Upper Outlier Boundary = $Q_3 + 1.5(IQR)$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for
computations.

1 What is the 20th term of the arithmetic sequence 4, 7, 10, 13, ...?

(1) 61

(3) 79

(2) 64

(4) 83

2 What is the value of x in the equation $0.5x - 4 = 8 - x$?

(1) 6

(3) 18

(2) 8

(4) 24

3 The binomial $4x^2 - 25$ is equivalent to

(1) $4(x + 5)(x - 5)$

(3) $(2x - 5)(2x + 5)$

(2) $4(x - 5)(x - 5)$

(4) $(2x - 5)(2x - 5)$

4 A function is defined by the following set of points:

$$\{(3, -4), (-4, 3), (1, 1), (x, 2)\}$$

What is a possible value for x ?

(1) 1

(3) 3

(2) 2

(4) -4

**Use this space for
computations.**

5 The expression $(4xy^2)^3$ is equivalent to

- (1) $12x^3y^6$ (3) $64x^3y^6$
(2) $12x^3y^8$ (4) $64x^3y^8$

6 Allison was asked to write a third-degree trinomial with a leading coefficient of 4 and a constant term of 5. Which expression satisfies these conditions?

- (1) $4x^3 - 5$ (3) $4x^3 + 8x^2 + 5$
(2) $3x^4 + 5$ (4) $3x^4 + 2x^3 - 5$

7 Given the sequence 128, 64, 32, ..., which formula could be used to find the n th term of this sequence?

- (1) $a_n = 128(-2)^{n-1}$ (3) $a_n = 128 - 2(n - 1)$
(2) $a_n = 128\left(\frac{1}{2}\right)^{n-1}$ (4) $a_n = 128 + \frac{1}{2}(n - 1)$

8 When a bicyclist increases the pressure on the brakes, the speed of the bicycle decreases. This relationship can best be described as a

- (1) negative correlation and causal relationship
(2) negative correlation and non-causal relationship
(3) positive correlation and causal relationship
(4) positive correlation and non-causal relationship

**Use this space for
computations.**

- 9** A garden club plans to plant 40 flowering plants this year. They will only purchase daffodils that cost \$4 per plant and tulips that cost \$5 per plant. All prices include tax. The club has \$170 to spend on plants. Which equation could be used to find the number of daffodil plants, d , the club purchases?

(1) $4d + 5(170 - d) = 40$ (3) $5d + 4(170 - d) = 40$
(2) $4d + 5(40 - d) = 170$ (4) $5d + 4(40 - d) = 170$

- 10** A function is defined as $h(x) = x^2 - 3x + 1$. What is the value of $h(-1)$?

(1) 1 (3) 3
(2) 2 (4) 5

- 11** The zeros of $p(x) = x(3x + 2)(x - 5)$ are

(1) $-\frac{2}{3}$ and 5, only (3) $-\frac{2}{3}$, 0, 5
(2) $\frac{2}{3}$ and -5 , only (4) $\frac{2}{3}$, 0, -5

- 12** If $f(x) = 1.25^x$ and $g(x) = 3x + 10$, what is the *smallest* positive integer of x for which $f(x) > g(x)$?

(1) 18 (3) 67
(2) 19 (4) 69

**Use this space for
computations.**

- 13** What is an equation of the line that passes through the points $(2, 5)$ and $(-2, -1)$?

(1) $y - 5 = \frac{2}{3}(x - 2)$ (3) $y - 2 = \frac{2}{3}(x - 5)$

(2) $y - 5 = \frac{3}{2}(x - 2)$ (4) $y - 2 = \frac{3}{2}(x - 5)$

- 14** At a local high school, students were asked to name the sport they like to watch the most. The results are summarized in the table below.

	Football	Basketball	Baseball
Male	40	35	15
Female	20	40	10

Approximately what percentage of female high school students preferred to watch basketball?

(1) 35 (3) 53

(2) 40 (4) 57

- 15** An equation that yields the same solutions as $x^2 - 10x - 24 = 0$ is

(1) $(x + 5)^2 = 1$ (3) $(x + 5)^2 = 49$

(2) $(x - 5)^2 = 1$ (4) $(x - 5)^2 = 49$

- 16** The function $f(x)$ is shifted three units right and four units up. The result of this transformation is

(1) $f(x - 3) + 4$ (3) $f(x + 4) - 3$

(2) $f(x + 3) + 4$ (4) $f(x - 4) - 3$

- 17 Hana was asked to solve a quadratic equation. Her first step is shown below.

$$x^2 - 8x = 3$$

$$\text{Step 1: } x^2 - 8x + 16 = 3 + 16$$

The property that Hana used is the

- (1) distributive property (3) additive inverse property
(2) commutative property (4) addition property of equality

- 18 A data set is given below:

28 28 28 28 32 32 34 34 40 42

What is the value of the upper quartile of this data set?

- (1) 28 (3) 34
(2) 32 (4) 42

- 19 When $-3x^2 + 7x - 1$ is subtracted from $2x^2 - 3x + 10$, the result is

- (1) $5x^2 + 4x + 9$ (3) $-5x^2 + 4x + 9$
(2) $5x^2 - 10x + 11$ (4) $-5x^2 + 10x - 11$

- 20 The value of a home in Buffalo can be modeled by the function $V(t) = 96,949(1.0448)^t$, where $V(t)$ is the value of the house after t years. What is the percent of increase in the value of the home each year?

- (1) 1.0448% (3) 0.448%
(2) 0.0448% (4) 4.48%

21 A rod is an old English measure of distance that is equivalent to 5.5 yards. How many inches are 2.5 rods?

(4) 495

$$(4) \frac{-3 \pm \sqrt{39}}{4}$$

(4) $k(x) = x^2 + x - 4$


(4) $10\sqrt{18}$

Part II

Answer all 6 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [12]

25 Express the product of $(1 - 2x)$ and $(3 - 5x)$ as a polynomial in standard form.

26 On the set of axes below, graph $f(x) = |x| - 3$ over the domain $-7 \leq x \leq 7$.



27 Solve the inequality algebraically:

$$-4x + 1 > 9 + 3(2x + 1) + x$$

28 Solve the formula $A = \frac{1}{2}bh$ for h in terms of A and b .

- 29** The table below shows the population of Manhattan for the years indicated, according to the U.S. Census Bureau.

Year	Population
1970	1,539,233
1980	1,428,285
1990	1,487,536
2000	1,537,195
2010	1,585,873
2020	1,643,734

Determine the average rate of change of the population per year between the years 1980 and 2020, rounded to the *nearest integer*.


30 Rewrite $\frac{5}{\sqrt{3}}$ as a fraction with a rational denominator.

Part III

Answer all 4 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

- 31 A ball is tossed up into the air from the deck of a building. The distance that the ball is above the ground t seconds after it is tossed can be modeled by the function $D(t) = -16t^2 + 32t + 48$, where the distance is measured in feet.

On the set of axes below, graph $D(t) = -16t^2 + 32t + 48$.



State the maximum number of feet above the ground that the ball will reach.

State the number of seconds after the toss it will take the ball to hit the ground.

32 Solve the following system of equations algebraically for all values of x and y .

$$\begin{aligned}y &= -2x + 3 \\ y &= x^2 - 5x + 3\end{aligned}$$

- 33** The table below shows the number of years of experience, x , working as a salesperson and their corresponding salaries, y , in thousands of dollars.

Number of Years of Experience (x)	Salary in Thousands of Dollars (y)
2	15
3	28
5	42
9	54
13	64
16	90

State the linear regression equation for these data. Round all values to the *nearest hundredth*.


State the correlation coefficient for this data set, to the *nearest hundredth*.

State what the correlation coefficient indicates about the linear fit of the data.

34 Graph the system of inequalities on the set of axes below.

$$2y < x - 8$$

$$3x + y \geq 6$$



State the coordinates of a point that satisfies both inequalities. Justify your answer.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]


- 35** At a department store in a tax-free state, Jane can either buy three tank tops and two sweatshirts for \$52 or two tank tops and one sweatshirt for \$30.

If x represents the price of one tank top and y represents the cost of one sweatshirt, write a system of equations that could be used to model this situation.

Question 35 is continued on the next page.

Question 35 continued

On the set of axes below, graph the system of equations.



State the coordinates of the point of intersection of your lines.

Explain what each coordinate of the point of intersection means in the context of the problem.

Regents Examination in Algebra I – June 2026

Scoring Key: Part I (Multiple-Choice Questions)

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Algebra I	June '26	1	1	MC	2
Algebra I	June '26	2	2	MC	2
Algebra I	June '26	3	3	MC	2
Algebra I	June '26	4	2	MC	2
Algebra I	June '26	5	3	MC	2
Algebra I	June '26	6	3	MC	2
Algebra I	June '26	7	2	MC	2
Algebra I	June '26	8	1	MC	2
Algebra I	June '26	9	2	MC	2
Algebra I	June '26	10	4	MC	2
Algebra I	June '26	11	3	MC	2
Algebra I	June '26	12	2	MC	2
Algebra I	June '26	13	2	MC	2
Algebra I	June '26	14	4	MC	2
Algebra I	June '26	15	4	MC	2
Algebra I	June '26	16	1	MC	2
Algebra I	June '26	17	4	MC	2
Algebra I	June '26	18	3	MC	2
Algebra I	June '26	19	2	MC	2
Algebra I	June '26	20	4	MC	2
Algebra I	June '26	21	4	MC	2
Algebra I	June '26	22	1	MC	2
Algebra I	June '26	23	3	MC	2
Algebra I	June '26	24	3	MC	2

Regents Examination in Algebra I – June 2026

Scoring Key: Parts II, III, and IV (Constructed-Response Questions)

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Algebra I	June '26	25	-	CR	2
Algebra I	June '26	26	-	CR	2
Algebra I	June '26	27	-	CR	2
Algebra I	June '26	28	-	CR	2
Algebra I	June '26	29	-	CR	2
Algebra I	June '26	30	-	CR	2
Algebra I	June '26	31	-	CR	4
Algebra I	June '26	32	-	CR	4
Algebra I	June '26	33	-	CR	4
Algebra I	June '26	34	-	CR	4
Algebra I	June '26	35	-	CR	6

Key

MC = Multiple-choice question
CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2026 Regents Examination in Algebra I** will be posted on the Department's web site at: <https://www.nysedregents.org/algebraone/> on the day of the examination. Conversion charts provided for the previous administrations of the Regents Examination in Algebra I must NOT be used to determine students' final scores for this administration.

Map to the Learning Standards
Algebra I
June 2026

Question	Type	Credits	Cluster
1	Multiple Choice	2	F-IF.A
2	Multiple Choice	2	A-REI.B
3	Multiple Choice	2	A-SSE.A
4	Multiple Choice	2	F-IF.A
5	Multiple Choice	2	A-SSE.B
6	Multiple Choice	2	A-SSE.A
7	Multiple Choice	2	F-IF.A
8	Multiple Choice	2	S-ID.C
9	Multiple Choice	2	A-CED.A
10	Multiple Choice	2	F-IF.A
11	Multiple Choice	2	A-APR.B
12	Multiple Choice	2	F-LE.A
13	Multiple Choice	2	A-REI.D
14	Multiple Choice	2	S-ID.B
15	Multiple Choice	2	A-REI.B
16	Multiple Choice	2	F-BF.B
17	Multiple Choice	2	A-REI.A
18	Multiple Choice	2	S-ID.A
19	Multiple Choice	2	A-APR.A
20	Multiple Choice	2	F-LE.B

21	Multiple Choice	2	N-Q.A
22	Multiple Choice	2	A-REI.B
23	Multiple Choice	2	F-IF.C
24	Multiple Choice	2	N-RN.B
25	Constructed Response	2	A-APR.A
26	Constructed Response	2	F-IF.C
27	Constructed Response	2	A-REI.B
28	Constructed Response	2	A-CED.A
29	Constructed Response	2	F-IF.B
30	Constructed Response	2	N-RN.B
31	Constructed Response	4	F-IF.B
32	Constructed Response	4	A-REI.C
33	Constructed Response	4	S-ID.C
34	Constructed Response	4	A-REI.D
35	Constructed Response	6	A-CED.A

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) [2] $10x^2 - 11x + 3$, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Appropriate work is shown, but the polynomial is not written in standard form.

or

[1] $10x^2 - 11x + 3$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(26) [2] A correct graph is drawn over the given domain.

[1] One graphing error is made.

or

[1] One conceptual error is made.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(27) **[2]** $x < -1$, and correct algebraic work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $x < -1$, but a method other than algebraic is used.

or

[1] $x < -1$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(28) **[2]** $h = \frac{2A}{b}$, or equivalent and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $h = \frac{2A}{b}$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(29) [2] 5386, and correct work is shown.

[1] Appropriate work is shown, but one computational or rounding error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 5386, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(30) [2] $\frac{5\sqrt{3}}{3}$, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $\frac{5\sqrt{3}}{3}$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(31) [4] A correct graph is drawn, and 64 and 3 are stated.

[3] Appropriate work is shown, but one computational or graphing error is made.

[2] A correct graph is drawn, but no further correct work is shown.

or

[2] 64 and 3 are stated, but no further correct work is shown.

[1] 64 or 3 is stated, but no further correct work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(32) [4] $x = 0, y = 3$, and $x = 3, y = -3$, or $(0, 3)$ and $(3, -3)$, and correct algebraic work is shown.

[3] Appropriate work is shown, but one computational or factoring error is made.

or

[3] Appropriate work is shown to find $x = 0$ and $x = 3$, but no further correct work is shown.

or

[3] Appropriate work is shown to find either $(0, 3)$ or $(3, -3)$.

[2] Appropriate work is shown, but two computational or factoring errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made.

or

[2] Appropriate work is shown to find $x(x - 3) = 0$, or $x^2 - 3x + 2.25 = 2.25$, but no further correct work is shown.

or

[2] A correct substitution is made into the quadratic formula, but no further correct work is shown.

or

[2] $x = 0, y = 3$, and $x = 3, y = -3$, but a method other than algebraic is used.

[1] A correct quadratic equation in standard form is written, but no further correct work is shown.

or

[1] $x = 0, y = 3$, and $x = 3, y = -3$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(33) [4] $y = 4.61x + 11.93$, 0.98, and strong is stated.

[3] Appropriate work is shown, but one computational or rounding error is made.

or

[3] The full display of the student's calculator showing incorrect values for a , b , and r is written, but used appropriately.

or

[3] Appropriate work is shown, but an expression is written instead of an equation.

[2] $y = 4.61x + 11.93$ is written, but no further correct work is shown.

[1] 0.98 is stated, but no further correct work is shown.

or

[1] Strong is stated, but no further correct work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(34) [4] Both inequalities are graphed correctly, and at least one is labeled, a correct point in the solution set is stated, and a correct justification is given.

[3] Appropriate work is shown, but one computational, graphing, or labeling error is made.

or

[3] Appropriate work is shown, but the justification is missing or incorrect.

or

[3] One inequality is graphed incorrectly, but the system is used appropriately.

[2] Appropriate work is shown, but two computational, graphing, or labeling errors are made.

or

[2] Both inequalities are graphed correctly, and at least one is labeled, but no further correct work is shown.

or

[2] A correct point and justification are given, but no further correct work is shown.

[1] A correct point is stated, but no further correct work is shown.

or

[1] One inequality is graphed and labeled correctly, but no further correct work is shown.

or

[1] $2y = x - 8$ and $3x + y = 6$ are graphed correctly and at least one is labeled, but no further correct work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(35) [6] $3x + 2y = 52$ and $2x + y = 30$ are written and graphed correctly, and at least one is labeled, and $(8, 14)$ is stated, and a correct explanation in context is written.

[5] Appropriate work is shown, but one computational, graphing, or labeling error is made.

or

[5] Appropriate work is shown, but the explanation is missing or incorrect.

or

[5] Appropriate work is shown, but the coordinates are not stated.

or

[5] Appropriate work is shown, but a method other than graphing is used.

or

[5] One equation is written incorrectly, but the system is used appropriately.

[4] Appropriate work is shown, but two computational, graphing, or labeling errors are made.

or

[4] A correct system of equations is written and graphed correctly, and at least one is labeled, but no further correct work is shown.

[3] A correct system of equations is written and $(8, 14)$ is stated, but no further correct work is shown.

[2] A correct system of equations is written, but no further correct work is shown.

or

[2] Only one equation is written and graphed correctly, but no further correct work is shown.

[1] Only one equation is written correctly, but no further correct work is shown.

or

[1] $(8, 14)$ is stated, but no work is shown.

or

[1] A correct explanation is written, but no further correct work is shown.

[0] 8 and 14 are stated, but no further correct work is shown.

or

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
