



The University of the State of New York
REGENTS HIGH SCHOOL EXAMINATION

ALGEBRA II

Monday, June 24, 2024 — 9:15 a.m. to 12:15 p.m., only

Student Name _____

School Name _____

The possession or use of any communications device is strictly prohibited when taking this examination. If you have or use any communications device, no matter how briefly, your examination will be invalidated and no score will be calculated for you.

Print your name and the name of your school on the lines above.

A separate answer sheet for **Part I** has been provided to you. Follow the instructions from the proctor for completing the student information on your answer sheet.

This examination has four parts, with a total of 37 questions. You must answer all questions in this examination. Record your answers to the Part I multiple-choice questions on the separate answer sheet. Write your answers to the questions in **Parts II, III, and IV** directly in this booklet. All work should be written in pen, except graphs and drawings, which should be done in pencil. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale.

The formulas that you may need to answer some questions in this examination are found at the end of the examination. This sheet is perforated so you may remove it from this booklet.

Scrap paper is not permitted for any part of this examination, but you may use the blank spaces in this booklet as scrap paper. A perforated sheet of scrap graph paper is provided at the end of this booklet for any question for which graphing may be helpful but is not required. You may remove this sheet from this booklet. Any work done on this sheet of scrap graph paper will not be scored.

When you have completed the examination, you must sign the statement printed at the end of the answer sheet, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer sheet cannot be accepted if you fail to sign this declaration.

Notice ...

A graphing calculator and a straightedge (ruler) must be available for you to use while taking this examination.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN.

High School Math Reference Sheet

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilogram	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

Triangle	$A = \frac{1}{2}bh$
Parallelogram	$A = bh$
Circle	$A = \pi r^2$
Circle	$C = \pi d$ or $C = 2\pi r$
General Prisms	$V = Bh$
Cylinder	$V = \pi r^2 h$
Sphere	$V = \frac{4}{3}\pi r^3$
Cone	$V = \frac{1}{3}\pi r^2 h$
Pyramid	$V = \frac{1}{3}Bh$

Pythagorean Theorem	$a^2 + b^2 = c^2$
Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Geometric Sequence	$a_n = a_1 r^{n-1}$
Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Radians	1 radian = $\frac{180}{\pi}$ degrees
Degrees	1 degree = $\frac{\pi}{180}$ radians
Exponential Growth/Decay	$A = A_0 e^{k(t - t_0)} + B_0$

Part I

Answer all 24 questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For each statement or question, choose the word or expression that, of those given, best completes the statement or answers the question. Record your answers on your separate answer sheet. [48]

Use this space for computations.

1 Which expression is equivalent to $(x + 3)^2 + 4(x + 3) - 5$?


- (1) $(x + 5)(x - 1)$ (3) $(x - 2)(x + 4)$
(2) $(x + 8)(x + 2)$ (4) $x^2 + 4x + 16$

2 Which value, to the *nearest tenth*, is an approximate solution for the

equation $f(x) = g(x)$, if $f(x) = \frac{5}{x - 3}$ and $g(x) = 2(1.3)^x$?

- (1) 3.2 (3) 4.0
(2) 3.9 (4) 5.6

3 Which equation is graphed in the diagram below?



- (1) $y = -3\sin\left(\frac{\pi}{3}x\right) + 5$ (3) $y = -5\sin\left(\frac{\pi}{3}x\right) + 3$
(2) $y = -3\cos\left(\frac{\pi}{3}x\right) + 5$ (4) $y = -5\cos\left(\frac{\pi}{3}x\right) + 3$

4 Which point is in Quadrant III and is a solution to the system below?

$$\begin{aligned}y &= x^2 - 24 \\y &= x - 12\end{aligned}$$

- (1) $(4, -8)$
- (2) $(-3, -15)$
- (3) $(-4, -16)$
- (4) $(-3, -33)$

5 For which equations will the value $s = 4$ make the statement an identity?

I. $(2x - 3)^2 = 4x^2 - 3sx + 9$

II. $(x - 2)^3 = (x - 2)(x^2 + sx + s)$

- (1) I, only
- (2) II, only
- (3) I and II
- (4) neither I nor II

6 The number of bacteria in a sample, which can be modeled by an exponential regression, is shown in the table below.

Time Since Observation Began (hours)	0	1	2	3.5	4
Number of Bacteria	40	48	57	75	82

Assuming this trend continues, approximately how many bacteria would be present 8 hours after the observation began?

- (1) 123
- (2) 127
- (3) 168
- (4) 180

Use this space for
computations.


7 Factored completely, $x^4 + 4x^3 - 9x^2 - 36x$ is equivalent to

- (1) $x(x + 9)(x - 9)(x + 4)$ (3) $(x^3 - 9x)(x + 4)$
(2) $x(x + 3)(x - 3)(x + 4)$ (4) $x(x^2 - 9)(x + 4)(x + 4)$

8 The solution set for the equation $x + 1 = \sqrt{4x + 25}$ is

- (1) $\{ \}$ (3) $\{6, -4\}$
(2) $\{6\}$ (4) $\{-4\}$

9 If $f(x)$ is represented by the graph below, which translation of $f(x)$ would have imaginary roots?



- (1) $f(x + 5)$ (3) $f(x) + 5$
(2) $f(x - 5)$ (4) $f(x) - 5$

Use this space for
computations.

10 The solutions to the equation $3x^2 - 4x + 2 = 2x - 3$ are

(1) $\frac{2}{3} \pm \frac{\sqrt{2}}{3}i$

(3) $1 \pm \frac{\sqrt{12}}{3}$

(2) $1 \pm \frac{\sqrt{6}}{3}i$

(4) $1 \pm 2\sqrt{6}i$

11 A culture of 1000 bacteria triples every 10 hours. Which expression models the number of bacteria in the sample after t hours?

(1) $1000e^{3t}$

(3) $1000(3)^{10t}$

(2) $1000(3)^t$

(4) $1000(3)^{\frac{t}{10}}$

12 An initial investment of \$5000 in an account earns 3.5% annual interest. Which function correctly represents a recursive model of the investment after n years?

(1) $A = 5000(0.035)^n$

(3) $A = 5000(1.035)^n$

(2) $a_0 = 5000$

(4) $a_0 = 5000$

$a_n = a_{n-1}(0.035)$

$a_n = a_{n-1}(1.035)$

13 Which expression is equivalent to $2xy^2\sqrt[3]{x^2y}$?

(1) $2x^{\frac{5}{3}}y^{\frac{7}{3}}$

(3) $2x^{\frac{2}{3}}y^{\frac{2}{3}}$

(2) $2xy$

(4) $2x^7y^4$

14 Which statements must be true about the polynomial function

$$k(x) = -2x^3 - 11x^2 - 12x + 9?$$

I. $(x - 3)$ is a factor of $k(x)$

II. $k(0) = 9$

III. $\frac{k(x)}{x + 2}$ has a remainder of 5

(1) II, only

(3) II and III

(2) I and II

(4) I, II, and III

15 To prepare for lacrosse tryouts, Kole is increasing the amount of time he spends at the gym. This week he is spending 150 minutes there and he plans to increase this amount by 2% each week. The amount of time, in minutes, that he plans to spend at the gym t weeks from now is given by the function $A(t) = 150(1.02)^t$.

In terms of a daily growth rate, the amount of time Kole is planning to spend at the gym can best be modeled by the function

(1) $A(t) = 150(1.14869)^{\frac{t}{7}}$

(3) $A(t) = 150(1.00283)^{\frac{t}{7}}$

(2) $A(t) = 150(1.14869)^{7t}$

(4) $A(t) = 150(1.00283)^{7t}$

**Use this space for
computations.**

- 16** Mr. Zachary posts review assignments on the Betamath website for his students. On his last test, 49% of his students used Betamath and passed. Overall, 68% of his students used Betamath. Approximately what percentage of Mr. Zachary's students passed, given that they used Betamath?

(1) 19% (3) 33%
(2) 32% (4) 72%

- 17** Given $\sin \theta = \frac{7}{25}$ and θ terminates in Quadrant II, what is the value of $\tan \theta$?

(1) $-\frac{7}{24}$ (3) $\frac{7}{24}$
(2) $-\frac{24}{7}$ (4) $\frac{24}{7}$

- 18** A family owned grocery store in New Hartford, NY employs 49 people whose ages are approximately normally distributed with a mean of 36 years and a standard deviation of 6.2 years. Ryan has been hired to work at this store. He is 30 years old. How many people who work at this store would you expect to be younger than Ryan?

(1) 17 (3) 41
(2) 7 (4) 8

- 19** For the function $d(x) = \sqrt[3]{x+2}$, the inverse function, $d^{-1}(x)$, equals

(1) $\sqrt[3]{x+2}$ (3) $-\sqrt[3]{x+2}$
(2) $x^3 + 2$ (4) $x^3 - 2$

**Use this space for
computations.**

20 Given $f(x) = x^4 + x^3 - 3x^2 + 9x - 108$ and $f(3) = 0$, which values satisfy $f(x) = 0$?

- (1) $-4, 3$ only (3) $\pm 3i, -4, 3$
(2) $-3, 4$ only (4) $\pm 3i, -3, 4$

21 The profit function, $p(x)$, is found by subtracting the cost function, $c(x)$, from the revenue function, $r(x)$. Which function below represents the cost function given $p(x) = -15x^2 + 600x + 60$ and $r(x) = -0.4x^2 + 130x + 1200$?

- (1) $c(x) = -14.6x^2 + 470x - 1140$
(2) $c(x) = -14.6x^2 + 730x - 1260$
(3) $c(x) = 14.6x^2 - 470x + 1140$
(4) $c(x) = 14.6x^2 + 730x - 1260$

22 What is the remainder when $4x^3 - 3x + 3$ is divided by $x - 2$?

- (1) -23 (3) 13
(2) -7 (4) 29

**Use this space for
computations.**

23 The parabola with equation $12(y + 1) = (x - 4)^2$ has

- (1) a vertex at $(4, 2)$
- (2) a focus at $(4, -1)$
- (3) a directrix $y = -4$
- (4) four units between the focus and vertex

24 Jay is training for a bike race over fifteen weeks. At the end of the first week, he has ridden ten miles, and he is planning to increase his weekly distance by nine percent each week. Approximately how many miles total will he have ridden from the beginning of his training to the end of the fifteenth week?

- (1) 10.989
 - (2) 33.417
 - (3) 163.5
 - (4) 293.609
-

Part II

Answer all 8 questions in this part. Each correct answer will receive 2 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

25 Given x is a real number, write the expression in simplest $a + bi$ form:


$$(x + 2i)(3 - 2xi) + 2x^2i$$

26 Solve $3.8e^{1.5t} = 16$ algebraically for t to the *nearest hundredth*.

27 In an attempt to get the student body's opinion of a new dress code, members of the statistics class surveyed the students of the first period computer science class. Explain a statistical bias in the method of data collection.

28 Sketch a graph of polynomial $P(x)$, given the criteria below:

- $P(x)$ has zeros only at -5 , 1 , and 4
- As $x \rightarrow \infty$, $P(x) \rightarrow -\infty$
- As $x \rightarrow -\infty$, $P(x) \rightarrow -\infty$



29 The height, above ground, of a Ferris wheel car can be modeled by the function

$h(t) = -103.5\cos\left(\frac{2\pi t}{5}\right) + 108.5$ where h is measured in feet and t is measured in minutes.

State the period of the function and describe what the period represents in this context.

30 Solve algebraically for all values of x :

$$\frac{8}{x+5} - \frac{3}{x} = 5$$

- 31** The transportation methods used by the upperclassmen at Calhoun High School are summarized in the table below.

Upperclassmen Transportation Methods

	Drive	Take the Bus	Walk
Junior	58	75	12
Senior	81	39	12

Are the events “being a junior” and “driving to school” independent? Using statistical evidence, justify your answer.

32 Can $f(x) = x^3 + 7$ be classified as an odd function? Justify your answer.

Part III

Answer all 4 questions in this part. Each correct answer will receive 4 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided for each question to determine your answer. Note that diagrams are not necessarily drawn to scale. For all questions in this part, a correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [16]

33 Solve the following system of equations algebraically for all values of x , y , and z :

$$3x - 8y + 2z = -60$$


$$2x - 7y - 5z = -31$$

$$-6x + 2y - 4z = 36$$

34 In the town of Skaneateles, New York, house prices since 2008 have changed based on the function $H(t) = 200,000(1.045)^t$, where t is the number of years since 2008 and $H(t)$ is the median house price. Determine the average rate of change for the median house price in Skaneateles from 2010 to 2018 to the *nearest dollar per year*.


Explain what this rate of change means as it relates to median house prices.

- 35** A sporting goods manufacturer is trying to determine if they should continue to produce multiple types of hockey pucks. The company surveyed 50 randomly chosen customers and asked them if they purchased both game regulation pucks and lighter training pucks. Of those surveyed, 40 of them said that they purchase both types of pucks. A simulation that was run 100 times based on the survey results produced the approximately normal results below.



- a) Determine an interval containing the middle 95% of plausible values that estimates the proportion of all customers who would purchase both types of pucks from the company.
- b) The company will continue to manufacture both types of hockey pucks if it is reasonable to assume that the true proportion of customers who buy both types of hockey pucks is above 0.60. Using the interval from part *a*, explain whether or not the company should continue to produce both types of hockey pucks.

36 Graph $y = f(x)$, where $f(x) = \log_2(x - 1) + 3$ on the set of axes below.



State the equation of the asymptote of $f(x)$.

When $f(x)$ is reflected over the line $y = x$, a new function is formed: $g(x) = 2^{x-3} + 1$.

State the equation of the asymptote of $g(x)$.

Part IV

Answer the question in this part. A correct answer will receive 6 credits. Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc. Utilize the information provided to determine your answer. Note that diagrams are not necessarily drawn to scale. A correct numerical answer with no work shown will receive only 1 credit. All answers should be written in pen, except for graphs and drawings, which should be done in pencil. [6]

- 37 Megan is performing an experiment in a lab where the air temperature is a constant 73°F and the liquid is 237°F . One and a half hours later, the temperature of the liquid is 112°F . Newton's law of cooling states $T(t) = T_a + (T_0 - T_a)e^{-kt}$ where:

$T(t)$: temperature, $^{\circ}\text{F}$, of the liquid at t hours

T_a : air temperature

T_0 : initial temperature of the liquid

k : constant

Determine the value of k , to the *nearest thousandth*, for this liquid.

Question 37 is continued on the next page.

Question 37 continued

Determine the temperature of the liquid using your value for k , to the *nearest degree*, after two and a half hours.

Megan needs the temperature of the liquid to be 80°F to perform the next step in her experiment. Use your value for k to determine, to the *nearest tenth of an hour*, how much time she must wait since she first began the experiment.

Regents Examination in Algebra II – June 2024**Scoring Key: Part I (Multiple-Choice Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Algebra II	June '24	1	2	MC	2
Algebra II	June '24	2	2	MC	2
Algebra II	June '24	3	1	MC	2
Algebra II	June '24	4	2	MC	2
Algebra II	June '24	5	1	MC	2
Algebra II	June '24	6	3	MC	2
Algebra II	June '24	7	2	MC	2
Algebra II	June '24	8	2	MC	2
Algebra II	June '24	9	3	MC	2
Algebra II	June '24	10	2	MC	2
Algebra II	June '24	11	4	MC	2
Algebra II	June '24	12	4	MC	2
Algebra II	June '24	13	1	MC	2
Algebra II	June '24	14	3	MC	2
Algebra II	June '24	15	4	MC	2
Algebra II	June '24	16	4	MC	2
Algebra II	June '24	17	1	MC	2
Algebra II	June '24	18	4	MC	2
Algebra II	June '24	19	4	MC	2
Algebra II	June '24	20	3	MC	2
Algebra II	June '24	21	3	MC	2
Algebra II	June '24	22	4	MC	2
Algebra II	June '24	23	3	MC	2
Algebra II	June '24	24	4	MC	2

Regents Examination in Algebra II – June 2024**Scoring Key: Parts II, III, and IV (Constructed-Response Questions)**

Examination	Date	Question Number	Scoring Key	Question Type	Credit
Algebra II	June '24	25	-	CR	2
Algebra II	June '24	26	-	CR	2
Algebra II	June '24	27	-	CR	2
Algebra II	June '24	28	-	CR	2
Algebra II	June '24	29	-	CR	2
Algebra II	June '24	30	-	CR	2
Algebra II	June '24	31	-	CR	2
Algebra II	June '24	32	-	CR	2
Algebra II	June '24	33	-	CR	4
Algebra II	June '24	34	-	CR	4
Algebra II	June '24	35	-	CR	4
Algebra II	June '24	36	-	CR	4
Algebra II	June '24	37	-	CR	6

Key

MC = Multiple-choice question
CR = Constructed-response question

The chart for determining students' final examination scores for the **June 2024 Regents Examination in Algebra II** will be posted on the Department's web site at: <https://www.nysedregents.org/algebratwo/> on the day of the examination. Conversion charts provided for the previous administrations of the Regents Examination in Algebra II must NOT be used to determine students' final scores for this administration.

Map to the Learning Standards
Algebra II
June 2024

Question	Type	Credits	Cluster
1	Multiple Choice	2	A-SSE.A
2	Multiple Choice	2	A-REI.D
3	Multiple Choice	2	F-IF.C
4	Multiple Choice	2	A-REI.C
5	Multiple Choice	2	A-APR.C
6	Multiple Choice	2	S-ID.B
7	Multiple Choice	2	A-SSE.A
8	Multiple Choice	2	A-REI.A
9	Multiple Choice	2	N-CN.C
10	Multiple Choice	2	A-REI.B
11	Multiple Choice	2	F-BF.A
12	Multiple Choice	2	F-BF.A
13	Multiple Choice	2	N-RN.A
14	Multiple Choice	2	A-APR.B
15	Multiple Choice	2	A-SSE.B
16	Multiple Choice	2	S-CP.B
17	Multiple Choice	2	F-TF.C
18	Multiple Choice	2	S-ID.A
19	Multiple Choice	2	F-BF.B
20	Multiple Choice	2	A-APR.B

21	Multiple Choice	2	F-BF.A
22	Multiple Choice	2	A-APR.D
23	Multiple Choice	2	G-GPE.A
24	Multiple Choice	2	A-SSE.B
25	Constructed Response	2	N-CN.A
26	Constructed Response	2	F-LE.A
27	Constructed Response	2	S-IC.B
28	Constructed Response	2	F-IF.C
29	Constructed Response	2	F-IF.B
30	Constructed Response	2	A-REI.A
31	Constructed Response	2	S-CP.A
32	Constructed Response	2	F-BF.B
33	Constructed Response	4	A-REI.C
34	Constructed Response	4	F-IF.B
35	Constructed Response	4	S-IC.B
36	Constructed Response	4	F-IF.C
37	Constructed Response	6	A-SSE.B

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) [2] $7x + 6i$, and correct work is shown.

[1] Appropriate work is shown, but one computational or simplification error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $7x + 6i$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(26) [2] 0.96, and correct algebraic work is shown.

[1] Appropriate work is shown, but one computational or rounding error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] 0.96, but a method other than algebraic is used.

or

[1] 0.96, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (27) [2] A correct statistical bias is explained, such as the data collected will not be a random representation of the entire student body.
- [1] One conceptual error is made.
- or**
- [1] An incomplete explanation is written.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (28) [2] A correct graph is drawn.
- [1] Appropriate work is shown, but one graphing error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
- (29) [2] 5, and a correct description is written.
- [1] Appropriate work is shown, but one computational error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] 5, but the description is incomplete or missing.
- or**
- [1] A correct description is written, but no further correct work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (30) [2] $-3, -1$, and correct algebraic work is shown.
- [1] Appropriate work is shown, but one computational error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] A correct quadratic equation in standard form is written, but no further correct work is shown.
- or**
- [1] $-3, -1$, but a method other than algebraic is used.
- or**
- [1] $-3, -1$, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
-
- (31) [2] A negative response is indicated, and a correct justification is given.
- [1] Appropriate work is shown, but one computational error is made.
- or**
- [1] Appropriate work is shown, but one conceptual error is made.
- or**
- [1] No, but the justification is incomplete.
- [0] No, but the justification is incorrect or missing.
- or**
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

(32) [2] No, and a correct justification is given.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] No, but an incomplete justification is given.

[0] No, but no justification is given.

or

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(33) [4] $x = -2$, $y = 6$, and $z = -3$, and correct algebraic work is shown.

[3] Appropriate work is shown, but one computational error is made.

or

[3] Appropriate work is shown to find two correct values, but no further correct work is shown.

[2] Appropriate work is shown, but two or more computational errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made.

or

[2] Appropriate work is shown to find one correct value, but no further correct work is shown.

or

[2] $x = -2$, $y = 6$, and $z = -3$, but a method other than algebraic is used.

[1] Appropriate work is shown, but one conceptual and one computational error are made.

or

[1] Appropriate work is shown to eliminate one variable to create a system of two equations with two variables, but no further correct work is shown.

or

[1] $x = -2$, $y = 6$, and $z = -3$, but no work is shown.

[0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (34) [4] 11,524 and correct work is shown, and a correct explanation is written.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- or***
- [3] Appropriate work is shown to find 11,524, but the explanation is incomplete.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] Appropriate work is shown to find 11,524, but no further correct work is shown.
- or***
- [2] A correct explanation is written, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or***
- [1] 11,524, but no work is shown, and the explanation is incorrect or missing.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (35) [4] A correct interval such as $(0.625, 0.965)$, and correct work is shown, a positive response is indicated, and a correct explanation is written.
- [3] Appropriate work is shown, but one computational error is made.
- or***
- [3] Appropriate work is shown to find $(0.625, 0.965)$, but the explanation is incomplete.
- [2] Appropriate work is shown, but two or more computational errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] Appropriate work is shown to find $(0.625, 0.965)$, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual and one computational error are made.
- or***
- [1] A positive response is indicated, but the explanation does not refer to the interval.
- or***
- [1] $(0.625, 0.965)$ is written, but no work is shown.
- [0] A positive response is indicated, but no explanation is written.
- or***
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.

- (36) [4] A correct graph of $f(x)$ is drawn and asymptote of $f(x)$ is $x = 1$ and asymptote of $g(x)$ is $y = 1$.
- [3] Appropriate work is shown, but one computational or graphing error is made.
- [2] Appropriate work is shown, but two or more computational or graphing errors are made.
- or**
- [2] Appropriate work is shown, but one conceptual error is made.
- or**
- [2] A correct graph is drawn, but no further correct work is shown.
- or**
- [2] The two asymptotes are stated correctly, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual and one computational or graphing error are made.
- or**
- [1] Only one correct asymptote is stated.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.
-

Part IV

For this question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (37) [6] 0.958, 88, 3.3, and correct work is shown.
- [5] Appropriate work is shown, but one computational or rounding error is made.
- [4] Appropriate work is shown, but one conceptual error is made.
- or**
- [4] Appropriate work is shown, but two or more rounding errors are made.
- or**
- [4] Appropriate work is shown, but two computational errors are made.
- [3] Appropriate work is shown, but three or more computational errors are made.
- or**
- [3] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or**
- [3] 0.958, 88, and 3.3, but no work is shown.
- [2] Appropriate work is shown, but one conceptual error and two computational or rounding errors are made.
- or**
- [2] Appropriate work is shown, but two conceptual errors are made.
- or**
- [2] Appropriate work is shown to find 0.958, but no further correct work is shown.
- or**
- [2] Appropriate work is shown to find 88, but no further correct work is shown.
- or**
- [2] Appropriate work is shown to find 3.3, but no further correct work is shown.
- [1] Appropriate work is shown, but two conceptual errors and one computational or rounding error are made.
- or**
- [1] 0.958 or 88 or 3.3, but no work is shown.
- [0] A zero response does not contain enough relevant course-level work to receive any credit, does not satisfy the criteria for one or more credits, or is a correct response that was obtained by an obviously incorrect procedure.