

The Telluride Town Council initiated a Conceptual Planning process in 2019 to determine how to best utilize several parcels owned by the Town of Telluride and the Telluride Housing Authority in the southwest part of town. The parcels are generally south of the San Miguel River and west of Davis Street. The Southwest Area Conceptual Plan (SACP), adopted in 2021, identified land use approaches and opportunities for these publicly-owned parcels and the surrounding streets and pedestrian network. This project will build upon the recommendations in the SACP.

Project Timeline

2021

Southwest Area Conceptual Plan




2022

Lot L Feasibility Study and Conceptual Plan



2025

Lot L Preliminary Plan



GOALS FOR LOT L FROM THE SACP

- Multilevel parking structure to increase intercept parking for commuters, provide transit-oriented uses proximate to parking and a new local/regional transit hub. The new parking structure would provide 300+ new commuter spaces, in addition to the current number of Lot L spaces (330+/-) and the relocated spaces from Carhenge (288+/-).
- Approximately 35 - 45 resident-occupied, affordable and employee units wrapping along north and east facades of the parking structure, which would serve to architecturally screen the structure from the north and east. Parking for new resident units would also be incorporated into the structure.
- Approximately 5,000 - 10,000 SF of ground floor, transit-oriented commercial uses and new local/regional transit hub located at the northeast or eastern portion of Lot L (incorporated into the parking structure)
- Shandoka bike parking & waste and potentially maintenance shop space
- Improve the neighborhood with amenities such as child care, playgrounds, pocket parks and public spaces and to add neighborhood-serving commercial uses

LOT L FEASIBILITY STUDY AND CONCEPTUAL PLAN - SITE PLAN




FEEDBACK FROM THE FEASIBILITY STUDY

- Add and improve the neighborhood amenities such as childcare, playgrounds, pocket parks and public spaces
- Additional amenities are desirable (gym, restaurants)
- Consider additional community uses on the ground floor for neighborhood/resident us

LOT L PRELIMINARY PLAN


ALTERNATIVE 1 SITE PLAN - GROUND LEVEL (LEVEL TWO SIMILAR)



LEGEND

- | | |
|---|--|
|  PARKING GARAGE |  MULTI-USE |
|  RESIDENTIAL UNITS |  BIKE STORAGE |
|  TRANSIT CENTER |  TRASH CENTER |

ALTERNATIVE 1 SITE PLAN - UPPER LEVELS




LEGEND


- PARKING GARAGE
- RESIDENTIAL UNITS
- TRANSIT CENTER

- MULTI-USE
- BIKE STORAGE
- TRASH CENTER


ALTERNATIVE 1 SITE SECTIONS



1 SITE SECTION - NORTH / SOUTH - VIEW 1
A301 1" = 20'-0"



2 SITE SECTION - NORTH / SOUTH - VIEW 2
A301 1" = 20'-0"



3 SITE SECTION - EAST / WEST
A301 1" = 20'-0"

NORTH ELEVATION - ALONG RIVER TRAIL



SOUTH ELEVATION - ALONG BLACK BEAR RD.



EAST ELEVATION - ALONG MAHONEY DR.



WEST ELEVATION - NEIGHBORHOOD PARK



3D VIEW - MAHONEY DR. TRANSIT HUB



3D VIEW - NEIGHBORHOOD PARK



PUBLIC ENGAGEMENT EVENTS



6.10.25 POP UP - COMMUNITY OPEN HOUSE




6.10.25 POP UP - COMMUNITY OPEN HOUSE



6.10.25 POP UP - COMMUNITY OPEN HOUSE

5.21.25 VIRTUAL STAKEHOLDER MEETINGS



Public Input Comments

- Community Garden
- Preserve tranquility of neighborhood
- Workers get \$25 per year for parking
- Split parking between carhenge and Lot L
- Concerned about light pollution from parking garage
- More covered bike parking
- Transit Hub, good idea
- What is the access to Lift 7 from Lot L?
- How are people getting around the lift 7 neighborhood easily?
- Disturb soils as little as possible while building
- How do people line up for Chair 7?
- Too much density, too much traffic on Mahoney Dr.

HISTORIC AND ARCHITECTURAL REVIEW COMMISSION (HARC) WORK SESSION



A HARC Work Session was held on June 18, 2025, to discuss the preliminary conceptual design for Lot L. This work session provided an opportunity for an initial conversation with HARC members about the proposed construction of an intercept parking facility that would include affordable housing, commercial spaces, and childcare services. The project team sought guidance from HARC during this preliminary conceptual design phase before moving forward with a formal HARC application that complies with design guidelines.

RECOMMENDATIONS FROM WORK SESSION

- A. Break the concept into multiple structures
- B. Improve pedestrian scale (increase one & two-story elements, decks, porches, etc..)
- C. Provide a unique, simple, and contextual solution for the expression of the Transit Hub
- D. Building modules should reflect distinct, architectural character

TOWN COUNCIL WORK SESSION

A Works Session was held on July 22, 2025 to update Town Council on the Chair 7/Carhenge Neighborhood Planning Project, a planning process involving the town-owned Carhenge and Lot L properties.




TAKEAWAYS FROM TOWN COUNCIL WORK SESSION

- A. Confirm the concept is providing the appropriate bike and trash storage to meet/exceed the current demand, including additional bike and trash storage required for new housing.
- Consider moving bike/trash storage into the new garage structure on the north side of Black Bear Rd.
- B. Considering the top floor elevation of the structure, in particular, the snow plowing required
- Consider housing on the upper level to shield the top elevation and mitigate plowing
 - Consider seasonal/partial closure of upper-level ramp outside of summer months
 - Consider a portion of the parking garage (top level) as some sort of play space
 - Consider the use of Solar Panels for the top level of the structure.
- C. Address safe and clear pedestrian circulation and vehicular traffic flows from the Lot L site to the Lift 7/ Lift area.
- D. Create a more distinct look to the transit center; this is a great opportunity to do something special at that location for a distinct Facade
- E. Confirm surface material treatment of emergency access lane in front of Shandoka Building F as a non-asphalt, but maintain emergency, trash, vehicle, access, and loading
- F. Consider ground-floor activity along the north side of the project – potentially as a space to educate, stage, and prepare for activities, uses along the river corridor, and serve as a gateway to the valley floor.
- Consider space for drop-off, for equipment storage (kayak and paddleboards), stacking, etc.
- G. Show river let in location on the Site Plan.
- H. Consider the Regional Housing Needs Assessment for the housing mix on site
- Evaluate the feasibility of ownership opportunities for full-time locals with the project

ALTERNATIVE 2

The project team incorporated the feedback received through public input sessions, the HARC Work Session, and the Town Council Work Session to develop an alternative concept (Alternative 2) for the Lot L site.


ALTERNATIVE 2 SITE PLAN - BELOW GRADE LEVEL



LEGEND

- PARKING GARAGE
- RESIDENTIAL UNITS
50-60 AHUs (LIMITED NUMBER OF UNITS CAN BE FREE MARKET)
- TRANSIT CENTER
- MULTI-USE
- BIKE STORAGE
- TRASH CENTER

ALTERNATIVE 2 SITE PLAN - GROUND LEVEL




LEGEND

- PARKING GARAGE
- RESIDENTIAL UNITS
- 50-60 AHUs (LIMITED NUMBER OF UNITS CAN BE FREE MARKET)
- TRANSIT CENTER

- MULTI-USE
- BIKE STORAGE
- TRASH CENTER


ALTERNATIVE 2 SITE PLAN - TYPICAL LEVEL




LEGEND

- | | |
|---|--------------|
| PARKING GARAGE | MULTI-USE |
| RESIDENTIAL UNITS | BIKE STORAGE |
| 50-60 AHUs (LIMITED NUMBER OF UNITS CAN BE FREE MARKET) | TRASH CENTER |
| TRANSIT CENTER | |


ALTERNATIVE 2: SECTION



1 SITE SECTION - EAST / WEST - VIEW 1
A311 1" = 20'-0"



2 SITE SECTION - NORTH / SOUTH
A311 1" = 20'-0"



3 SITE SECTION - EAST / WEST - VIEW 2
A311 1" = 20'-0"

3D VIEW - NORTHEAST PERSPECTIVE



3D VIEW - NORTHWEST PERSPECTIVE



3D VIEW - SOUTHWEST PERSPECTIVE



EAST PERSPECTIVE - ALONG MAHONEY DR.



NORTH ELEVATION - ALONG RIVER TRAIL




3D VIEW - SOUTHEAST PERSPECTIVE




SIDE-BY-SIDE COMPARISON OF ALTERNATE 1 AND 2


Alternate 1 - Basement Level




Alternate 2 - Basement Level




Alternate 1 - Ground Level




Alternate 2 - Ground Level



Alternate 1 - Upper Levels



Alternate 2 - Upper Levels




VISIBLE PARKING




CONSTRUCTION PHASING

ALTERNATIVE 1



PHASE 1



ALTERNATIVE 2



PHASE 2



LOT L - PROGRAM DEVELOPMENT

	Feasibility Study Plan	Alternative 1	Alternative 2
Core Program			
Parking Spaces			
Existing Lot L spaces (320 +/-)	960	900	900
Relocated spaces from Carhenge (288+/-)			
New, commuter spaces (292 +/-)			
Transit Oriented Commercial Use (Public restrooms)	3,280 SF	3,740 SF	2,455 SF
Mix of Affordable Residential Units	35,500 SF	24,163 SF	61,922 SF*
Studios / One Bedrooms	29 units	30 units	50-60 units*
Two Bedrooms			
Three Bedrooms			
Bike Parking	1,190 SF	1,202 SF	1,440 SF
Commuter Parking - Bike/ Storage	1,200 SF	1,208 SF	1,472 SF
Trash and Recycling	1,736 SF	1,760 SF	2,102 SF
Other Program			
Neighborhood-serving Use (Childcare facility and fitness amenities)	n/a	4,000 SF	5,150 SF
Neighborhood Park (Improved access to river and trail)	Approx. 90' - 112' x 240'	Approx. 76' - 90' x 240 '	(2 Park Areas) Park 1 - Approx. 42' - 80' x 190' Park 2 - Approx. 66' x 240'

* Limited number of units can be free market

Site Improvements


- Multi-use sidewalks and defined crosswalks for pedestrian and cyclist connectivity through site
- Re-imagined Black Bear Rd. streetscape with, bike storage and trash/recycling serving existing neighborhood
- Neighborhood scale, park and play space

CONCEPTUAL COST ESTIMATE*

Preliminary Plan: Alternative 1	
	Estimate**
Site	\$11,730,587
Parking Facility	\$47,601,227
Residential	\$13,582,448
Multit-Use	\$2,324,996
Total	\$75,239,258

*Prepared by Shaw Construction in conjunction with Cushing Terrell
**Presented in 2025 dollars, excludes escalation, includes 13% contingency

Estimated Schedule:
Phase 1: 10 - 12 Months
Phase 2: 18 - 20 Months



PARKING GARAGE OPERATION

- **Parking Operations:** The Lot L Parking Facility will serve three main user groups: existing residential permit holders, commuters, and daily parkers (including visitors and skiers). For parking operations, it is recommended to use two zones within the facility.
 - a gated zone with proximity cards and readers or automatic vehicle identification for existing Lot L permit holders.
 - a non-gated zone with multi-space meters in a pay-by-license plate configuration or mobile pay for commuters and daily parkers.
- **Variable Parking Rate System:** A variable parking rate system is recommended to accommodate the different user groups (permit holders, commuters, and daily parkers).
- **Parking Guidance System:** Initially, it is recommended to utilize a system that counts and displays available spaces by level. In the future, a more sophisticated parking guidance system could be installed which would identify available parking by specific space.
- **Snow Management:** The Plan recommends reinforcing portions of the top level of the facility for temporary snow piling. If snow exceeds allowable loads, a bobcat or vehicle snowplow could push the snow through a gate in the railing into a chute that leads to a dump truck or a snow receiving location at grade.
- **Structural System:** The recommendation is to use a long-span precast double tee system for its advantages in initial construction cost, site logistics, and shorter construction schedule.
- **Foundation System:** Based on professional opinion and geotechnical reports, deep driven steel pipe piles, precast concrete piles, or auger cast-in-place piles are recommended to be suitable options for this particular facility's loads and localized soil conditions.
- **Signage and Wayfinding:** The Preliminary Plan includes signage guidelines and recommendations for incorporation into the facility. Such signage also would be coordinated to align with the Town's Wayfinding Program.
- **Ventilation System:** As the parking facility is mostly enclosed, a mechanical ventilation system is required to ensure safety, air quality, and occupant comfort.
- **Lighting System:** Inside the enclosed structure the LED lighting system will prioritize delivering bright, uniform illumination to eliminate shadows and enhance visibility. On the exterior upper level of the parking structure, the lighting system will utilize dark sky best practices which limit glare, sky glow and light trespass.

