

# MAJOR PRODUCT FEATURES

To learn more about the features on this vehicle, go to [www.fordresourcebook.com](http://www.fordresourcebook.com)

To learn more about the Transit body codes, go to [www.transitbodydecoder.com](http://www.transitbodydecoder.com)

## MODEL/SERIES/AVAILABILITY CHANGES

- None at this time

## PACKAGES/OPTIONS ADDED

- Wall Liner Kit (ceiling wall, door). Regular or Long Length only. Also includes lighting and wheel well covers (96E)
- Large Grab Handles Kit (2 D pillars). Regular and Long Length only. (60F)
- Trade packages:
  - Electrician trade package (66K)
  - HVAC trade package (66L)
  - General Contractor package (66M)

## PACKAGES/OPTIONS CHANGED

- Mobile Charge Cord (for E-Transit) is now optional and includes fast charger adapter (98A).
- Smart Acceleration Truncation is now offered as a "stand-alone" option (62B)
- For 50/50 Hinged Rear Door, 180-degree opening is standard on all low/medium-roof cargo vans and all passenger vans. 253-degree opening is standard on all high roof cargo vans. 253 degree opening is also OPTIONAL on all low/medium-roof variants (18P) with 148" Long and Extended Length configurations.
- Lane Keeping System is removed from Blind Spot Assist Kit on Chassis Cab/Cutaway. A new sales code has been added for Blind Spot Information System (BLIS®) on CC/CA (65B). Sales Code 65A will now be listed as Lane Keeping System and INCLUDES Blind Spot Information System (BLIS®).
- Seat Pack 8 (21J) is now designated as Seat Pack 34; Seat Pack 9 (21K) is now designated as Seat Pack 35

## PACKAGES/OPTIONS DELETED

- 3-Passenger seat (213) is removed
- Fleet Only E-Transit battery (99K) is no longer available

## LATE AVAILABILITY ITEMS

- None at this time

## ORDER GUIDE UPDATES –

- Added:** Extended Length Running Boards (68J) which include both Driver (A-B Pillar) and Passenger (A-C Pillar) fixed running board(s).
- Added:** Updated Wheel Images.
- Revised:** Miscellaneous text updates.

## Product Changes and Features Availability

Features, options, and package content subject to change. Please check [www.fmcdealer.com](http://www.fmcdealer.com) for the most current information.

**E-TRANSIT CONFIGURATIONS**

| <u>Series</u> | <u>Body Code</u> | <u>Body Type</u> | <u>Roof Height</u> | <u>Wheelbase</u> | <u>Drive</u> | <u>89.9kWH Battery</u> |
|---------------|------------------|------------------|--------------------|------------------|--------------|------------------------|
| T-350         | W1Y              | Cargo Van        | Low Roof           | Long 148"        | RWD/SRW      | X                      |
| T-350         | W9C              | Cargo Van        | Medium Roof        | Long 148"        | RWD/SRW      | X                      |
| T-350         | W1X              | Cargo Van        | High Roof          | Long 148"        | RWD/SRW      | X                      |
| T-350         | W3X              | Cargo Van        | High Roof          | Extended 148"    | RWD/SRW      | X                      |
| T-350         | W5Z              | Chassis Cab      | Low Roof           | Extended 178"    | RWD/SRW      | X                      |
| T-350         | W5P              | Cutaway          | Low Roof           | Extended 178"    | RWD/SRW      | X                      |

# 2025 TRANSIT STANDARD EQUIPMENT

| EXTERIOR   | CARGO VAN             | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY               | CHASSIS CAB           |
|--|-----------------------|------------------|-------------------|-----------------------|-----------------------|
| Body Side Moldings – Carbon Black  | •                     | •                | •                 | •                     | •                     |
| Front License Plate Bracket  | •                     | •                | •                 | •                     | •                     |
| Rear-window Defroster  | —                     | •                | •                 | —                     | —                     |
| <b>Bumpers</b>   |                       |                  |                   |                       |                       |
| Front Bumper – Body Colored  | —                     | —                | •                 | —                     | —                     |
| Front Bumper – Carbon Black, Body Colored with Lower Valence   | •                     | •                | —                 | •                     | •                     |
| Rear Bumper – Carbon Black, without Integral Step. For Chassis Cab and Cutaway variants, rear bumper DELETE is standard.   | •                     | •                | •                 | —                     | —                     |
| <b>Doors – Rear</b>  |                       |                  |                   |                       |                       |
| ★ 50/50 Hinged Rear Door. 180-degree opening is standard on all low/medium- roof cargo vans and all passenger vans. 253-degree Opening is standard on all high roof cargo vans | •                     | •                | •                 | —                     | —                     |
| <b>Doors – Side</b>  |                       |                  |                   |                       |                       |
| Sliding Passenger-side Door  | •                     | •                | •                 | —                     | —                     |
| <b>Exterior Lighting – Front</b>   |                       |                  |                   |                       |                       |
| Front Fog Lamps  | —                     | —                | •                 | —                     | —                     |
| Halogen Headlamps with Autolamp  | •                     | •                | •                 | •                     | •                     |
| Black HID Headlamps with Autolamp  | •<br>(EV variants)    | —                | —                 | —                     | —                     |
| Headlamp Courtesy Delay<br><b>Note:</b> The headlamps stay on for a set period of time after the owner turns off the ignition.   | •                     | •                | •                 | •                     | —                     |
| Roof Marker Lamps (Included on DRW Cargo Van, Passenger Van XL and Passenger Van XLT)  | •                     | •                | •                 | •                     | •                     |
| <b>Exterior Lighting – Rear</b>  |                       |                  |                   |                       |                       |
| Center High Mount Stop Lamp (CHMSL)  | •                     | •                | •                 | —                     | —                     |
| Taillamps  | •                     | •                | •                 | •                     | •                     |
| Separate Stop Turn Tail Lamp – LED Enabled   | —                     | —                | —                 | •                     | •                     |
| <b>Fuel (n/a with E-Transit)</b>   |                       |                  |                   |                       |                       |
| Auxiliary Fuel Port. Not available with E-Transit.   | •                     | •                | •                 | •                     | •                     |
| Fuel Tank – Capless Fuel Fill, 25 U.S. gallons (midship)   | •                     | •                | •                 | •                     | •                     |
| <b>Grille</b>  |                       |                  |                   |                       |                       |
| Honeycomb Mesh Grille with Carbon Black Surround   | •                     | •                | —                 | •                     | •                     |
| Honeycomb Mesh Grille with Chrome Surround   | —                     | —                | •                 | —                     | —                     |
| Three Bar Grille with Dynamic Blue Center Bars and Chrome Surround. Standard on E-Transit.   | •*<br>*E-Transit only | —                | —                 | •*<br>*E-Transit only | •*<br>*E-Transit only |
| <b>Exterior Mirrors</b>  |                       |                  |                   |                       |                       |
| Mirror Delete  | —                     | —                | —                 | •                     | •                     |
| Short-Arm, Power Adjusting, Manual-Folding   | •                     | •                | —                 | —                     | —                     |
| Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals   | —                     | —                | •                 | —                     | —                     |
| <b>Running Boards</b>  |                       |                  |                   |                       |                       |
| Running Board  | —                     | —                | —                 | —                     | —                     |
| <b>Tires – Single Rear Wheel (SRW)</b>   |                       |                  |                   |                       |                       |
| 235/65R16C 121/119 R BSW all-season  | •                     | •                | •                 | •                     | •                     |
| <b>Tires – Dual Rear Wheel (DRW)</b>   |                       |                  |                   |                       |                       |
| 195/75R16C 107/105 R BSW all-season (RWD with Standard Front Axle configurations only)   | •                     | •                | •                 | •                     | •                     |
| 205/75R16C 113/111 BSW all-season (AWD, 11,000lb GVWR or RWD with Heavy-Duty Front Axle configurations only)   | •                     | •                | •                 | •                     | •                     |
| <b>Towing</b>  |                       |                  |                   |                       |                       |
| Rear Recovery Tow Hook   | •                     | •                | •                 | —                     | —                     |
| <b>Wheels – SRW</b>  |                       |                  |                   |                       |                       |
| 16" Silver Steel Wheel with Black Hubcap (Standard Front Axle configurations only)   | •                     | •                | —                 | •                     | •                     |
| 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations and E-Transit only)   | •*<br>*E-Transit only | —                | •                 | •*<br>*E-Transit only | •*<br>*E-Transit only |

★ = New for this model year

• = Available

**2025 TRANSIT  
STANDARD EQUIPMENT**

| EXTERIOR (continued)   | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY         | CHASSIS CAB     |
|--|-----------|------------------|-------------------|-----------------|-----------------|
| 16" Silver Steel Wheel. Includes Silver Hubcaps with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)  | •         | •                | •                 | •               | •               |
| <b>Wheels – DRW</b>  |           |                  |                   |                 |                 |
| 16" Heavy-Duty Silver Steel Wheel. Includes Silver Hubcaps with Exposed Lug Nuts<br><b>Note:</b> The center ornament only comes on the front wheels, and not on the rear wheels. | •         | •                | •                 | •               | •               |
| <b>Wheels – Spare Tire</b>   |           |                  |                   |                 |                 |
| Full-size Spare Tire and Wheel   | •         | •                | •                 | —               | —               |
| <b>Windows/Glass</b>   |           |                  |                   |                 |                 |
| Windows All-around   | —         | •                | •                 | —               | —               |
| Rear-window  | —         | •                | •                 | —               | •               |
| No Cargo Area Windows  | •         | —                | —                 | —               | —               |
| High-Strength Laminated Glass (Sliding Doors only)   | •         | —                | —                 | —               | —               |
| Tinted Glass   | •         | •                | •                 | •               | •               |
| <b>INTERIOR</b>  |           |                  |                   |                 |                 |
| Step Well Pads – Black   | •         | •                | •                 | —               | —               |
| <b>Center Console</b>  |           |                  |                   |                 |                 |
| Medium Center Console with integrated shifter and dual cupholders  | •         | •                | —                 | •               | •               |
| Medium Center Console with Integrated Rotary Gear Shift Dial and cup holder  | •*        | *E-Transit only  | —                 | *E-Transit only | *E-Transit only |
| Large Center Console with Integrated Shifter, dual cupholders and additional storage area  | —         | —                | •                 | —               | —               |
| Cruise Control   |           |                  |                   |                 |                 |
| Cruise Control which includes Adjustable Speed Limiting Device (ASLD)  | •         | •                | •                 | •               | •               |
| <b>Door-Locks and Windows</b>  |           |                  |                   |                 |                 |
| Glove Box – Locking  | •         | •                | •                 | •               | •               |
| Rear Cargo Door – Interior Exit Handle   | •         | —                | —                 | —               | —               |
| Rear Cargo Door – Exterior Lock Cylinder   | •         | •                | •                 | —               | —               |
| Power Equipment Group (Power Locks and Windows) with Remote Keyless-Entry  | •         | •                | •                 | •               | •               |
| <b>Floor Covering</b>  |           |                  |                   |                 |                 |
| Vinyl, Front only  | •         | —                | —                 | •               | •               |
| Vinyl, Front and Rear  | —         | •                | —                 | —               | —               |
| Carpet, Front and Rear   | —         | —                | •                 | —               | —               |
| <b>Rearview Mirror</b>   |           |                  |                   |                 |                 |
| Rearview Mirror (When Equipped with Rear Glass).   | —         | •                | •                 | —               | •               |
| Rearview Mirror Delete (When Equipped Without Rear Glass)  | •         | —                | —                 | •               | —               |
| <b>Interior Lighting</b>   |           |                  |                   |                 |                 |
| Front Dome Lamp with Map Lights and Theater Dimming  | •         | •                | •                 | •               | •               |
| Rear Dome Lamp with Map Lights and Theater Dimming   | —         | —                | •                 | —               | —               |
| Partial Rear Compartment Lighting (2 LED lights located at C-pillar)   | •         | —                | —                 | —               | —               |
| Full Rear Compartment Lighting   | —         | •                | •                 | —               | —               |
| Rear Compartment LED Lamp Switch   | —         | —                | —                 | —               | —               |
| Accessory Delay – 30 minutes   | •         | •                | •                 | •               | •               |
| <b>Interior Trim</b>   |           |                  |                   |                 |                 |
| Front Overhead Shelf Delete  | •         | •                | •                 | •               | •               |
| A-Pillar Assist Handles (Driver and Passenger-side)  | •         | •                | •                 | •               | •               |
| B-Pillar Assist Handle (Passenger-side)  | •*        | *Low Roof Only   | •                 | —               | —               |
| D-Pillar Weld Nuts   | •         | —                | —                 | —               | —               |
| Headliner – Cloth, Front only  | •         | —                | —                 | •               | •               |
| Headliner – Cloth, Full length   | —         | •                | •                 | —               | —               |
| <b>Rear View Camera</b>  |           |                  |                   |                 |                 |

# 2025 TRANSIT STANDARD EQUIPMENT

| INTERIOR (continued)   | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB     |
|--|-----------|------------------|-------------------|---------|-----------------|
| No Rear View Camera  | —         | —                | —                 | •       | •               |
| <b>Note:</b> For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation. | —         | —                | —                 | •       | •               |
| <b>Seating – Front</b>   |           |                  |                   |         |                 |
| Driver and Front-passenger Manual Reclining Bucket Seats with Adjustable Headrest (Includes driver-side and passenger-side inboard armrest)  | •         | •                | •                 | •       | •               |
| Rear-Seat(s) Recline and Inboard Armrest   | —         | —                | •                 | —       | —               |
| <b>Note:</b> Last row of seats do not recline.   |           |                  |                   |         |                 |
| Manual Driver-side Lumbar Support  | —         | •                | •                 | —       | —               |
| 12-Passenger Seating. 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 3 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 4 seats. Standard with Long Length Passenger Van.   | —         | •                | •                 | —       | —               |
| 15-Passenger Seating. 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 3 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4 seats. Standard with Extended Length Passenger Van.   | —         | •                | •                 | —       | —               |
| <b>Sun Visors</b>  |           |                  |                   |         |                 |
| Sun Visors   | •         | —                | —                 | •       | •               |
| <b>FUNCTIONAL</b>  |           |                  |                   |         |                 |
| Alternator – 250 amp (3.5L PFDI V6 and 3.5L EcoBoost® V6 engines).   | •         | •                | •                 | •       | •               |
| Frame Rail Extension Adapters  | —         | —                | —                 | •       | •               |
| Horn – Single-note   | •         | •                | •                 | •       | •               |
| <b>Air Conditioning</b>  |           |                  |                   |         |                 |
| Front only   | •         | —                | —                 | •       | •               |
| Front and Rear   | —         | •                | •                 | —       | —               |
| <b>Audio</b>   |           |                  |                   |         |                 |
| Antenna – Fender Mounted   | •         | •                | •                 | •       | •               |
| AM/FM stereo with 4.0" multi-function display, Bluetooth, and Dual USB ports   | •         | •                | —                 | •       | •               |
| SYNC 4 with 12.0" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected (Subscription) Navigation  | •*        | —                | •                 | •*      | *E-Transit only |
| <b>Batteries</b>   |           |                  |                   |         |                 |
| Single AGM Battery – 70 amp-hr   | •         | •                | •                 | •       | •               |
| <b>Brakes</b>  |           |                  |                   |         |                 |
| Brakes – 4-wheel Anti-lock Disc Brakes   | •         | •                | •                 | •       | •               |
| <b>Note:</b> Depending on driving habits and configuration, the brake pad life is up to 50% improved. In addition, brake pad wear indicators are now included and will send a warning message to the cluster if brake pads reach a certain wear threshold.                             |           |                  |                   |         |                 |
| Parking Brake – Electric (SRW configurations only)   | •         | •                | •                 | •       | •               |
| Parking Brake – Mechanical (9,950lb DRW GVWR configurations only)  | •         | •                | •                 | •       | •               |
| Parking Brake – Push Down Mechanical (11,000lb GVWR configurations only)   | •         | —                | —                 | •       | •               |
| <b>Embedded Modem</b>  |           |                  |                   |         |                 |

# 2025 TRANSIT STANDARD EQUIPMENT

| FUNCTIONAL (continued)   | CARGO VAN                  | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY              | CHASSIS CAB          |
|--|----------------------------|------------------|-------------------|----------------------|----------------------|
| FordPass™ Connect<br><b>Note:</b> Ford Telematics and Data Services are telematics services available for fleet customers, providing access to manufacturer-grade vehicle data including but not limited to location, speed, idle time, remaining fuel, diagnostics, and maintenance alerts. FordPass Connect™ 4G Wi-Fi Modem (available with SYNC 4 only), enables telematics services directly from Ford or through authorized third-party providers. Learn more at <a href="http://commercialsolutions.ford.com">commercialsolutions.ford.com</a> or email <a href="mailto:fcs1@ford.com">fcs1@ford.com</a> or calling 833-FCS-Ford. (833-327-3673). *Available on vehicles with embedded modem or equipped with approved plug-in device (PID). May require modem activation. Ford Telematics and Ford Data Services require a purchased subscription. Terms and conditions apply. Telematics service and features, and access to vehicle data depend on subscription and compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. | •                          | •                | •                 | •                    | •                    |
| Telematics Essentials**<br><b>Note:</b> A complimentary version of Ford Telematics that gives fleet customers access to vehicle health insights such as odometer reading, diagnostic trouble codes and information around oil life, engine hours and recalls<br>**Complimentary product. Available on vehicles with embedded modem. Requires modem activation. Terms and conditions apply. Telematics service and features, and access to vehicle data depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features.   | •                          | •                | •                 | •                    | •                    |
| <b>Frontal Area Limitation</b><br>Base Frontal Area Limitation<br><b>Note:</b> Provides a Vehicle Emission Control Information label with a frontal area restriction up to 72 ft <sup>2</sup> . Frontal area limitation requires second unit body to meet profile restrictions. For additional information please reference the Incomplete Vehicle Manual and SVE Bulletins.   | —                          | —                | —                 | •                    | •                    |
| <b>Instrumentation</b><br>Tachometer, Fuel Level and Coolant Temperature (Gas Engines)<br>Battery Level, Power Gauge and Power Availability (E-Transit)<br><b>Interior Power</b><br>PowerPoint – 12V<br><b>Note:</b> One is located in the instrument panel and one in center console.<br>USB Ports – 5 amps<br><b>Note:</b> Depending on seating configuration, one is located in each of the 2 <sup>nd</sup> row, 3 <sup>rd</sup> row, 4 <sup>th</sup> row and 5 <sup>th</sup> row.<br><b>Speed Limiting Device</b><br>65 mph Governed Top Speed, Standard on E-Transit Cutaway and Chassis Cab. 75 mph Governed Top Speed standard on E-Transit Cargo Van.<br>Reverse Speed Limiter – Standard on E-Transit   | •<br>•*<br>*E-Transit only | •<br>—           | •<br>—            | •<br>*E-Transit only | •<br>*E-Transit only |

★ = New for this model year

• = Available

# 2025 TRANSIT STANDARD EQUIPMENT

| FUNCTIONAL (continued)  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB     |
|---|-----------|------------------|-------------------|---------|-----------------|
| <b>Steering</b>   |           |                  |                   |         |                 |
| Electric Power Assisted Steering (EPAS)   | ●         | ●                | ●                 | ●       | ●               |
| Steering Wheel – Power Rack and Pinion  | ●         | ●                | ●                 | ●       | ●               |
| Steering Wheel – Tilt and Telescoping   | ●         | ●                | ●                 | ●       | ●               |
| <b>Suspension</b>   |           |                  |                   |         |                 |
| Front – Independent MacPherson-strut, Stabilizer Bar  | ●         | ●                | ●                 | ●       | ●               |
| Rear – Leaf Springs, Heavy-duty Gas Shock Absorbers. Gas engine configurations only.  | ●         | ●                | ●                 | ●       | ●               |
| Rear – Independent with coil springs, semi-trailing arm (STA) and stabilizer bar. E-Transit only.   | ●*        | —                | —                 | ●*      | *E-Transit only |
| <b>SAFETY/SECURITY</b>  |           |                  |                   |         |                 |
| Autolocking Drive Away with Crash Unlocking.  | ●         | ●                | ●                 | ●       | ●               |
| AdvanceTrac® w/Roll Stability Control™ (RSC®)   | ●         | ●                | ●                 | ●       | ●               |
| SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer  | ●         | ●                | ●                 | ●       | ●               |
| SOS Post-Crash Alert System™. Not available with AM/FM Stereo with 4" Screen (58U). <b>Note:</b> Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploys.                          | ●         | ●                | ●                 | ●       | ●               |
| Tire Pressure Monitoring System (TPMS).   | ●         | ●                | ●                 | ●       | ●               |
| Stationary Elevated Idle Control (SEIC)   | ●         | ●                | ●                 | ●       | ●               |
| <b>Airbags</b>  |           |                  |                   |         |                 |
| Driver and Passenger Airbags  | ●         | ●                | ●                 | ●       | ●               |
| Passenger-side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J, 21K and 211) or Right Hand Door Delete (60X) configurations  | ●         | —                | —                 | ●       | ●               |
| Safety Canopy® Side-curtain Airbags   | ●         | ●                | ●                 | ●       | ●               |
| <b>FORD CO-PILOT360™ TECHNOLOGY</b>   |           |                  |                   |         |                 |
| Forward Collision Warning   | ●         | ●                | ●                 | ●       | ●               |
| Hill Start Assist   | ●         | ●                | ●                 | ●       | ●               |
| Post-Collision Braking  | ●         | ●                | ●                 | ●       | ●               |
| <b>Note:</b> Can potentially lessen the severity of a secondary collision by automatically applying moderate brake pressure when an initial collision event is detected.  |           |                  |                   |         |                 |
| Side Wind Stabilization   | ●         | ●                | ●                 | ●       | ●               |
| <b>Ford Co-Pilot360™</b>  |           |                  |                   |         |                 |
| Pre-Collision Assist with Automatic Emergency Braking (AEB)   |           |                  |                   |         |                 |
| <b>Note:</b> If a potential collision is detected, a warning flashes and an alert sounds, and if the driver's response is not sufficient, the system can automatically apply the brakes to help minimize a frontal collision. |           |                  |                   |         |                 |
| Blind Spot Assist   | —         | —                | ●                 | —       | —               |
| <b>Note:</b> Includes Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage.  |           |                  |                   |         |                 |
| Lane-Keepering System   | ●         | ●                | —                 | —       | —               |
| <b>Note:</b> Includes Lane-Keepering Alert and Driver Alert. This feature can alert the driver, during day or night, if their vehicle is unintentionally leaving its intended lane.   |           |                  |                   |         |                 |
| Auto High-Beam Headlamps  | ●         | ●                | ●                 | ●       | ●               |
| Rear View Camera with Trailer Hitch Assist.   | ●         | ●                | —                 | —       | —               |
| <b>Note:</b> Camera will be high-mount for Medium Roof and High Roof.   |           |                  |                   |         |                 |
| High Resolution Digital Camera.   | ●*        | —                | ●                 | —       | —               |
| <b>Exterior Sensors</b>   |           |                  |                   |         |                 |
| Reverse Sensing System  | —         | —                | ●                 | —       | —               |
| Side Sensing System   | —         | —                | ●                 | —       | —               |
| <b>Windshield Wipers</b>  |           |                  |                   |         |                 |

★ = New for this model year

● = Available

**2025 TRANSIT  
STANDARD EQUIPMENT**

| FORD CO-PILOT360™ TECHNOLOGY (continued) | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|--|-----------|------------------|-------------------|---------|-------------|
| Automatic Rain-Sensing Windshield Wipers | •         | •                | •                 | •       | •           |

**2025 TRANSIT  
OPTIONAL EQUIPMENT**

| BODY CODES  | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|---|------------|-----------|------------------|-------------------|---------|-------------|
|   | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>NOTE: Body Codes have changed, double-check before inputting orders. Also, you must input Wheelbase into CONCEPS now</b>   |            |           |                  |                   |         |             |
| <b>LOW ROOF</b>   |            |           |                  |                   |         |             |
| <b>Transit-150 (GVWR: Cargo Van 8,670# (incomplete), 8,800# (complete)</b>  |            |           |                  |                   |         |             |
| Regular (130")  | RWD        | E1Y       | —                | —                 | —       | —           |
| Regular (130")  | AWD        | E2Y       | —                | —                 | —       | —           |
| Long (148")   | RWD        | E1Y       | —                | —                 | —       | —           |
| Long (148")   | AWD        | E2Y       | —                | —                 | —       | —           |
| <b>Transit-250 (GVWR: Cargo Van 9,070# (incomplete), 9,150# (complete)   Cutaway 9,150#   Chassis Cab 9,150#)</b>   |            |           |                  |                   |         |             |
| Regular (130")  | RWD        | R1Y       | —                | —                 | —       | —           |
| Regular (130")  | AWD        | R2Y       | —                | —                 | —       | —           |
| Regular (138")  | RWD        | —         | —                | —                 | R5P     | R5Z         |
| Regular (138")  | AWD        | —         | —                | —                 | R7P     | R7Z         |
| Long (148")   | RWD        | R1Y       | —                | —                 | —       | —           |
| Long (148")   | AWD        | R2Y       | —                | —                 | —       | —           |
| Long (156")   | RWD        | —         | —                | —                 | R5P     | R5Z         |
| Long (156")   | AWD        | —         | —                | —                 | R7P     | R7Z         |
| <b>Transit-350 (GVWR: Cargo Van 9,500#   Passenger Van: for RWD 9,250# with 2-passenger (47E), 9,400# with 15/12 passenger (96K/P); for AWD: 9,250# with 2-passenger (47E), 9,400# with engine-type 99G and 12-passenger and 9,550# with engine-type 998 and 12/15 passenger (96K/P)   Cutaway 9,500#   Chassis Cab 9,500#)</b> |            |           |                  |                   |         |             |
| Regular (130")  | RWD        | W1Y       | —                | —                 | —       | —           |
| Regular (130")  | AWD        | W2Y       | —                | —                 | —       | —           |
| Regular (138")  | RWD        | —         | —                | —                 | W5P     | W5Z         |
| Regular (138")  | AWD        | —         | —                | —                 | W7P     | W7Z         |
| Long (148")   | RWD        | W1Y       | X2Y              | X2Y               | —       | —           |
| Long (148")   | AWD        | W2Y       | X9Y              | X9Y               | —       | —           |
| Long (156")   | RWD        | —         | —                | —                 | W5P     | W5Z         |
| Long (156")   | AWD        | —         | —                | —                 | W7P     | W7Z         |
| Extended (178")   | RWD        | —         | —                | —                 | W5P     | W5Z         |
| Extended (178")   | AWD        | —         | —                | —                 | W7P     | W7Z         |
| <b>Transit-350 HD SRW (GVWR: Cargo Van 9,950#   Cutaway 9,950#   Chassis Cab 9,950#) (Max 80 MPH)</b>   |            |           |                  |                   |         |             |
| Long (148")   | RWD        | F1Y       | —                | —                 | —       | —           |
| Long (148")   | AWD        | F2Y       | —                | —                 | —       | —           |
| Long (156")   | RWD        | —         | —                | —                 | F1P     | F1Z         |
| Long (156")   | AWD        | —         | —                | —                 | F2P     | F2Z         |
| Extended (178")   | RWD        | —         | —                | —                 | F1P     | F1Z         |
| Extended (178")   | AWD        | —         | —                | —                 | F2P     | F2Z         |
| <b>Transit-350 HD DRW (GVWR: Cutaway 9,950#   Chassis Cab 9,950#)</b>   |            |           |                  |                   |         |             |
| Regular (138")  | RWD        | —         | —                | —                 | F6P     | F6Z         |
| Regular (138")  | AWD        | —         | —                | —                 | F8P     | F8Z         |
| Long (156")   | RWD        | —         | —                | —                 | F6P     | F6Z         |
| Long (156")   | AWD        | —         | —                | —                 | F8P     | F8Z         |
| Extended (178")   | RWD        | —         | —                | —                 | F6P     | F6Z         |
| Extended (178")   | AWD        | —         | —                | —                 | F8P     | F8Z         |
| <b>Transit-350 HD DRW (GVWR: Cutaway 11,000#   Chassis Cab 11,000#)</b>   |            |           |                  |                   |         |             |
| Regular (138")  | RWD        | —         | —                | —                 | U6P     | U6Z         |
| Regular (138")  | AWD        | —         | —                | —                 | U8P     | U8Z         |
| Long (156")   | RWD        | —         | —                | —                 | U6P     | U6Z         |
| Long (156")   | AWD        | —         | —                | —                 | U8P     | U8Z         |
| Extended (178")   | RWD        | —         | —                | —                 | U6P     | U6Z         |
| Extended (178")   | AWD        | —         | —                | —                 | U8P     | U8Z         |
| <b>MEDIUM ROOF</b>  |            |           |                  |                   |         |             |
| <b>Transit-150 (GVWR: Cargo Van 8,670# (incomplete), 8,800# (complete)</b>  |            |           |                  |                   |         |             |
| Long (148")   | RWD        | E1C       | —                | —                 | —       | —           |
| Long (148")   | AWD        | E2C       | —                | —                 | —       | —           |
| <b>Transit-250 (GVWR: Cargo Van 9,070# (incomplete), 9,150# (complete)</b>  |            |           |                  |                   |         |             |
| Long (148")   | RWD        | R1C       | —                | —                 | —       | —           |
| Long (148")   | AWD        | R2C       | —                | —                 | —       | —           |
| <b>Transit-350 (GVWR: Cargo Van 9,500#   Passenger Van RWD: 9,250# 2-Passenger (47E), 9,400# 15-passenger (incomplete) (96K), 9,500# 12/15-passenger (complete) (96K/P); AWD: 9,250# 2-Passenger (47E), 9,550# 12/15-Passenger (96K/P))</b>   |            |           |                  |                   |         |             |
| Long (148")   | RWD        | W9C       | X2C              | X2C               | —       | —           |
| Long (148")   | AWD        | W2C       | X9C              | X9C               | —       | —           |
| <b>Transit-350 HD SRW (GVWR: Cargo Van 9,950#) (Max 80 MPH)</b>   |            |           |                  |                   |         |             |
| Long (148")   | RWD        | F7C       | —                | —                 | —       | —           |
| Long (148")   | AWD        | F8C       | —                | —                 | —       | —           |
| <b>HIGH ROOF</b>  |            |           |                  |                   |         |             |
| <b>Transit-250 (GVWR: Cargo Van 9,070# (incomplete), 9,150# (complete)</b>  |            |           |                  |                   |         |             |
| Long (148")   | RWD        | R1X       | —                | —                 | —       | —           |
| Long (148")   | AWD        | R2X       | —                | —                 | —       | —           |
| Extended (148")   | RWD        | R3X       | —                | —                 | —       | —           |
| Extended (148")   | AWD        | R3U       | —                | —                 | —       | —           |
| <b>Transit-350 (GVWR: Cargo Van 9,500#   Passenger Van RWD: 9,250# 2-Passenger (47E), 9,400# engine type 998, 15-passenger (incomplete) (96K), engine type 99G 12/15-passenger (96K/P), 9,500# engine type 998, 12/15-passenger (96P); AWD: 9,250# 2-passenger (47E), 9,550# 12/15-passenger (96K/P))</b>                       |            |           |                  |                   |         |             |
| Long (148")   | RWD        | W1X       | X2X              | X2X               | —       | —           |
| Long (148")   | AWD        | W2X       | X9X              | X9X               | —       | —           |
| Extended (148")   | RWD        | W3X       | —                | —                 | —       | —           |
| Extended (148")   | AWD        | W3U       | —                | —                 | —       | —           |
| <b>Transit-350 HD SRW (GVWR: Cargo Van 9,950#) (Max 80 MPH)</b>   |            |           |                  |                   |         |             |
| Long (148")   | RWD        | F5X       | —                | —                 | —       | —           |
| Long (148")   | AWD        | F6X       | —                | —                 | —       | —           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type<br>Order Code | CARGO VAN<br>101A | PASSENGER VAN XL<br>301A | PASSENGER VAN XLT<br>302A | CUTAWAY<br>501A | CHASSIS CAB<br>701A |
|--|-------------------------|-------------------|--------------------------|---------------------------|-----------------|---------------------|
| <b>HIGH ROOF (continued)</b>   |                         |                   |                          |                           |                 |                     |
| Extended (148")  | RWD                     | F7X               | —                        | —                         | —               | —                   |
| Extended (148")  | AWD                     | F8X               | —                        | —                         | —               | —                   |
| <b>Transit-350 HD DRW (GVWR: Cargo Van 9,950#)</b>   |                         |                   |                          |                           |                 |                     |
| Extended (148")  | RWD                     | F4X               | —                        | —                         | —               | —                   |
| Extended (148")  | AWD                     | F4U               | —                        | —                         | —               | —                   |
| <b>Transit-350 HD DRW (GVWR: Passenger Van 10,100#)</b>  |                         |                   |                          |                           |                 |                     |
| Extended (148")  | RWD                     | —                 | U4X                      | U4X                       | —               | —                   |
| Extended (148")  | AWD                     | —                 | U5X                      | U5X                       | —               | —                   |
| <b>Transit-350 HD DRW (GVWR: Cargo Van 11,000#)</b>  |                         |                   |                          |                           |                 |                     |
| Extended (148")  | RWD                     | U8X               | —                        | —                         | —               | —                   |
| Extended (148")  | AWD                     | U8U               | —                        | —                         | —               | —                   |
| <b>POWERTRAIN</b>  |                         |                   |                          |                           |                 |                     |
| <b>Engine</b>  |                         |                   |                          |                           |                 |                     |
| 3.5L PFDi V6. Not available on Cargo Van (U8X and U8U), Passenger Van XL/XLT (U5X), Cutaway (U6P and U8P) or Chassis Cab (U6Z and U8Z).<br><b>Note:</b> Includes port injection and E-85 Flex-Fuel Capable capability  | 998                     | S                 | S                        | S                         | S               | S                   |
| 3.5L EcoBoost® V6. Standard on Cargo Van (U8X and U8U), Passenger Van XL/XLT (U5X), Cutaway (U6P and U8P) and Chassis Cab (U6Z and U8Z). Not available on low and medium roof Cargo Vans with RWD (E1Y, R1Y, W1Y, F1Y, E1C, R1C, W9C, or F7C), except if Ambulance prep package (47B) is selected.   | 99G                     | S/O               | S/O                      | S/O                       | S/O             | S/O                 |
| Electric Motor (E-Transit Enhanced Range) with 89.9kWH High-Voltage Battery. For E-Transit, this battery is mandatory on 148" Wheelbase Cargo Van (W1Y, W9C, W1X and W3X) and 178" Chassis Cab/Cutaway (W5Z, W5P)  | 99M                     | S                 | —                        | —                         | S               | S                   |
| <b>Transmission</b>  |                         |                   |                          |                           |                 |                     |
| 10-Speed Automatic Overdrive with SelectShift®. Auxiliary Transmission Oil Cooler is standard. Not available with E-Transit.   | 44U                     | S                 | S                        | S                         | S               | S                   |
| Single-Speed Transmission. Only available with the Electric Motor/E-Transit (99M).   | 44A                     | O                 | —                        | —                         | O               | O                   |
| <b>EXTERIOR</b>  |                         |                   |                          |                           |                 |                     |
| Roof Marker Lamp Delete. Standard on SRW Cargo Van and Passenger Van XL/XLT<br><b>Note:</b> Vehicle shipped with temporary tape over five (5) holes. Upfitter is responsible to seal holes on Cutaway only.  | 18A                     | S                 | S                        | S                         | O               | —                   |
| <b>Bumpers</b><br>Front Bumper – Body Colored. Includes Front Fog Lamps (55D). Cargo Van and Passenger Van XL requires Side Sensing System (94A).<br><b>Note:</b> Body colored front bumpers are offered in every exterior color. The front bumper will match the exterior color.  | 53G                     | O                 | O                        | S                         | O               | O                   |
| <b>Doors</b><br>Right Hand Door Delete. Included with School Bus Prep Package (47C), MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package (47S).<br><b>Note:</b> Intended for upfitters who plan to modify the factory roof. Includes only front driver airbag. See Package/Option page for details.   | 60X                     | —                 | —                        | —                         | I/P/O           | —                   |
| <b>Exterior Lighting – Front</b><br>Chrome High-Intensity Discharge (HID) Headlamps. Not available on Chassis Cab and Cutaway with 3.5L PFDi V6 (998) engine. Not available with Passenger Seat Delete options (21J, 21K and 21L).<br><b>Note:</b> HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround. | 91A                     | O                 | O                        | O                         | O               | O                   |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|--|------------|-----------|------------------|-------------------|---------|-------------|
|  | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>EXTERIOR (continued)</b>  |            |           |                  |                   |         |             |
| Black High-Intensity Discharge (HID) Headlamps. Standard on E-Transit except when seat delete options (21J, 21K, and 211) selected (see note below). Not available on Chassis Cab and Cutaway with 3.5L PFDi V6 (998) engine. Not available with Passenger Seat Delete options (21J, 21K and 211)                          | 91C        | O         | O                | —                 | O       | O           |
| <b>Note:</b> Not available with Exterior Upgrade Package – SRW (18D) and DRW (18L). HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.  |            |           |                  |                   |         |             |
| Wiper Activated Headlamps  | 91B        | O         | O                | S                 | O       | O           |
| Front Fog Lamps. Included in Side Sensing System (94A) and in Motorhome Prep Package (47M). Also included in Exterior Upgrade Package – SRW (18D) and DRW (18L).   |            |           |                  |                   |         |             |
| <b>Note:</b> Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility.   |            |           |                  |                   |         |             |
| <b>Fuel Tank</b>   |            |           |                  |                   |         |             |
| Extended Range Fuel Tank – Capless Fuel Fill, 31 U.S. gallons (midship). Not available on E-Transit, Regular Length configurations and Passenger Van XL/XLT (X9X) with the combination of the 15-Passenger Seating (96P) and the 3.5L EcoBoost® V6 (99G) engine.   | 655        | O         | O                | O                 | O       | O           |
| Auxiliary Fuel Port Extension Line. Optional on Cargo Van Long and Extended Length and includes Extended Range Fuel Tank (655).  | 63F        | O         | —                | —                 | —       | —           |
| <b>Note:</b> Allows for access to the Auxiliary Fuel Port without removing fuel tank   |            |           |                  |                   |         |             |
| <b>Hinges (rear door)</b>  |            |           |                  |                   |         |             |
| ★253-Degree Rear Door. Standard on high roof Cargo Vans. Optional on all 148" Wheelbase low/medium roof variants.  | 18P        | O         | O                | O                 | —       | —           |
| <b>Mirrors – Short-Arm</b>   |            |           |                  |                   |         |             |
| Power Adjusting, Manual-Folding. Not available with Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) or Blind Spot Information System (BLIS®) on CC/CA (65B), or Right Hand Door Delete (60X).   | 541        | S         | S                | —                 | O       | —           |
| Power Adjusting, Manual-Folding Heated with Turn Signals. Not available with Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) or Blind Spot Information System (BLIS®) on CC/CA (65B), or Right Hand Door Delete (60X).  | 545        | O         | O                | —                 | O       | O           |
| <b>Mirrors – Long-Arm</b>  |            |           |                  |                   |         |             |
| Power Adjusting, Manual-Folding. Not available with Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) or Blind Spot Assist on CC/CA (65B).  | 543        | O         | O                | —                 | O/P     | —           |
| Power Adjusting, Manual-Folding Heated with Turn Signals. Cargo Van and Passenger Van XL/XLT are available with Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) or Blind Spot Assist on CC/CA (65B).  | 544        | O/P       | O/P              | O/P               | O/P     | O           |
| <b>Running Boards</b>  |            |           |                  |                   |         |             |
| Passenger Running Board. <b>Note:</b> Running board covers the B-C Pillar Passenger-side.  | 68H        | O         | O                | O                 | —       | —           |
| Extended Length Running Boards. Not available with E-Transit.  | 68J        | O         | O                | O                 | —       | —           |
| Note: Running board covers the A-B Pillar Driverside and A-C Pillar Passenger-side.  |            |           |                  |                   |         |             |
| <b>Trailering</b>  |            |           |                  |                   |         |             |
| Tow/Haul Mode with Trailer Wiring Provisions. Included in Motorhome Prep Package (47M). See Package/Options page for details.  | 53D        | O         | O                | O                 | O/I     | O           |
| Trailer Brake Controller (TBC). Note this option must be added at time of ordering. Neither a Ford or aftermarket trailer brake controller can be added later (after vehicle is built). Requires Heavy-Duty Trailer Tow Package (53B) or Tow/Haul Mode with Trailer Wiring Provisions (53D). Not available with E-Transit. | 67D        | O         | O                | O                 | O       | O           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN           | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|--|------------|---------------------|------------------|-------------------|---------|-------------|
|  | Order Code | 101A                | 301A             | 302A              | 501A    | 701A        |
| <b>EXTERIOR (continued)</b>  |            |                     |                  |                   |         |             |
| Heavy-Duty Trailer Tow Package<br><b>Note:</b> Deletes Rear Tow Hook. See Package/Option page for details.   | 53B        | O                   | O                | O                 | —       | —           |
| <b>Wheels – SRW</b>  |            |                     |                  |                   |         |             |
| 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only and standard with E-Transit). Included with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).  | 64H        | S/I/O               | O                | S                 | S/I/O   | S/I/O       |
| 16" Silver Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).  | 647        | P/O                 | O                | O                 | P/O     | P/O         |
| 16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).   | 644        | P/O                 | O                | O                 | P/O     | P/O         |
| 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).   | 64K        | P/O                 | O                | O                 | P/O     | P/O         |
| 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).  | 64G        | P/O                 | O                | O                 | P/O     | P/O         |
| <b>Wheels – DRW</b>  |            |                     |                  |                   |         |             |
| 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Heavy-Duty Front Axle configurations only) (18L).   | 76G        | O                   | O                | O                 | P/O     | P/O         |
| <b>Wheels – Spare Tire</b>   |            |                     |                  |                   |         |             |
| Spare Tire and Wheel. Included in the Ambulance Prep Package – Cutaway (47F)<br><b>Note:</b> Includes 3 ton jack, tool kit and full-size matching tire   | 51D        | S                   | S                | S                 | O/I     | O           |
| Spare Tire and Wheel Delete  | 51A        | O                   | O                | O                 | S       | S           |
| <b>Windows (Refer to the Windows Offering Chart on page 21 for complete window details)</b>  |            |                     |                  |                   |         |             |
| Fixed Rear Cargo Door Glass. Includes Rear-window Defroster.   | 17A        | O                   | —                | —                 | —       | S           |
| Fixed Rear Cargo Door Glass and Fixed 2 <sup>nd</sup> row Passenger-side Glass. Includes Rear-window Defroster.  | 17B        | O                   | —                | —                 | —       | —           |
| Windows-All-Around, Fixed. Includes Rear-window Defroster.   | 17F        | O                   | S                | S                 | —       | —           |
| <b>Glass</b>   |            |                     |                  |                   |         |             |
| High Strength Laminated Glass. Available on E-Transit (W9C/W1X) only and with Windows-All-Around, Fixed (17F) only. Optional on Medium/High Roof, Long Length Cargo Van. Not available on Low Roof.<br><b>Note:</b> High strength laminated glass applies to 2 <sup>nd</sup> -4 <sup>th</sup> row windows. This option provides a pathway to FMVSS 226 compliance.   | 92A        | O<br>E-Transit only | —                | —                 | —       | —           |
| Privacy Glass. Includes Rear-window Defroster. Requires Fixed Rear Cargo Door Glass (17A), Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B), or Windows-All-Around, Fixed (17F). Also Required when 17A/B/F (includes Rear Door Glass) is selected on all Medium and High Roof variants; Optional on Low Roof variants.<br><b>Note:</b> Provides protection of vehicle occupant(s) and occupant personal belongings. The glass also provides occupant comfort by helping to reduce vehicle cool-down time. | 92E        | O                   | O                | O                 | —       | —           |
| <b>INTERIOR</b>  |            |                     |                  |                   |         |             |
| B-Pillar Assist Handle (Passenger-side)<br><b>Note:</b> Handle is standard on Low Roof Cargo Van   | 41B        | S/O                 | S                | S                 | —       | —           |
| D-Pillar Assist Handles<br><b>Note:</b> Located on the Driver and Passenger-side. Due to space requirements, the Driver-side handle is deleted if Front/Rear Aux A/C and Heater (Driver controlled) (57G) is also ordered.<br><b>Note:</b> Not Available with any Shelving Options (66H, 66E, 66F, 66J, 66K, 66L, 66M)   | 66C        | O                   | —                | —                 | —       | —           |
| ★ Large Grab Handles Kit (2 D pillars). Regular and Long Length only. See below for more detailed information. Not available with D pillar grab handle (66C).  | 60F        | O                   | —                | —                 | —       | —           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|--|------------|-----------|------------------|-------------------|---------|-------------|
|  | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>INTERIOR (continued)</b>  |            |           |                  |                   |         |             |
| Illuminated Sun Visors. Included with Interior Upgrade Package – Cargo Van (96C) and Interior Upgrade Package – Cutaway/Chassis Cab (47A).   | 85C        | O/I       | S                | S                 | O/I     | O/I         |
| Rearview Mirror. Included with rear glass window configurations (17A, 17B, and 17F).   | 90B        | I         | S                | S                 | O       | S           |
| Digital Rearview Mirror. Placed in the traditional rearview mirror mount location, this always on, auto-dimming enhanced mirror provides full digital rearview images when obstructions such as a bulkhead, cargo or no rear windows are present. Returns to mirror mode when the camera is turned off. Not available with Low Roof.   | 90C        | O         | O                | O                 | —       | —           |
| <b>Note:</b> This is not a reverse back-up camera.   |            |           |                  |                   |         |             |
| Full Rear Compartment Lighting. Includes cargo area LED lights at C-pillar, D-pillar and mid-ship (ELWB only). Rear Compartment LED Switch is only included on Cargo Van.  | 15F        | O         | S                | S                 | —       | —           |
| Cargo Tie-Down Hooks (Cargo Van: 6 tie-down hooks)   | 17P        | O         | —                | —                 | —       | —           |
| Front Overhead Shelf. Not available on Low Roof Cargo Van and Passenger Van.   | 66D        | O         | O                | O                 | O       | O           |
| ★ Wall Liner Kit (ceiling wall, door). Regular or Long Length only. Also includes lighting and wheel well covers. Not available with window glass options 17A/B/F. Requires bulkhead (either 47T or 47U). See below or more detailed information.  | 96E        | O         | —                | —                 | —       | —           |
| <b>Bulkheads</b>   |            |           |                  |                   |         |             |
| Bulkhead – Lockable Door with Window. Optional only on Medium Roof and High Roof. Includes B-Pillar Assist Handle (41B).   | 47T        | O         | —                | —                 | —       | —           |
| <b>Note:</b> The bulkhead is located behind the driver and passenger seats in the Cargo Van, and separates them from the cargo area.   |            |           |                  |                   |         |             |
| Bulkhead – Window Only. Optional only on Low Roof and Medium Roof. Includes B-Pillar Assist Handle (41B).  | 47U        | O         | —                | —                 | —       | —           |
| <b>Shelving and Vocational/Trade Packages</b>  |            |           |                  |                   |         |             |
| Fixed Shelving, multi-level – passenger side only. Requires a Bulkhead option (47T or 47U).  | 66F        | O         | —                | —                 | —       | —           |
| Available with Regular and Long Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G), D-Pillar Assist Handles (66C), or Pro Power Onboard (90E).   |            |           |                  |                   |         |             |
| Fixed Shelving, multi-level – driver side only. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or D-Pillar Assist Handles (66C).  | 66E        | O         | —                | —                 | —       | —           |
| Foldable Aluminum Shelving, two levels per side. Requires Bulkhead – Lockable Door with Window (47T). Requires Heavy Duty Cargo Flooring (60B). Available with High Roof and Long Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E), Front/Rear Aux A/C and Heater (57G). | 66H        | O         | —                | —                 | —       | —           |
| Fixed Shelving, multi-level – driver and passenger sides. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E).   | 66J        | O         | —                | —                 | —       | —           |
| ★ Electrician Trade Package (Based on load) Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E) See below or more detailed information.  | 66K        | O         | —                | —                 | —       | —           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN            | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY              | CHASSIS CAB          |
|--|------------|----------------------|------------------|-------------------|----------------------|----------------------|
|  | Order Code | 101A                 | 301A             | 302A              | 501A                 | 701A                 |
| <b>INTERIOR (continued)</b>  |            |                      |                  |                   |                      |                      |
| ★HVAC Trade Package Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available on low roof variants or with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E (Based on fixed shelving). See below or more detailed information.  | 66L        | O                    | —                | —                 | —                    | —                    |
| ★General Contractor Trade Package Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E (Based on fixed shelving). See below or more detailed information.  | 66M        | O                    | —                | —                 | —                    | —                    |
| <b>Center Console</b><br>Large Center Console. Included with Upfitter Package (67C) and Trailer Brake Controller (67D). Not available with E-Transit.<br><b>Note:</b> Includes an integrated shifter, a dual cup holder and an additional storage area   | 67E        | O/I                  | O/I              | S                 | O/I                  | O/I                  |
| <b>Floor Covering</b><br>Vinyl, Front only. Included with the Builders Prep Package (47E) for Passenger Van XL.<br><b>Note:</b> Wheel Well Liners and Scuff Plates Kit are not included.   | 16C        | S                    | I                | —                 | S                    | S                    |
| Vinyl, Front and Rear. Included in Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) on Cargo Van, Heavy-Duty Cargo Flooring (60B) or Heavy-Duty Scuff Plate Kit (85B).<br><b>Note:</b> Wheel Well Liners are included as part of the rear vinyl floor covering.   | 16E        | O/I                  | S                | O                 | —                    | —                    |
| Carpet, Front only. Included with Builders Prep Package (47E). Not available with E-Transit.<br><b>Note:</b> Deletes all rear floor covering.  | 16G        | O                    | —                | I                 | O                    | O                    |
| Carpet, Front and Rear   | 16H        | —                    | O                | S                 | —                    | —                    |
| Heavy-Duty Cargo Flooring. Includes Heavy-Duty Scuff Plate Kit (85B). Not available with Vinyl, Front and Rear (16E) – Cargo Van only or Front/Rear Aux A/C and Heater (Driver controlled) (57G).  | 60B        | O                    | —                | —                 | —                    | —                    |
| <b>Seating – Front</b><br>Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van and Chassis Cab are only available with 11,000lb GVWR configurations Not available with E-Transit.<br><b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof". | 21C        | O                    | —                | —                 | O                    | O                    |
| Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver seat armrest only.   | 21G        | S                    | O                | —                 | S                    | S                    |
| Passenger Seat Delete Dark Palazzo Gray Vinyl, 2-way manual Driver seat. Cargo Van is only available with 11,000lb GVWR configurations.<br><b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".   | 21J        | O                    | —                | —                 | O                    | —                    |
| Passenger Seat Delete Dark Palazzo Gray Cloth, 2-way manual Driver seat.   | 21K        | O                    | —                | —                 | O                    | —                    |
| <b>Seating – Front</b><br>Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats.   | 21L        | O<br>*S on E-Transit | S                | S                 | O<br>*S on E-Transit | O<br>*S on E-Transit |
| Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver and Passenger seat armrests.   | 21P        | O                    | O                | —                 | O                    | O                    |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN           | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY             | CHASSIS CAB         |
|--|------------|---------------------|------------------|-------------------|---------------------|---------------------|
|  | Order Code | 101A                | 301A             | 302A              | 501A                | 701A                |
| <b>INTERIOR (continued)</b>  |            |                     |                  |                   |                     |                     |
| Dark Palazzo Gray Cloth, 10-way power heated Driver and 10-way power heated Passenger seats. Not available with E-Transit.   | 21Q        | O                   | —                | O                 | O                   | O                   |
| Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available on E-Transit, or with 9,950lb DRW GVWR configurations.   | 21T        | O                   | —                | —                 | O                   | —                   |
| Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available with E-Transit or 9,950lb DRW GVWR Cutaway configurations. Cargo Van is only available with 11,000lb GVWR configurations.<br><b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".                               | 218        | O                   | —                | —                 | O                   | —                   |
| Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats without armrests.  | 219        | O                   | —                | —                 | O                   | —                   |
| Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest.<br><b>Note:</b> Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".   | 211        | —                   | —                | —                 | O                   | —                   |
| <b>Seating – Rear</b>  |            |                     |                  |                   |                     |                     |
| 1-Passenger and 2-Passenger Seating. 2-Passenger Seating is standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J, 21K and 211) is ordered, then it's 1-Passenger Seating. 2-Passenger Seating is standard on Passenger Van with Builders Prep Package (47E). 2-Passenger Seating (with additional rear seat attachment points) is optional on Passenger Van without Builders Prep Package (47E). <b>Note:</b> 13 rear seats are removed, but seat attachment points are still present. This note only applies to 2-Passenger Seating on Passenger Van without Builders Prep Package (47E). | 96K        | S                   | S/O              | S/O               | S                   | S                   |
| 15-Passenger Seating. 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 3 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4 seats. Optional with Long Length Passenger Van.   | 96P        | —                   | O                | O                 | —                   | —                   |
| <b>FUNCTIONAL</b>  |            |                     |                  |                   |                     |                     |
| Auxiliary Fuse Panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K).   | 87E        | O                   | O                | O                 | O                   | O                   |
| Dual Alternator (250 amps each). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Included with Ambulance Prep Packages (47B and 47F). Includes Power Outlet – 110V/400W (90D) on Cargo Van, Cutaway and Chassis Cabs without Push Down Manual Parking Brake (90G) or 11,000lb GVWR. Not available with the 3.5L PFDi V6 (998) engine, Passenger Seat Delete (21J / 21K / 211), or E-Transit.   | 63C        | O/I                 | O                | O                 | O/I                 | O                   |
| Keyless Entry Keypad   | 52C        | O                   | O                | O                 | —                   | O                   |
| Modified Vehicle Wiring System. Included with Builders Package (47E), Ambulance Prep Package – Cargo Van (47B), RV Prep Package (47D) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Requires Dual AGM Batteries (63E) on Cargo Van and Passenger Van.   | 53K        | O/I                 | O/I              | O/I               | S                   | S                   |
| Intelligent Access with push-button start  | 41J        | O<br>S on E-Transit | O                | O                 | O<br>S on E-Transit | O<br>S on E-Transit |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|--|------------|-----------|------------------|-------------------|---------|-------------|
|  | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>FUNCTIONAL (continued)</b>  |            |           |                  |                   |         |             |
| Push Down Manual Parking Brake. Standard with 11,000lb GVWR configurations and optional on Cargo Van and Cutaway DRW, except 11,000lb GVWR. Not available with Power Outlet – 110V/400W (90D).<br><b>Note:</b> The push down manual parking brake feature allows the driver to push the hand lever to the fully down position, while the parking brake remains engaged. This is particularly useful in situations where additional clearance to pass over the parking brake lever is necessary, such as a swivel seat.   | 90G        | S/O       | —                | —                 | S/O     | S           |
| <b>Air Conditioning</b>  |            |           |                  |                   |         |             |
| Front/Rear Aux A/C and Heater (Driver controlled). Not available with E-Transit, and Passenger Seat Delete (21J, 21K), Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C) or Load Area Protection Package (96D).<br><b>Note:</b> Heat is distributed from rear of front-passenger seat. A/C is distributed from the rear of van.   | 57G        | O         | S                | S                 | —       | —           |
| <b>Audio – Audio Packs (Refer to the chart on page 38 for details on the complimentary E-Transit Ford Commercial Solutions Energy Management and Vehicle Insight Tools and for more information on features included with Gas Engine Configurations)</b>   |            |           |                  |                   |         |             |
| AM/FM stereo with 4" multi-function display, Bluetooth, and Dual USB ports.<br>Standard on Gas Engine Cargo Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Standard on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL<br><b>Note:</b> Not available with E-Transit.  | 58U        | S         | S                | —                 | S       | S           |
| SYNC 3 with 4" multi-function display, AM/FM stereo, Bluetooth, and Dual USB ports. Optional on Gas Engine Cargo Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Optional on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL<br><b>Note:</b> Not available with E-Transit.   | 58V        | O         | O                | —                 | O       | O           |
| SYNC 4 with AM/FM stereo and 12" display, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation. Includes Electronic Air Temperature Control. Standard on E-Transit and Gas Engine Passenger Van XLT and on Gas Engine Cargo Van and Passenger Van XL when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT<br><b>Note:</b> E-Transit includes Connected Navigation with 1 Year of Service available through Ford Pro Intelligence. See page 38 for more details.                    | 58B        | S/—       | S/—              | S                 | S/O     | S/O         |
| SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation(90 Day Trial). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT<br><b>Note:</b> E-Transit includes Connected Navigation with 1 Year of Service available through Ford Pro Intelligence. See page 38 for more details. | 58C        | O         | O                | O                 | O       | O           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES   | Body Type  | CARGO VAN            | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY              | CHASSIS CAB          |
|--|------------|----------------------|------------------|-------------------|----------------------|----------------------|
|  | Order Code | 101A                 | 301A             | 302A              | 501A                 | 701A                 |
| <b>FUNCTIONAL (continued)</b>  |            |                      |                  |                   |                      |                      |
| SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation(1 Year of Service) with Traffic Sign Recognition (TSR) and Intelligent Speed Assist (ISA). Includes Electronic Air Temperature Control Optional on E-Transit, Gas Engine Cargo Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT   | 58E        | O                    | O                | O                 | O                    | O                    |
| SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation(1 Year of Service) with Traffic Sign Recognition (TSR), Intelligent Speed Assist (ISA), Intersection Assist and Intelligent Adaptive Cruise Control (iACC). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.<br>– 4 speakers (4 front) – Cargo Van, Cutaway and Chassis Cab<br>– 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT | 58F        | O                    | O                | O                 | O                    | O                    |
| <b>Audio – Speakers</b><br>6 speakers (4 front/2 rear). Optional with Audio Packs 58U, 58V, 58B, 58C, 58E and 58F on Cargo Van and Cutaway. Not available with RV Prep Package (47D).<br><b>Note:</b> Rear speakers shipped in Dunnage box for Cutaway only.   | 91L        | O                    | —                | —                 | O                    | —                    |
| <b>Axle</b><br>Heavy-Duty Front Axle. Not available with E-Transit.<br><b>Note:</b> Up to 4,630 lb FGAWR. Refer to the Axle Availability charts beginning on page 39 for complete option details.  | 41E        | S/O/I                | S/—              | S/—               | S/O/I                | S/O/I                |
| <b>Batteries</b><br>Dual AGM Batteries. (70 amp-hr each). Included with Power Outlet – 110V/400W (90D), Auxiliary Fuse Panel with High Spec Interface Connector (87E), and the combination of X9C, X9X or X9Y and 15-Passenger Seating.<br><b>Note:</b> Spare Tire Delete (51A) MUST be selected if enhanced battery (99M) is selected   | 63E        | O/I                  | O/I              | O/I               | O/I                  | O/I                  |
| <b>Charging/Battery</b><br>★Mobile Power Cord (120V/240V). Available only on E-Transit. Includes Fast Charger adapter<br><b>Note:</b> Switchable cord end to allow customer charge functionality with 120V (NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps  | 98A        | O<br>*E-Transit Only | —                | —                 | O<br>*E-Transit Only | O<br>*E-Transit Only |
| <b>Heating</b><br>Engine Block Heater (400W Rating). Not available with E-Transit. <b>Note:</b> Recommended when minimum temperature is 10°F or below.   | 41H        | O                    | O                | O                 | O                    | O                    |
| <b>Instrumentation</b><br>Vehicle Maintenance Monitor. Includes Engine Hour Meter on 3.5L PFDi V6 (998) and 3.5L EcoBoost® V6 (99G) engines only.<br><b>Note:</b> Depending on the engine, this feature will display engine hour meter, oil life, oil level and tire pressure status.  | 61C        | O                    | O                | O                 | O                    | O                    |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES  | Body Type  | CARGO VAN           | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY             | CHASSIS CAB         |
|---|------------|---------------------|------------------|-------------------|---------------------|---------------------|
|   | Order Code | 101A                | 301A             | 302A              | 501A                | 701A                |
| <b>FUNCTIONAL (continued)</b>   |            |                     |                  |                   |                     |                     |
| <b>Interior Power</b>   |            |                     |                  |                   |                     |                     |
| Power Outlet – 110V/400W. Includes Dual AGM Batteries (63E). Included with Dual Alternator (63C) on vehicles without Push Down Manual Parking Brake (90G), or 11,000lb GVWR. Not available with E-Transit, Passenger Seat Delete (21J, 21K and 211), Front/Rear Aux A/C, Heater (Driver controlled) (57G), 11,000lb GVWR configurations or Push Down Manual Parking Brake (90G).<br><b>Note:</b> High-power outlets deliver up to 400 watts of power, allowing drivers to easily charge smaller corded tools, battery chargers or mobile devices on-site.   | 90D        | O                   | —                | —                 | O                   | O                   |
| Pro Power Onboard – 120V/2.4kW. Includes 12V Powerpoint on Cargo Van configurations. For Cutaway and Chassis Cab configurations, an auxiliary outlet and harness will be supplied in vehicle dunnage.<br>Placement, connection and configuration (requires FDRS tool) of the aux outlet is the responsibility of the final stage manufacturer<br>Includes Intelligent Access with push-button start (41J)<br><b>Note:</b> Pro Power Onboard allows the vehicle to be used as a power source for tools to be plugged in to.  | 90E        | O<br>E-Transit only | —                | —                 | O<br>E-Transit only | O<br>E-Transit only |
| <b>Upfitter Accessories</b>   |            |                     |                  |                   |                     |                     |
| Upfitter Package. Includes High Capacity Upfitter Switches, Large Center Console (67E) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Not available with E-Transit  | 67C        | O                   | O                | O                 | O                   | O                   |
| Upfitter Interface Module (UIM). Not available with 360-Degree Camera with Split View and Front Washer (61D), High Resolution Digital Camera (61E) or with audio packages 58B, 58C, 58E, 58F.<br><b>Note:</b> This technology makes it easy for upfitters to operate aftermarket equipment, such as lift buckets or cranes. Upfitters can connect/program the optional upfitter switches to operate aftermarket-installed equipment with up to 9 digitally configurable inputs. Please see <a href="http://fleet.ford.com/partsandservice/upfitter-interface">fleet.ford.com/partsandservice/upfitter-interface</a> for additional information. | 55A        | O                   | O                | —                 | O                   | O                   |
| <b>SAFETY/SECURITY</b>  |            |                     |                  |                   |                     |                     |
| <b>Keys</b><br>Keys: 2 additional (4 total) with key fobs.  | 86F        | O                   | O                | O                 | O                   | O                   |
| <b>Camera – Rear View</b>   |            |                     |                  |                   |                     |                     |
| Rear Video Camera and Prep Kit. Will display in multi-function display<br><b>Note:</b> For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.  | 61A        | —                   | —                | —                 | O                   | O                   |
| <b>FORD CO-PILOT360™ TECHNOLOGY</b>   |            |                     |                  |                   |                     |                     |
| Adaptive Cruise Control. Includes Adjustable Speed Limiting Device (ASLD) and Intersection Assist. Not available with audio packages 58E and 58F.<br><b>Note:</b> Adaptive cruise control keeps a constant speed without having to work the brake or accelerator pedals. Plus it automatically maintains a driver-inputted preset distance (or gap) from vehicles ahead.  | 60D        | O                   | O                | O                 | O                   | O                   |
| Enhanced Active Park Assist. Requires Lane Keeping system with Blind Spot Information System (BLIS®) (65A). Includes Front Sensing System (59B), Side Sensing System (94A) and Reverse Sensing System (43R). Not available with Extended Length configurations. <b>Note:</b> Enhanced active park assist helps make parking less stressful. It helps steer the vehicle, in Reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space.  | 94B        | O                   | O                | O                 | —                   | —                   |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES  | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|---|------------|-----------|------------------|-------------------|---------|-------------|
|   | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>SAFETY/SECURITY (continued)</b>  |            |           |                  |                   |         |             |
| Lane Keeping System with Blind Spot Information System (BLIS®) Includes BLIS® (65B) with Cross-traffic Alert and Trailer Coverage. Includes Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals on Cargo Van and Passenger Van and Reverse Sensing System (43R). Available with optional Power Adjusting, Manual-Folding Heated with Turn Signals (544). Lane Keeping System combines Blind Spot Information System (BLIS®) with Lane Keeping System to provide a visual warning and resistive steering torque to prevent a collision should an object be recognized in the vehicles blind spot while changing lanes. Not available with Audio Packs 58U and 58V.<br><b>Note:</b> Lane Keeping System deletes the standard Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) on Cargo Van and Passenger Van XL.   | 65A        | O         | O                | S                 | —       | —           |
| Blind Spot Information System (BLIS®). Included with Lane Keeping system (65A) in Cargo and Passenger Vans. Power Adjusting, Manual-Folding Heated with Turn Signals (544) on Cutaway and Chassis Cab Optional on Chassis Cab/Cutaway variants. Includes Power Adjusting, Manual-Folding Heated with Turn Signals (544) on Cutaway and Chassis Cab Note: For Cutaway and Chassis Cab, Blind Spot Information System (BLIS®) and Reverse Sensing System requires upfitter installation of the rear sensors (6) per the instructions provided in BEMM to function properly. This Feature has been configured "on" from the vehicle assembly plant. BLIS® indicator is located on the A-Pillar when standard Exterior Mirror Delete and optional Passenger Door Delete (60X) are selected. If Exterior Mirrors are selected, the BLIS® indicator will be in the mirror. Also, please note that for Cutaway and Chassis Cab, Lane Keeping System will NOT be included in the Blind Spot Assist Kit. . Not available with Audio Packs 58U and 58V. | 65B        | I         | I                | I                 | O       | O           |
| Reverse Brake Assist. Requires Lane Keeping system with Blind Spot Information System (BLIS®) (65A). Includes Reverse Sensing System (43R) and 360-Degree Camera with Split View and Front Washer (61D). Not available with Audio Packs 58U and 58V.<br><b>Note:</b> If the system determines a collision is imminent while in reverse, automatic braking is applied to avoid a crash or mitigate an impact. System operation will be effected by aftermarket rear step or other rear-mounted equipment.  | 43S        | O         | O                | O                 | —       | —           |
| <b>Camera – Front &amp; Rear View</b><br>360-Degree Camera with Split View and Front Washer. Includes Front Fog Lamps (55D), Reverse Sensing System (43R) and Honeycomb Mesh Grille with Chrome Surround. Only available with Audio Packs 58B, 58C, 58E and 58F. Not available with Upfitter Interface Module (55A)<br><b>Note:</b> Front, side and rear facing cameras allow the driver to toggle through different camera views via a button located on the instrument panel.   | 61D        | O         | O                | O                 | —       | —           |
| High Resolution Digital Camera. Standard on E-Transit Cargo Van and Gas Engine Passenger Van XLT and optional on Gas Engine Cargo Van and Passenger Van XL with Audio Packs 58B, 58C, 58E and 58F.  | 61E        | S/O       | O                | S                 | —       | —           |
| <b>Exterior Sensors</b>   |            |           |                  |                   |         |             |
| Reverse Sensing System. Included with Lane Keeping System with Blind Spot Information System (BLIS®) on Vans (65A) and Blind Spot Information System (BLIS®) on CC/CA (65B), Side Sensing System (94A), Enhanced Active Park Assist (94B) and Reverse Brake Assist (43S).– Cargo Van only.  | 43R        | O/I       | O/I              | S                 | I       | I           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

# 2025 TRANSIT OPTIONAL EQUIPMENT

| BODY CODES  | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|---|------------|-----------|------------------|-------------------|---------|-------------|
|   | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>SAFETY/SECURITY (continued)</b>  |            |           |                  |                   |         |             |
| Side Sensing System. Requires Lane Keeping System with Blind Spot Information System (BLIS®) (65A). Includes Reverse Sensing System (43R) and Front Sensing System (59B). <b>Note:</b> Works similar to the Reverse Sensing System, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects.  | 94A        | O         | O                | S                 | —       | —           |
| Front Sensing System. Included in Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) and optional on Blind Spot Information System (BLIS®) on CC/CA (65B). Includes Reverse Sensing System (43R) and Front Fog Lamps (55D). Included in Side Sensing System (94A) and Enhanced Active Park Assist (94B).  | 59B        | I         | I                | S                 | O       | O           |
| <b>PACKAGES/KITS</b>  |            |           |                  |                   |         |             |
| <b>Exterior Prep Packages</b>   |            |           |                  |                   |         |             |
| Exterior Upgrade Package – SRW. Included in Shuttle Bus Prep Package (47S). Not available on E-Transit.   | 18D        | O         | —                | S                 | O/I     | O           |
| Exterior Upgrade Package – DRW. Included in Shuttle Bus Prep Package (47S).   | 18L        | O         | —                | S                 | O/I     | O           |
| <b>Heating Prep Packages</b>  |            |           |                  |                   |         |             |
| Auxiliary Heater / AC Prep Package without Rear Controls. Available with Builders Prep Package (47E). Included in Ambulance Prep Package – Cutaway (47F). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) or with E-Transit. <b>Note:</b> Package includes stub lines for delivery of coolant/refrigerant for easy addition of an aftermarket rear heater and A/C system. Requires aftermarket upfit of a climate control system.            | 62C        | O         | P                | P                 | O/I     | O           |
| <b>Interior Prep Packages</b>   |            |           |                  |                   |         |             |
| Interior Upgrade Package – Cargo Van. Refer to the Packaged Options section for more details. Not available on E-Transit.   | 96C        | O         | —                | —                 | —       | —           |
| Interior Upgrade Package – Cutaway/Chassis Cab. Refer to the Packaged Options section for more details.   | 47A        | —         | —                | —                 | O       | O           |
| <b>Trim Packages</b>  |            |           |                  |                   |         |             |
| Load Area Protection Package. Refer to the Packaged Options section for more details. <b>Note:</b> Includes complete rear polypropylene panels on side walls and doors.   | 96D        | O         | —                | —                 | —       | —           |
| Heavy-Duty Scuff Plate Kit. Not available with the Vinyl, Front and Rear Floor Covering (16E), Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C) unless ordered with Heavy-Duty Cargo Flooring (60B). <b>Note:</b> Heavy-duty scuff plate kit includes heavy-duty scuffs for rear cargo doors and Sliding Passenger-side Door. Heavy-duty scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership. | 85B        | O/I       | —                | —                 | —       | —           |
| <b>Miscellaneous Prep Packages</b>  |            |           |                  |                   |         |             |
| Ambulance Prep Package – Cargo Van. Refer to the Packaged Options section for more details.   | 47B        | O         | —                | —                 | —       | —           |
| Ambulance Prep Package – Cutaway. Refer to the Packaged Options section for more details.   | 47F        | —         | —                | —                 | O       | —           |
| Builder's Prep Package. Refer to the Packaged Options section for more details.   | 47E        | —         | O                | O                 | —       | —           |
| Livery Package (Livery FIN required). Refer to the Packaged Options section for more details  | 47L        |           |                  |                   | F       |             |
| Motorhome Prep Package. Refer to the Packaged Options section for more details.   | 47M        | —         | —                | —                 | O       | —           |
| Shuttle Bus Prep Package. Refer to the Packaged Options section for more details.   | 47S        | —         | —                | —                 | O       | —           |
| RV Prep Package. Refer to the Packaged Options section for more details.  | 47D        | O         | —                | —                 | —       | —           |
| Parcel Delivery Package. Refer to the Packaged Options section for more details.  | 47G        | O         | —                | —                 | O       | —           |
| <b>FORD ACCESSORIES</b>   |            |           |                  |                   |         |             |
| Back Up Alarm. <b>Note:</b> The back up alarm has 97 dB(A) warning capability.  | 43B        | O         | O                | O                 | O       | O           |

★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option  
with valid FIN code / I = Included

**2025 TRANSIT  
OPTIONAL EQUIPMENT**

| BODY CODES  | Body Type  | CARGO VAN | PASSENGER VAN XL | PASSENGER VAN XLT | CUTAWAY | CHASSIS CAB |
|---|------------|-----------|------------------|-------------------|---------|-------------|
|   | Order Code | 101A      | 301A             | 302A              | 501A    | 701A        |
| <b>FORD ACCESSORIES (continued)</b>   |            |           |                  |                   |         |             |
| White Noise Back Up Alarm. Not available with Back Up Alarm (43B). Available with E-Transit only.<br><b>Note:</b> The back up alarm has 87 dB (+/-4) warning capability.          | 63G        | O         | —                | —                 | O       | O           |
| Heavy Duty Tray Style Floor Mats (Front). Only available with carpet floor covering (16G/16H).  | 86N        | O         | O                | O                 | O       | O           |
| All-Weather Floor Mats (Front). Available with vinyl floor covering (16C and 16E).  | 86W        | O         | O                | O                 | O       | O           |
| Remote Start. Not available with E-Transit.   | 68B        | O         | O                | O                 | O       | O           |
| Wheel Well Liners – Black (Front only)  | 15C        | O         | O                | O                 | O       | O           |
| <b>FLEET ORDERS ONLY OPTIONS (Requires Valid FIN or Dealer Code)</b>  |            |           |                  |                   |         |             |
| <b>Powertrain</b>   |            |           |                  |                   |         |             |
| Daytime Running Lamps   | 942        | F         | F                | F                 | F       | F           |
| <b>Note:</b> Provide enhanced vehicle visibility during daylight conditions.  |            |           |                  |                   |         |             |
| Exterior Mirror Delete. Available on Ambulance Prep Package – Cutaway (47F).  | 54X        | F         | —                | —                 | S       | S           |
| Multi-Function School Activity Bus (MFSAB) Prep Package. Refer to the Packaged Options section for more details.  | 47Q        | —         | —                | —                 | F       | —           |
| Orange Safety Belts. Not available with 10-way power seat (21Q), or swivel seat (21T and 218).<br><b>Note:</b> Belt minder is included on the front driver and passenger seat(s). | 76C        | F         | —                | —                 | F       | F           |
| School Bus Prep Package. Refer to the Packaged Options section for more details.  | 47C        | —         | —                | —                 | F       | —           |
| <b>Decal Options (Refer to the Decal Options on page 28 for complete details)</b>   |            |           |                  |                   |         |             |
| Decal #1 – Up to 15 ft <sup>2</sup> .   | 51E        | F         | F                | F                 | —       | —           |
| Decal #2 – Up to 30 ft <sup>2</sup> .   | 51F        | F         | F                | F                 | —       | —           |
| <b>Speed Limiting Device</b>  |            |           |                  |                   |         |             |
| 65 mph Governed Top Speed. Included with E-Transit Cutaway and Chassis Cab  | 52M        | F         | F                | F                 | F/I     | F/I         |
| 70 mph Governed Top Speed (Not available on E-Transit Cutaway and Chassis Cab)  | 52H        | F         | F                | F                 | F       | F           |
| Fleet Safety Package. Refer to the Packaged Options section for more details.   | 59C        | F         | F                | F                 | F       | F           |
| Fleet Fuel Economy Package Refer to the Packaged Options section for more details.  | 98B        | F         | F                | F                 | F       | F           |
| <b>★Smart Acceleration Truncation</b>   |            |           |                  |                   |         |             |
| Smart Acceleration Truncation can improve fuel economy in Gas units and improve real-world range in EV units by limiting acceleration rate.                                       | 62B        | F         | F                | F                 | F       | F           |
| <b>Automatic Engine Idle Shutdown</b>   |            |           |                  |                   |         |             |
| Engine Idle Shutdown 10 Minute Timer  | 55F        | F         | F                | F                 | F       | F           |
| Engine Idle Shutdown 20 Minute Timer  | 55H        | F         | F                | F                 | F       | F           |













★ = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option with valid FIN code / I = Included

## WINDOW OFFERINGS

= Standard Glass  
 = Door without Glass  
 = Fixed Glass Option

### 2025 Transit - Window Offerings

|   |  | SINGLE REAR WHEEL   | DUAL REAR WHEEL   |   |
|---|--|---|---|---|
|   |  | LOW ROOF  | MEDIUM & HIGH ROOF  | HIGH ROOF   |
|   |  | Sliding Passenger-side Door   | Sliding Passenger-side Door   | Sliding Passenger-side Door   |
| <b>No Rear Glass</b><br><small>Standard on Cargo Vans</small>   |  |    |    |    |
| <b>Fixed Rear Cargo Door Glass</b><br><small>Optional on Cargo Van.</small>                                   |  |   |   |   |
| <b>Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass</b><br><small>Optional on Cargo Van.</small>    |  |  |  |  |
| <b>Windows-All-Around, Fixed</b><br><small>Optional on Cargo Van. Standard/Optional on Passenger Van.</small> |  |  |  |  |

## DECAL OPTIONS



Decal #1 (51E):  
– Up to 15 sq-ft<sup>1</sup>



Decal #2 (51F):  
– Up to 30 sq-ft<sup>1</sup>

<sup>1</sup> Fleet only option. Pricing is for non-reflective material, 25 vehicle order minimum, and graphic design must be completed and approved by Ford prior to ordering vehicle in CONCEPS. To get started visit the Ford Commercial Graphics website and click on Factory Orderable Option Form link. Complete and submit the request form and attach your graphic design (if available). A Ford Commercial Graphics representative will follow-up to finalize the graphic design and provide a design proof for customer review and approval, and to determine which graphic option code and price applies. Lastly, customer can then proceed to place vehicle order and graphic option code in CONCEPS.

★ = New for this model year

**FRONT SEAT MATRIX**

| Order Code | Seat Pack # | Color             | Material | Driver Seat Control      | Passenger Seat Control   | Single Passenger Seat | Dual Passenger Seat | Driver Heated Seat | Passenger Heated Seat | Driver Lumbar Support | Passenger Lumbar Support | Driver Armrest | Passenger Armrest |
|------------|-------------|-------------------|----------|--------------------------|--------------------------|-----------------------|---------------------|--------------------|-----------------------|-----------------------|--------------------------|----------------|-------------------|
| 21C        | 2           | Dark Palazzo Gray | Cloth    | 2-Way Manual             | 2-Way Manual             | Yes                   | No                  | No                 | No                    | Yes                   | No                       | Yes            | Yes               |
| 21G        | 6           | Dark Palazzo Gray | Vinyl    | 2-Way Manual             | 2-Way Manual             | Yes                   | No                  | No                 | No                    | No                    | No                       | Yes            | No                |
| 21J        | 8           | Dark Palazzo Gray | Vinyl    | 2-Way Manual             | No                       | No                    | No                  | No                 | No                    | No                    | No                       | Yes            | No                |
| 21K        | 9           | Dark Palazzo Gray | Cloth    | 2-Way Manual             | No                       | No                    | No                  | No                 | No                    | Yes                   | No                       | Yes            | No                |
| 21L        | 10          | Dark Palazzo Gray | Cloth    | 2-Way Manual             | 2-Way Manual             | Yes                   | No                  | No                 | No                    | Yes                   | No                       | Yes            | Yes               |
| 21P        | 13          | Dark Palazzo Gray | Vinyl    | 2-Way Manual             | 2-Way Manual             | Yes                   | No                  | No                 | No                    | No                    | No                       | Yes            | Yes               |
| 21Q        | 14          | Dark Palazzo Gray | Cloth    | 10-Way Power             | 10-Way Power             | Yes                   | No                  | Yes                | Yes                   | Yes                   | Yes                      | Yes            | Yes               |
| 21T        | 17          | Dark Palazzo Gray | Cloth    | 4-Way Manual Swivel Seat | 4-Way Manual Swivel Seat | Yes                   | No                  | No                 | No                    | Yes                   | No                       | Yes            | Yes               |
| 218        | 31          | Dark Palazzo Gray | Cloth    | 4-Way Manual Swivel Seat | 4-Way Manual Swivel Seat | Yes                   | No                  | No                 | No                    | Yes                   | No                       | Yes            | Yes               |
| 219        | 32          | Dark Palazzo Gray | Cloth    | 2-Way Manual             | 2-Way Manual             | Yes                   | No                  | No                 | No                    | Yes                   | No                       | No             | No                |
| 211        | 33          | Dark Palazzo Gray | Cloth    | 2-Way Manual             | No                       | No                    | No                  | No                 | No                    | No                    | No                       | No             | No                |

**FRONT SEAT MATRIX CONTINUED**

| Order Code | Seat Pack # | Color             | Material | 2-Way Adjustable Headrest | Driver Beltminder System | Passenger CRS Top Tether Anchorage | Driver Front Airbag | Passenger Front Airbag | Driver Thorax Airbags | Passenger Thorax Airbags | Driver Curtain Airbags (Front Only) | Passenger Curtain Airbags (Front Only) | Driver Curtain Airbags (Front and Rear) | Passenger Curtain Airbags (Front and Rear) |
|------------|-------------|-------------------|----------|---------------------------|--------------------------|------------------------------------|---------------------|------------------------|-----------------------|--------------------------|-------------------------------------|--|---|--|
| 21C        | 2           | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | No                    | No                       | No                                  | No                                     | No                                      | No   |
| 21G        | 6           | Dark Palazzo Gray | Vinyl    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | Yes <sup>1</sup>                        | Yes <sup>1</sup>                           |
| 21J        | 8           | Dark Palazzo Gray | Vinyl    | Yes                       | Yes                      | No                                 | Yes                 | No                     | No                    | No                       | No                                  | No                                     | No                                      | No   |
| 21K        | 9           | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | No                                 | Yes                 | No                     | Yes                   | No                       | Yes                                 | Yes                                    | No                                      | No   |
| 21L        | 10          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | Yes <sup>1</sup>                        | Yes <sup>1</sup>                           |
| 21P        | 13          | Dark Palazzo Gray | Vinyl    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | Yes <sup>1</sup>                        | Yes <sup>1</sup>                           |
| 21Q        | 14          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | Yes <sup>1</sup>                        | Yes <sup>1</sup>                           |
| 21T        | 17          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | No                                      | No   |
| 218        | 31          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | No                    | No                       | No                                  | No                                     | No                                      | No   |
| 219        | 32          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | Yes                                | Yes                 | Yes                    | Yes                   | Yes                      | Yes                                 | Yes                                    | No                                      | No   |
| 211        | 33          | Dark Palazzo Gray | Cloth    | Yes                       | Yes                      | No                                 | Yes                 | No                     | No                    | No                       | No                                  | No                                     | No                                      | No   |

<sup>1</sup> Contains Driver and Passenger Curtain Airbags (Front and Rear) when a Passenger Van XL or Passenger Van XLT is selected.

**REAR SEAT MATRIX**

| Order Code | Seat Pack # | Passenger Seating     | Second Row Seating | Third Row Seating | Fourth Row Seating | Fifth Row Seating | Rear Seat Center Armrest | Second Row Double Seat (D) | Second Row Triple Narrow Seat (K) | Second Row Triple Wide Seat (C) |
|------------|-------------|-----------------------|--------------------|-------------------|--------------------|-------------------|--------------------------|----------------------------|-----------------------------------|---------------------------------|
| 96K        | Less        | 1 or 2 <sup>1,2</sup> | No                 | No                | No                 | No                | No                       | No                         | No                                | No                              |
| -          | 7           | 15                    | Yes                | Yes               | Yes                | Yes               | No <sup>3</sup>          | No                         | Yes                               | No                              |
| 96P        | 6           | 15                    | Yes                | Yes               | Yes                | Yes               | No <sup>3</sup>          | No                         | Yes                               | No                              |

**REAR SEAT MATRIX CONTINUED**

| Order Code | Seat Pack # | Passenger Seating     | Third Row Single/Double Seat (D+F) | Third Row Triple Wide Seat (C) | Fourth Row Single/Double Seat (D+Q) | Fourth Row Triple Wide Seat (C) | Fourth Row Double/Double Seat (J+J) | Fifth Row Single/Double/Single Seat (Y+X+Y) | Fifth Row Double/Double Seat (J+J) |
|------------|-------------|-----------------------|------------------------------------|--------------------------------|-------------------------------------|---------------------------------|-------------------------------------|---|------------------------------------|
| 96K        | Less        | 1 or 2 <sup>1,2</sup> | No                                 | No                             | No                                  | No                              | No                                  | No  | No                                 |
| -          | 7           | 15                    | Yes                                | No                             | Yes                                 | No                              | No                                  | No  | Yes                                |
| 96P        | 6           | 15                    | Yes                                | No                             | Yes                                 | No                              | No                                  | Yes   | No                                 |





<sup>1</sup> 2-Passenger Seats are standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J and 21K) is ordered, then it's 1-Passenger Seat. 2-Passenger Seats

are standard on Passenger Van with Builders Prep Package (47E).

<sup>2</sup> Incomplete Vehicle; some rear seats are removed, but seat attachment points still exist

<sup>3</sup> Included on Passenger Van XLT

**SEATING CONFIGURATIONS  
2025MY SEAT CONFIGURATIONS**

**CARGO VAN, CUTAWAY & CHASSIS CAB****PASSENGER VAN (LOW ROOF)****PASSENGER VAN (MEDIUM ROOF AND HIGH ROOF)**

| Seat # | Seat Description                 | Seat Capacity |
|--------|----------------------------------|---------------|
| D      | Single Driver / Single Passenger | 1             |
| D      | Double Seat                      | 2             |
| F      | Single Seat                      | 1             |
| K      | Single Seat                      | 1             |
| K      | Triple Narrow Seat               | 3             |
| Q      | Single Seat                      | 1             |
| Y      | Single Seat                      | 2             |
| Y      | Single Seat                      | 1             |

■ FIXED SEAT  
■ CUSTOMER REMOVABLE SEAT

**NOMINAL TONNAGE  
(CARGO VAN)**

| <b>CARGO VAN</b>   |            | <b>Series (T-xxx)</b> | <b>Drive Type</b> | <b>Nominal Tonnage<sup>1</sup></b> |
|--------------------|------------|-----------------------|-------------------|------------------------------------|
| <b>Low Roof</b>    | <b>E1Y</b> | T-150                 | RWD               | 3/4                                |
|                    | <b>E2Y</b> | T-150                 | AWD               | 3/4                                |
|                    | <b>R1Y</b> | T-250                 | RWD               | 3/4                                |
|                    | <b>R2Y</b> | T-250                 | AWD               | 3/4                                |
|                    | <b>W1Y</b> | T-350                 | RWD               | 1                                  |
|                    | <b>W2Y</b> | T-350                 | AWD               | 1                                  |
|                    | <b>F1Y</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>F2Y</b> | T-350HD               | AWD               | 1                                  |
| <b>Medium Roof</b> | <b>E1C</b> | T-150                 | RWD               | 3/4                                |
|                    | <b>E2C</b> | T-150                 | AWD               | 3/4                                |
|                    | <b>R1C</b> | T-250                 | RWD               | 3/4                                |
|                    | <b>R2C</b> | T-250                 | AWD               | 3/4                                |
|                    | <b>W9C</b> | T-350                 | RWD               | 1                                  |
|                    | <b>W2C</b> | T-350                 | AWD               | 1                                  |
|                    | <b>F7C</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>F8C</b> | T-350HD               | AWD               | 1                                  |
| <b>High Roof</b>   | <b>R1X</b> | T-250                 | RWD               | 3/4                                |
|                    | <b>R2X</b> | T-250                 | AWD               | 3/4                                |
|                    | <b>R3U</b> | T-250                 | AWD               | 3/4                                |
|                    | <b>R3X</b> | T-250                 | RWD               | 3/4                                |
|                    | <b>W1X</b> | T-350                 | RWD               | 1                                  |
|                    | <b>W2X</b> | T-350                 | AWD               | 1                                  |
|                    | <b>W3X</b> | T-350                 | RWD               | 1                                  |
|                    | <b>W3U</b> | T-350                 | AWD               | 1                                  |
|                    | <b>F5X</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>F6X</b> | T-350HD               | AWD               | 1                                  |
|                    | <b>F7X</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>F8X</b> | T-350HD               | AWD               | 1                                  |
|                    | <b>F4X</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>F4U</b> | T-350HD               | AWD               | 1                                  |
|                    | <b>U8X</b> | T-350HD               | RWD               | 1                                  |
|                    | <b>U8U</b> | T-350HD               | AWD               | 1                                  |

**NOMINAL TONNAGE  
(PASSENGER VAN)**

| <b>PASSENGER VAN</b> |     | <b>Series (T-xxx)</b> | <b>Drive Type</b> | <b>Nominal Tonnage<sup>1</sup></b> |
|----------------------|-----|-----------------------|-------------------|------------------------------------|
| <b>Low Roof</b>      | X2Y | T-350                 | RWD               | 1/2                                |
|                      | X9Y | T-350                 | AWD               | 1/2                                |
| <b>Medium Roof</b>   | X2C | T-350                 | RWD               | 1/2                                |
|                      | X9C | T-350                 | AWD               | 1/2                                |
| <b>High Roof</b>     | X2X | T-350                 | RWD               | 1/2                                |
|                      | X9X | T-350                 | AWD               | 1/2                                |
|                      | U4X | T-350HD               | RWD               | 1/2                                |
|                      | U5X | T-350HD               | AWD               | 1/2                                |

<sup>1</sup> Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

**NOMINAL TONNAGE  
(CUTAWAY)**

| <b>CUTAWAY</b> |     | <b>Series (T-xxx)</b> | <b>Drive Type</b> | <b>Nominal Tonnage<sup>1</sup></b> |
|----------------|-----|-----------------------|-------------------|------------------------------------|
| Low Roof       | R5P | T-250                 | RWD               | 3/4                                |
|                | R7P | T-250                 | AWD               | 3/4                                |
|                | W5P | T-350                 | RWD               | 1                                  |
|                | W7P | T-350                 | AWD               | 1                                  |
|                | F1P | T-350HD               | RWD               | 1                                  |
|                | F2P | T-350HD               | AWD               | 1                                  |
|                | F6P | T-350HD               | RWD               | 1                                  |
|                | F8P | T-350HD               | AWD               | 1                                  |
|                | U6P | T-350HD               | RWD               | 1                                  |
|                | U8P | T-350HD               | AWD               | 1                                  |

**NOMINAL TONNAGE  
(CHASSIS CAB)**

| <b>CHASSIS CAB</b> |     | <b>Series (T-xxx)</b> | <b>Drive Type</b> | <b>Nominal Tonnage<sup>1</sup></b> |
|--------------------|-----|-----------------------|-------------------|------------------------------------|
| Low Roof           | R5Z | T-250                 | RWD               | 3/4                                |
|                    | R7Z | T-250                 | AWD               | 3/4                                |
|                    | W5Z | T-350                 | RWD               | 1                                  |
|                    | W7Z | T-350                 | AWD               | 1                                  |
|                    | F1Z | T-350HD               | RWD               | 1                                  |
|                    | F2Z | T-350HD               | AWD               | 1                                  |
|                    | F6Z | T-350HD               | RWD               | 1                                  |
|                    | F8Z | T-350HD               | AWD               | 1                                  |
|                    | U6Z | T-350HD               | RWD               | 1                                  |
|                    | U8Z | T-350HD               | AWD               | 1                                  |

<sup>1</sup> Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

# 2025 TRANSIT OPTIONAL EQUIPMENT

| <b>E-Transit: Complimentary Electric Vehicle Connected Services Powered by Ford Pro Intelligence</b>   |  |   |   |
|--|--|---|---|
| SYNC 4 with 12" Display (58B)  | SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" Display (58C)   | SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)  | SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and Intelligent Adaptive Cruise Control (ACC) and 12" Display (58F)  |
| Features Included for Commercial and Business Customers  |  |   |   |
| Access to the BlueOval Charge Network<br>Ford Pro Public Charge Management<br>Driver Public Charging tools<br>Home Charging Reimbursement<br>Ford Pro E-Telematics Dashboard<br>Connected Navigation | Access to the BlueOval Charge Network<br>Ford Pro Public Charge Management<br>Driver Public Charging tools<br>Home Charging Reimbursement<br>Ford Pro E-Telematics Dashboard<br>Connected Navigation | Access to the BlueOval Charge Network<br>Ford Pro Public Charge Management<br>Driver Public Charging tools<br>Home Charging Reimbursement<br>Ford Pro E-Telematics Dashboard<br>Connected Built-In Navigation | Access to the BlueOval Charge Network<br>Ford Pro Public Charge Management<br>Driver Public Charging tools<br>Home Charging Reimbursement<br>Ford Pro E-Telematics Dashboard<br>Connected Built-In Navigation |
| Complimentary Offer Period   |  |   |   |
| 1 year   | 1 year   | 1 year  | 1 year  |
| Contact Ford Pro Intelligence to activate your complimentary subscription  |  |   |   |
| URL: <a href="https://pro.ford.com/en-ca/intelligence/">https://pro.ford.com/en-ca/intelligence/</a><br>Phone: 1-833-811-3673  |  |   |   |

**FRONT AXLE AVAILABILITY  
(CARGO VAN)**

| <b>CARGO VAN</b>       |     | 3.5L PFDi V6 (998)  |                             | 3.5L EcoBoost® V6 (99G) |                             | Electric Motor (E-Transit) (99K) |                             |
|------------------------|-----|---------------------|-----------------------------|-------------------------|-----------------------------|----------------------------------|-----------------------------|
|                        |     | Standard Front Axle | Heavy-Duty Front Axle (41E) | Standard Front Axle     | Heavy-Duty Front Axle (41E) | Standard Front Axle              | Heavy-Duty Front Axle (41E) |
| Regular (130")         | E1Y | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | E2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | E1Y | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | E2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Regular (130")         | R1Y | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | R2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | R1Y | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | R2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Regular (130")         | W1Y | S                   | O                           | S                       | O                           | S                                | -                           |
|                        | W2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | W1Y | S                   | O/I <sup>1,2,3</sup>        | -                       | S                           | S                                | -                           |
|                        | W2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | F1Y | -                   | S                           | -                       | S                           | -                                | -                           |
|                        | F2Y | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | E1C | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | E2C | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | R1C | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | R2C | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | W9C | S                   | O/I <sup>1,2,3</sup>        | -                       | S                           | S                                | -                           |
|                        | W2C | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | F7C | -                   | S                           | -                       | S                           | -                                | -                           |
|                        | F8C | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | R1X | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | R2X | -                   | S                           | -                       | S                           | -                                | -                           |
| Extended-Length (148") | R3X | S                   | O                           | S                       | O                           | -                                | -                           |
|                        | R3U | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | W1X | S                   | O/I <sup>1,3</sup>          | -                       | S                           | S                                | -                           |
|                        | W2X | -                   | S                           | -                       | S                           | -                                | -                           |
| Extended-Length (148") | W3X | S                   | O                           | S                       | O                           | S                                | -                           |
|                        | W3U | -                   | S                           | -                       | S                           | -                                | -                           |
| Long (148")            | F5X | -                   | S                           | -                       | S                           | -                                | -                           |
|                        | F6X | -                   | S                           | -                       | S                           | -                                | -                           |
| Extended-Length (148") | F7X | -                   | S                           | -                       | S                           | -                                | -                           |
|                        | F8X | -                   | S                           | -                       | S                           | -                                | -                           |
| Extended-Length (148") | F4X | -                   | S                           | -                       | S                           | -                                | -                           |
|                        | F4U | -                   | S                           | -                       | S                           | -                                | -                           |
| Extended-Length (148") | U8X | -                   | -                           | -                       | S                           | -                                | -                           |
|                        | U8U | -                   | -                           | -                       | S                           | -                                | -                           |

<sup>1</sup> Included in Bulkhead – Lockable Door with Window (47T)<sup>2</sup> Included in Bulkhead – Window Only (47U)<sup>3</sup> Included in Seat Pack 17 (21T)

# 2025 TRANSIT AXLE AVAILABILITY

## FRONT AXLE AVAILABILITY (PASSENGER VAN)

| <b>PASSENGER VAN</b>          |     | 3.5L PFDi V6 (998)  |                             | 3.5L EcoBoost® V6 (99G) |                             |
|-------------------------------|-----|---------------------|-----------------------------|-------------------------|-----------------------------|
|                               |     | Standard Front Axle | Heavy-Duty Front Axle (41E) | Standard Front Axle     | Heavy-Duty Front Axle (41E) |
| <b>Long (148")</b>            | X2Y | S                   | -                           | S                       | -                           |
|                               | X9Y | -                   | S                           | -                       | S                           |
| <b>Long (148")</b>            | X2C | S                   | -                           | S                       | -                           |
|                               | X9C | -                   | S                           | -                       | S                           |
| <b>Long (148")</b>            | X2X | S                   | -                           | S                       | -                           |
|                               | X9X | -                   | S                           | -                       | S                           |
| <b>Extended-Length (148")</b> | U4X | S                   | -                           | S                       | -                           |
|                               | U5X | -                   | -                           | -                       | S                           |

## FRONT AXLE AVAILABILITY (CUTAWAY)

| <b>CUTAWAY</b>                |     | 3.5L PFDi V6 (998)  |                             | 3.5L EcoBoost® V6 (99G) |                             | Electric Motor (E-Transit) (99K) |                             |
|-------------------------------|-----|---------------------|-----------------------------|-------------------------|-----------------------------|----------------------------------|-----------------------------|
|                               |     | Standard Front Axle | Heavy-Duty Front Axle (41E) | Standard Front Axle     | Heavy-Duty Front Axle (41E) | Standard Front Axle              | Heavy-Duty Front Axle (41E) |
| <b>Regular (138")</b>         | R5P | S                   | O                           | S                       | O                           | -                                | -                           |
|                               | R7P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Long (156")</b>            | R5P | S                   | O                           | S                       | O                           | -                                | -                           |
|                               | R7P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Regular (138")</b>         | W5P | S                   | O                           | S                       | O                           | -                                | -                           |
|                               | W7P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Long (156")</b>            | W5P | S                   | O                           | S                       | O                           | -                                | -                           |
|                               | W7P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Extended-Length (178")</b> | W5P | S                   | O                           | S                       | O                           | S                                | -                           |
|                               | W7P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Long (156")</b>            | F1P | -                   | S                           | -                       | S                           | -                                | -                           |
|                               | F2P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Extended-Length (178")</b> | F1P | -                   | S                           | -                       | S                           | -                                | -                           |
|                               | F2P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Regular (138")</b>         | F6P | -                   | S                           | -                       | S                           | -                                | -                           |
|                               | F8P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Long (156")</b>            | F6P | -                   | S                           | -                       | S                           | -                                | -                           |
|                               | F8P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Extended-Length (178")</b> | F6P | -                   | S                           | -                       | S                           | -                                | -                           |
|                               | F8P | -                   | S                           | -                       | S                           | -                                | -                           |
| <b>Regular (138")</b>         | U6P | -                   | -                           | -                       | S                           | -                                | -                           |
|                               | U8P | -                   | -                           | -                       | S                           | -                                | -                           |
| <b>Long (156")</b>            | U6P | -                   | -                           | -                       | S                           | -                                | -                           |
|                               | U8P | -                   | -                           | -                       | S                           | -                                | -                           |
| <b>Extended-Length (178")</b> | U6P | -                   | -                           | -                       | S                           | -                                | -                           |
|                               | U8P | -                   | -                           | -                       | S                           | -                                | -                           |

**FRONT AXLE AVAILABILITY  
(CHASSIS CAB)**

| <b>CHASSIS CAB</b>            |     | <b>3.5L PFDi V6 (998)</b> |                             | <b>3.5L EcoBoost® V6 (99G)</b> |                             | <b>Electric Motor (E-Transit) (99K)</b> |                             |
|-------------------------------|-----|---------------------------|-----------------------------|--------------------------------|-----------------------------|---|-----------------------------|
|                               |     | Standard Front Axle       | Heavy-Duty Front Axle (41E) | Standard Front Axle            | Heavy-Duty Front Axle (41E) | Standard Front Axle                     | Heavy-Duty Front Axle (41E) |
| <b>Regular (138")</b>         | R5Z | S                         | O                           | S                              | O                           | -                                       | -                           |
|                               | R7Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Long (156")</b>            | R5Z | S                         | O                           | S                              | O                           | -                                       | -                           |
|                               | R7Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Regular (138")</b>         | W5Z | S                         | O                           | S                              | O                           | -                                       | -                           |
|                               | W7Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Long (156")</b>            | W5Z | S                         | O                           | S                              | O                           | -                                       | -                           |
|                               | W7Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Extended-Length (178")</b> | W5Z | S                         | O                           | S                              | O                           | S                                       | -                           |
|                               | W7Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Long (156")</b>            | F1Z | -                         | S                           | -                              | S                           | -                                       | -                           |
|                               | F2Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Extended-Length (178")</b> | F1Z | -                         | S                           | -                              | S                           | -                                       | -                           |
|                               | F2Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Regular (138")</b>         | F6Z | -                         | S                           | -                              | S                           | -                                       | -                           |
|                               | F8Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Long (156")</b>            | F6Z | -                         | S                           | -                              | S                           | -                                       | -                           |
|                               | F8Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Extended-Length (178")</b> | F6Z | -                         | S                           | -                              | S                           | -                                       | -                           |
|                               | F8Z | -                         | S                           | -                              | S                           | -                                       | -                           |
| <b>Regular (138")</b>         | U6Z | -                         | -                           | -                              | S                           | -                                       | -                           |
|                               | U8Z | -                         | -                           | -                              | S                           | -                                       | -                           |
| <b>Long (156")</b>            | U6Z | -                         | -                           | -                              | S                           | -                                       | -                           |
|                               | U8Z | -                         | -                           | -                              | S                           | -                                       | -                           |
| <b>Extended-Length (178")</b> | U6Z | -                         | -                           | -                              | S                           | -                                       | -                           |
|                               | U8Z | -                         | -                           | -                              | S                           | -                                       | -                           |

<sup>1</sup>Included in Seat Pack 25 (212), 26 (213), 29 (216), 30 (217)

**2025 TRANSIT  
AXLE AVAILABILITY**

**REAR AXLE AVAILABILITY  
(CARGO VAN)**

| <b>CARGO VAN</b>              | 3.5L PFDi V6 (99G) |      |              |                  | 3.5L EcoBoost® V6 (99G) |      |              |                    | Electric Motor (E-Transit) (99K) |   |
|-------------------------------|--------------------|------|--------------|------------------|-------------------------|------|--------------|--------------------|----------------------------------|---|
|                               | Non-Limited        |      | Limited-Slip |                  | Non-Limited             |      | Limited-Slip |                    | Non-Limited                      |   |
|                               | 3.73               | 4.10 | 3.73         | 4.10             | 3.73                    | 4.10 | 3.73         | 4.10               |                                  |   |
|                               | X73                | X41  | X7L          | X4L              | X73                     | X41  | X7L          | X4L                | Electric Axle                    |   |
| <b>Regular (130")</b>         | <b>E1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1</sup>   | -                                | - |
|                               | <b>E2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>E1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1</sup>   | -                                | - |
|                               | <b>E2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Regular (130")</b>         | <b>R1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1</sup>   | -                                | - |
|                               | <b>R2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>R1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1</sup>   | -                                | - |
|                               | <b>R2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Regular (130")</b>         | <b>W1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1</sup>   | -                                | S |
|                               | <b>W2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>W1Y</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | -    | -            | S                  | -                                | S |
|                               | <b>W2Y</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>F1Y</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
|                               | <b>F2Y</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>E1C</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1,3</sup> | -                                | - |
|                               | <b>E2C</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>R1C</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | S    | -            | O/I <sup>1,3</sup> | -                                | - |
|                               | <b>R2C</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>W9C</b>         | S    | -            | O/I <sup>1</sup> | O/A <sup>2</sup>        | -    | -            | S                  | -                                | S |
|                               | <b>W2C</b>         | -    | -            | S                | O                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>F7C</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
|                               | <b>F8C</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>R1X</b>         | -    | -            | -                | S                       | S    | -            | O/I <sup>1,3</sup> | -                                | - |
|                               | <b>R2X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Extended-Length (148")</b> | <b>R3X</b>         | -    | -            | -                | S                       | S    | -            | O/I <sup>1,3</sup> | -                                | - |
|                               | <b>R3U</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>W1X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | S |
|                               | <b>W2X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Extended-Length (148")</b> | <b>W3X</b>         | -    | -            | -                | S                       | S    | -            | O/I <sup>1,3</sup> | -                                | S |
|                               | <b>W3U</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Long (148")</b>            | <b>F5X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
|                               | <b>F6X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Extended-Length (148")</b> | <b>F7X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
|                               | <b>F8X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Extended-Length (148")</b> | <b>F4X</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
|                               | <b>F4U</b>         | -    | -            | -                | S                       | -    | -            | S                  | -                                | - |
| <b>Extended-Length (148")</b> | <b>U8X</b>         | -    | -            | -                | -                       | -    | -            | S                  | -                                | - |
|                               | <b>U8U</b>         | -    | -            | -                | -                       | -    | -            | S                  | -                                | - |

**2025 TRANSIT  
AXLE AVAILABILITY**

**REAR AXLE AVAILABILITY  
(PASSENGER VAN)**

| <b>PASSENGER VAN</b>   |  | 3.5L PFDi V6 (998) |      |              |      | 3.5L EcoBoost® V6 (99G) |      |              |      |
|------------------------|--|--------------------|------|--------------|------|-------------------------|------|--------------|------|
|                        |  | Non-Limited        |      | Limited-Slip |      | Non-Limited             |      | Limited-Slip |      |
|                        |  | 3.73               | 4.10 | 3.73         | 4.10 | 3.73                    | 4.10 | 3.73         | 4.10 |
| X73                    |  | X41                |      | X7L          | X4L  | X73                     | X41  | X7L          | X4L  |
| Long (148")            |  | X2Y                | S    | -            | O    | O                       | S    | -            | O    |
|                        |  | X9Y                | -    | -            | S    | O                       | -    | -            | S    |
| Long (148")            |  | X2C                | S    | -            | O    | O                       | S    | -            | O    |
|                        |  | X9C                | -    | -            | S    | O                       | -    | -            | S    |
| Long (148")            |  | X2X                | -    | -            | -    | S                       | S    | -            | O    |
|                        |  | X9X                | -    | -            | -    | S                       | -    | -            | S    |
| Extended-Length (148") |  | U4X                | -    | -            | -    | S                       | S    | -            | O    |
|                        |  | U5X                | -    | -            | -    | -                       | -    | -            | S    |

**REAR AXLE AVAILABILITY  
(CUTAWAY)**

| <b>CHASSIS CAB</b>     |  | 3.5L PFDi V6 (998) |      |              |      | 3.5L EcoBoost® V6 (99G) |      |              |                  | Electric Motor (E-Transit) (99K) |   |
|------------------------|--|--------------------|------|--------------|------|-------------------------|------|--------------|------------------|----------------------------------|---|
|                        |  | Non-Limited        |      | Limited-Slip |      | Non-Limited             |      | Limited-Slip |                  | Non-Limited                      |   |
|                        |  | 3.73               | 4.10 | 3.73         | 4.10 | 3.73                    | 4.10 | 3.73         | 4.10             | Electric Axle                    |   |
|                        |  | X73                | X41  | X7L          | X4L  | X73                     | X41  | X7L          | X4L              |                                  |   |
| Regular (138")         |  | R5Z                | -    | -            | -    | S                       | S    | -            | O/I <sup>1</sup> | -                                | - |
|                        |  | R7Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Long (156")            |  | R5Z                | -    | -            | -    | S                       | S    | -            | O/I <sup>1</sup> | -                                | - |
|                        |  | R7Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Regular (138")         |  | W5Z                | -    | -            | -    | S                       | S    | -            | O/I <sup>1</sup> | -                                | - |
|                        |  | W7Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Long (156")            |  | W5Z                | -    | -            | -    | S                       | S    | -            | O/I <sup>1</sup> | -                                | S |
|                        |  | W7Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Extended-Length (178") |  | W5Z                | -    | -            | -    | S                       | S    | -            | O/I <sup>1</sup> | -                                | S |
|                        |  | W7Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Long (156")            |  | F1Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
|                        |  | F2Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Extended-Length (178") |  | F1Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
|                        |  | F2Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Regular (138")         |  | F6Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
|                        |  | F8Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Long (156")            |  | F6Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
|                        |  | F8Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Extended-Length (178") |  | F6Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
|                        |  | F8Z                | -    | -            | -    | S                       | -    | -            | S                | -                                | - |
| Regular (138")         |  | U6Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |
|                        |  | U8Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |
| Long (156")            |  | U6Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |
|                        |  | U8Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |
| Extended-Length (178") |  | U6Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |
|                        |  | U8Z                | -    | -            | -    | -                       | -    | -            | S                | -                                | - |

**2025 TRANSIT  
AXLE AVAILABILITY**

**REAR AXLE AVAILABILITY  
(CHASSIS CAB)**

| <b>CHASSIS CAB</b>     |     | 3.5L PFDi V6 (998) |      |              |     | 3.5L EcoBoost® V6 (99G) |     |                  |     | Electric Motor (E-Transit) (99K) |     |
|------------------------|-----|--------------------|------|--------------|-----|-------------------------|-----|------------------|-----|----------------------------------|-----|
|                        |     | Non-Limited        |      | Limited-Slip |     | Non-Limited             |     | Limited-Slip     |     | Non-Limited                      |     |
|                        |     | 3.73               | 4.10 | X73          | X41 | X7L                     | X4L | X73              | X41 | X7L                              | X4L |
| Regular (138")         | R5Z | -                  | -    | -            | S   | S                       | -   | O/I <sup>1</sup> | -   | -                                | -   |
|                        | R7Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Long (156")            | R5Z | -                  | -    | -            | S   | S                       | -   | O/I <sup>1</sup> | -   | -                                | -   |
|                        | R7Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Regular (138")         | W5Z | -                  | -    | -            | S   | S                       | -   | O/I <sup>1</sup> | -   | -                                | -   |
|                        | W7Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Long (156")            | W5Z | -                  | -    | -            | S   | S                       | -   | O/I <sup>1</sup> | -   | -                                | -   |
|                        | W7Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Extended-Length (178") | W5Z | -                  | -    | -            | S   | S                       | -   | O/I <sup>1</sup> | -   | S                                | -   |
|                        | W7Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Long (156")            | F1Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
|                        | F2Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Extended-Length (178") | F1Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
|                        | F2Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Regular (138")         | F6Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
|                        | F8Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Long (156")            | F6Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
|                        | F8Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Extended-Length (178") | F6Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
|                        | F8Z | -                  | -    | -            | S   | -                       | -   | S                | -   | -                                | -   |
| Regular (138")         | U6Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |
|                        | U8Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |
| Long (156")            | U6Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |
|                        | U8Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |
| Extended-Length (178") | U6Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |
|                        | U8Z | -                  | -    | -            | -   | -                       | -   | S                | -   | -                                | -   |

★ = New for this model year

**WHEEL AVAILABILITY (SRW)**

16" Silver Steel Wheel  
with Black Hubcap  
  
(Standard on Standard  
Front Axle  
configurations)



16" Silver Steel Wheel  
with Silver Hubcaps  
and Exposed Lug Nuts  
(641)  
  
(Standard on Heavy-  
Duty Front Axle  
configurations)



16" Steel Wheel with  
Full Silver Wheel  
Cover (64H)  
  
(Standard on E-  
Transit)



16" Silver Aluminum  
Alloy Wheel (647)



16" Black Aluminum  
Alloy Wheel  
(644)



★16" Sparkle Silver  
Alloy Wheel  
(64K)



★16" Matte Black  
Alloy Wheel  
(64G)

**WHEEL AVAILABILITY (DRW)**



16" Heavy-Duty Silver Steel Wheel with Silver Hubcaps and Exposed Lug Nuts

(Standard on Standard Front Axle configurations)  
&  
(Standard on Heavy-Duty Front Axle configurations)



16" Heavy-Duty Forged Aluminum Wheel

(76G – Heavy-Duty Front Axle configurations)

(NOTE: Former option 76E moves to 76G)



**Large Grab Handle Kit (2 D-Pillar)**  
**ORDER CODE 60F**

Ensure ease of access and increased safety when entering and exiting your van.


- High-visibility, textured yellow coating
- Increase safety for operators reducing the risk of injury
- Increase efficiency by allowing operators to load in and out quickly in all weather conditions



**Heavy-Duty Load Floor and Scuff Plate Protection Package**  
**ORDER CODE 60B**

Industry-leading tried and trusted flooring manufactured by Legend Fleet Solutions specifically to Ford specifications.


- Made of 1/2" thick composite polyethylene with an anti-slip surface
- Impact and puncture resistant, chemical resistant, moisture resistant and extreme temperature resistant
- Made from 75% recycled materials
- Includes Heavy-Duty Scuff Plate Kit



**Wall Liner Kit - Ceiling, Wall and Door Liners (Plus, Lighting and Wheel Well Covers)**  
**ORDER CODE 96E**

Complete interior protection against dents, dings, road noise and accidental damage. Insulated Thermal Management designed by Legend Fleet Solutions.

- Protect against dents, dings and other common damages
- Create a thermal barrier between your cargo space and the metal body with built-in insulation
- Reduce exterior road noise and protect wheel well boxes
- Motion sensor activated lights increase visibility and reduce potential for injury at night



**Heavy-Duty Scuff Plate Kit (Side & Rear Door)**  
**ORDER CODE 85B**

Kit includes Heavy-Duty scuff plates for rear and side door entrances. Manufactured by Legend Fleet Solutions.

- Made of durable 14 gauge steel
- Extremely anti-slip surface greatly reduces potential for injury
- Protects most used area of your work van from potential damage
- Included with Heavy-Duty Cargo Flooring (Order Code 60B)



## VAN PARTITIONS

Create ability to heat or cool just the passenger area rather than the entire van.



Reduce the amount of noise in the passenger area coming from items in the cargo area.



Allow for full seat travel and a reasonable amount of seat recline.



Design is contoured to fit each van configuration and conform to the B-pillar trim and headliner

- Includes a 12" X 19" polycarbonate window for visibility

Constructed of ABS thermoplastic which has the mechanical properties of impact resistance and toughness while being lightweight.

- 47U (Low) - 46 lbs.
- 47U (Medium) - 61 lbs.
- 47T (Medium) - 76 lbs.
- 47T (High) - 78 lbs.



47T - Door & Window  
Transit High Roof



47T - Door & Window  
Transit Medium Roof



47U - Window Only  
Transit Medium Roof



47U - Window Only  
Transit Low Roof

*\*For option code 47T, clear opening for pass through door measures 16" x 58".*


## **FIXED AND FOLDING SHELVING**

by **RANGER<sup>TM</sup>**  
DESIGN



### ► FIXED SHELVING

Available for the 2025MY



**STEEL SHELVING FOR THE LOW ROOF 130"**

| VEHICLE        | DIMENSIONS    | OPTION CODES           |
|----------------|---------------|------------------------|
| DRIVER SIDE    | LOW ROOF 130" | 14D x 72W x 44.5H" 66E |
| PASSENGER SIDE | LOW ROOF 130" | 14D x 48W x 44.5H" 66F |
| BOTH SIDES     |               | 66J                    |



**STEEL SHELVING FOR THE LOW ROOF 148"**

| VEHICLE        | DIMENSIONS    | OPTION CODES           |
|----------------|---------------|------------------------|
| DRIVER SIDE    | LOW ROOF 148" | 14D x 96W x 44.5H" 66E |
| PASSENGER SIDE | LOW ROOF 148" | 14D x 60W x 44.5H" 66F |
| BOTH SIDES     |               | 66J                    |



**STEEL SHELVING FOR THE MID & HIGH ROOF 148"**

| VEHICLE        | DIMENSIONS    | OPTION CODES           |
|----------------|---------------|------------------------|
| DRIVER SIDE    | MID ROOF 148" | 14D x 96W x 62.5H" 66E |
| PASSENGER SIDE | MID ROOF 148" | 14D x 60W x 62.5H" 66F |
| BOTH SIDES     |               | 66J                    |

### ► FOLDING SHELVING

Available for the 2025MY



**FOLDABLE SHELVING FOR THE MID & HIGH ROOF 148"**


| VEHICLE        | DIMENSIONS           | OPTION CODES         |
|----------------|----------------------|----------------------|
| DRIVER SIDE    | MID & HIGH ROOF 148" | 14D x 97W x 63H" 66H |
| PASSENGER SIDE | MID & HIGH ROOF 148" | 14D x 46W x 63H" 66H |

## TRADE PACKAGES

by **RANGER<sup>TM</sup>  
DESIGN**



► **GENERAL CONTRACTOR PACKAGE**



**PARTS INCLUDED**

|   |  |
|---|--|
| 2 | 6" Hook, 3" opening, painted                                       |
| 1 | 8" Swivel hook, 4" opening, painted                                |
| 4 | 14" Deep plastic bins (5 for mid & high roof Transits)             |
| 1 | Set of 5 dividers for a 12" shelf                                  |
| 1 | Set of 5 dividers for a 14" shelf (2 for mid & high roof Transits) |
| 1 | Steel shelving unit  |
| 1 | Steel shelving unit  |
| 2 | Compact 2-drawer unit  |

*Please note that the location of components may vary depending on the van configuration.*

Available for the 2025MY

**OPTION CODES**

FORD TRANSIT  
LOW ROOF 130"  
**66M**

FOR TRANSIT  
LOW ROOF 148"  
**66M**

FORD TRANSIT MID & HIGH ROOF 148"  
**66M**

**OPTION CODES**

FORD TRANSIT MID & HIGH ROOF 148"  
**66L**

**PARTS INCLUDED**

|   |   |
|---|---|
| 1 | 3 Tier refrigerant rack for large bottles                     |
| 1 | Paper holder, extra deep, 5 slots                             |
| 2 | 6" Hook, 3" opening, painted                                  |
| 1 | 8" Swivel hook, 4" opening, painted                           |
| 1 | Large aluminum bottle holder, with two black nylon straps     |
| 7 | 14" Deep plastic bin  |
| 2 | Set of 5 dividers for a 14" shelf                             |
| 1 | Adjustable shelving door unit - 45" W - for 48" & 96" shelves |
| 1 | Steel shelving unit   |
| 1 | Steel shelving unit   |
| 2 | Compact 2-drawer unit   |


*Please note that the location of components may vary depending on the van configuration.*

► **HVAC SHELVING PACKAGE**



Available for the 2025MY

► **ELECTRICIAN SHELVING PACKAGE**



Available for the 2025MY

**PARTS INCLUDED**

|   |   |
|---|---|
| 1 | Paper holder, extra deep, 5 slots                               |
| 2 | 6" Hook, 3" opening, painted                                    |
| 1 | 8" Swivel hook, 4" opening, painted                             |
| 7 | 12" Deep plastic bin  |
| 2 | Set of 5 dividers for a 14" shelf                               |
| 1 | Reel holder with two 5/8" diameter rods                         |
| 1 | Adjustable shelving door unit - 33" W - for 36" and 72" shelves |
| 1 | Adjustable shelving door unit - 45" W - for 48" and 96" shelves |
| 1 | Steel shelving unit   |
| 1 | Steel shelving unit   |
| 1 | Compact 2-drawer unit   |
| 1 | Compact 3-drawer unit   |

*Please note that the location of components may vary depending on the van configuration.*

**OPTION CODES**

FORD TRANSIT  
LOW ROOF 130"  
**66K**

FOR TRANSIT  
LOW ROOF 148"  
**66K**

FORD TRANSIT MID & HIGH ROOF 148"  
**66K**

**2025 TRANSIT**  
**WALL LINER DESCRIPTIONS**

| 96C – Interior Upgrade Package   | 96D – Load Area Protection Pacakge  | 96E – NEW Wall Liner Kit   |
|--|---|--|
| <ul style="list-style-type: none"> <li>Includes uninsulated wall panels, 4 mm thick 1200 gsm plastic – black color</li> <li>standard vinyl mat and wheel well covers</li> <li>Other options in this do not relate to cargo area protection/enhancements</li> <li>Standard cargo area lights</li> </ul> | <ul style="list-style-type: none"> <li>Includes uninsulated wall panels, 4 mm thick 1200 gsm plastic – black color</li> <li>standard vinyl mat and wheel well covers</li> <li>Standard cargo area lights</li> </ul> | <ul style="list-style-type: none"> <li>Includes heavy duty 6 mm thick 2120 gsm polypropylene wall liners, providing heavy duty protection</li> <li>Proprietary plastic compound offers improved impact and puncture resistance</li> <li>Liners include 3 mm foam foil insulation on rear side to moderate temperature and decrease road noise</li> <li>Includes cargo area headliner</li> <li>Includes (2 or 3) 1700 lumen motion activated lighting</li> <li>Includes insulated wheel well covers</li> <li>Gray liner color helps to brighten up cargo interior</li> <li>Liners have textured scratch resistant surface</li> <li>Liners made from recycled materials</li> </ul> |
|  |   |  |
|  |   |  |
|  |   |  |
|  |   |  |

**2025 TRANSIT  
COLOR & TRIM AVAILABILITY**

| INTERIOR MATERIAL       | CODE | Cargo Van | Passenger Van XL | Passenger Van XLT | Cutaway | Chassis Cab |
|-------------------------|------|-----------|------------------|-------------------|---------|-------------|
| Ebony Cloth             | CB   | O         | —                | —                 | O       | —           |
| Dark Palazzo Grey Cloth | CK   | O         | S                | S                 | O       | O           |
| Dark Palazzo Grey Vinyl | VK   | S         | O                | —                 | S       | S           |



Ebony Cloth



Dark Palazzo Grey Cloth



Dark Palazzo Grey Vinyl

| EXTERIOR COLOR                        | CODE | Cargo Van | Passenger Van XL | Passenger Van XLT | Cutaway | Chassis Cab |
|---------------------------------------|------|-----------|------------------|-------------------|---------|-------------|
| Oxford White                          | YZ   | ■         | ■                | ■                 | ■       | ■           |
| Race Red                              | PQ   | ■         | ■                | ■                 | ■       | ■           |
| School Bus Yellow (Fleet only)        | BY   | ■         | ■                | ■                 | ■       | ■           |
| Agate Black Metallic <sup>1</sup>     | UM   | ■         | ■                | ■                 | ■       | ■           |
| Ingot Silver Metallic <sup>1</sup>    | UX   | ■         | ■                | ■                 | ■       | ■           |
| Carbonized Gray Metallic <sup>1</sup> | M7   | ■         | ■                | ■                 | ■       | ■           |
| Blue Metallic <sup>1</sup>            | FT   | ■         | ■                | ■                 | ■       | ■           |
| Avalanche Gray <sup>1</sup>           | DR   | ■         | ■                | ■                 | ■       | ■           |
| Abyss Gray Metallic <sup>1</sup>      | ME   | ■         | ■                | ■                 | ■       | ■           |



AGATE BLACK



INGOT SILVER



CARBONIZED GRAY




OXFORD WHITE



RACE RED



ABYSS GRAY



BLUE METALLIC



AVALANCHE GRAY



SCHOOL BUS YELLOW

<sup>1</sup> Extra Cost Paint

★ = New for this model year

■ = Available, O = Optional, S = Standard

**EXTERIOR UPGRADE PACKAGE – SRW (18D)****Availability:**

- Cargo Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

**Not available with:**

- Passenger Van XL
- E-Transit

**Includes:**

- Black HID Lamps
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)

**Upgradeable Features/Options (additional charges may apply):**

- 16" Silver Aluminum Alloy Wheel (Standard Front Axle configurations only) (647)
- 16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only) (644)
- 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only) (64G)
- 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only) (64K)
- Chrome-HID Headlamps (91A) – except when Cutaway or Chassis Cab with 3.5L PFDi V6 (998)

**EXTERIOR UPGRADE PACKAGE – DRW (18L)****Availability:**

- Cargo Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

**Not available with:**

- Passenger Van XL

**Includes:**

- Black HID Lamps
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts

**Upgradeable Features/Options (additional charges may apply):**

- 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (76G)
- Chrome-HID Headlamps (91A) – except when Cutaway or Chassis Cab with 3.5L PFDi V6 (998)

**LOAD AREA PROTECTION PACKAGE (96D)****Availability:**

- Cargo Vans

**Not available with:**

- Windows-All-Around, Fixed (17F)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)
- 11,000lb GVWR Configurations

**Includes:**

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E) (includes Wheel Well Liners)

**Upgradeable Features/Options (for additional charge):**

- Heavy-Duty Cargo Flooring (60B)

**INTERIOR UPGRADE PACKAGE – CUTAWAY/CHASSIS CAB (47A)****Availability:**

- Cutaway and Chassis Cabs

**Not available with:**

- E-Transit
- Right Hand Door Delete (60X)

**Includes:**

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21L)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist (65B) is selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)

**Upgradeable Features/Options (for additional charge):**

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21C)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" Display (58C)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- Adaptive Cruise Control (60D) audio package 58E or 58F are selected

**INTERIOR UPGRADE PACKAGE – CARGO VAN (96C)****Availability:**

- Cargo Vans

**Not available with:**

- E-Transit
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)

**Includes:**

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E)
- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) when Lane Keeping System with Blind Spot Information System (BLIS®) (65A) is not selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21L) – included with Gas Engines only

**Upgradeable Features/Options (for additional charge):**

- Heavy-Duty Cargo Flooring (60B)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21C) – not available with E-Transit
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q) – not available with E-Transit
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Adaptive Cruise Control (60D) – not available with audio package 58E or 58F

**BUILDERS PREP PACKAGE (47E)****Deletes:**

- Rear Floor Covering
- Rear-Seats and Restraints
- Rear-Seat Rails and Fasteners

**Availability:**

- Passenger Van XL and Passenger Van XLT

**Not available with:**

- Chrome HID Headlamps (91A) (applies to Passenger Van XL only)

**Includes:**

- Dual AGM Batteries (63E)
- Front/Rear Aux A/C and Heater (Driver controlled) (57G) when Auxiliary Heater / AC Prep Package without Rear Controls (62C) are not ordered
- Modified Vehicle Wiring System (53K)
- Vinyl,

Front only (16C) with Passenger Van XL and Carpet, Front only (16G) with Passenger Van XLT

- Less Rear Seat (96K)

**Upgradeable Features/Options (for additional charge):**

- Auxiliary Heater / AC Prep Package without Rear Controls (62C) (Medium and High Roof only)
- Black HID Headlamps (91C)

**MODIFIED VEHICLE WIRING SYSTEM (53K)****Availability:**

- Cargo Van, Passenger Van XL, Passenger Van XLT, Cutaway (Standard) and Chassis Cab (Standard)

**Required (Cargo Van, Passenger Van XL and Passenger Van XLT Only):**

- Dual AGM Batteries (63E)

**Includes:**

- Modified vehicle connections for customized wiring harness provisions

**RV PREP PACKAGE (47D)****Availability:**

- Cargo Van

**Includes:**

- Modified Vehicle Wiring System (53K)
- Heavy-Duty Trailer Tow Package (53B)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger (21T)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- High Resolution Digital Camera (61E) when Reverse Brake Assist (43S) is not selected
- Front Fog Lamps (55D)
- Wiper Activated Headlamps (91B)
- Front Bumper, Body Colored (53G)
- Illuminated Sun Visors (85C)
- Carpet, Front only (16G)
- 8 speakers (4 front/4 rear)
- Side Sensing System (94A)
- Lane Keeping system with Blind Spot Information System (BLIS®) (65A)

**Upgradeable Features/Options (additional charges may apply):**

- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218)
- 360-Degree Camera with Split View and Front Washer (61D) includes Honeycomb Mesh Grille with Chrome Surround
- Black HID Headlamps (91C)

**Not available with:**

- Bulkhead – Lockable Door with Window (47T)
- Bulkhead – Window Only (47U)
- Interior Upgrade Package (96C)
- Load Area Protection Package (96D)
- Heavy-Duty Cargo Flooring (60B)
- 9,950lb DRW GVWR configurations
- E-Transit

**NOTE 1:** Rear speakers are shipped in a dunnage box.

**RIGHT HAND DOOR DELETE (60X)****Availability:**

- Cutaway

**Not available with:**

- Ambulance Prep Package – Cutaway (47F) and Motorhome Prep Package (47M)
- Interior Upgrade Package – Cutaway/Chassis Cab (47A)

**Includes:**

- Passenger Seat Delete (21J)
- Exterior Mirror Delete (54X)
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist (65B) is selected

**Upgradeable Features/Options (for additional charge):**

- Passenger Seat Delete with Ebony Cloth Driver Seat (211)
- Power Adjusting, Manual-Folding (543) if Blind Spot Assist is not selected
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist is not selected

**NOTE 1:** Intended for upfitters who modify the factory roof

**NOTE 2:** When adding an audio package, audio quality may slightly be diminished due to the deletion of the right hand door speaker.

**HEAVY-DUTY TRAILER TOW PACKAGE (53B)****Availability:**

- Cargo Van, Passenger Van XL and Passenger Van XLT

**Not available with:**

- Rear Tow Hook
- E-Transit

**Includes:**

- Tow/Haul Mode with Trailer Wiring Provisions
- 4/7 Pin Connector Assembly and Rear Jumper
- Relay system for backup/B+/running lights
- Frame mounted hitch receiver

**Included with:**

- RV Prep Package (47D)

**NOTE:** This package does not include a Trailer Brake Controller (TBC) (67D). If a TBC is required, it must be added to initial order. Neither a Ford nor aftermarket TBC can be added later.

**TOW/HAUL MODE WITH TRAILER WIRING PROVISIONS (53D)****Availability:**

- Cargo Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

**Not available with:**

- E-Transit

**Includes:**

- Trailer Wiring Harness to rear of vehicle for upfit
- Trailer Sway Control (TSC)
- 4/7 Pin Connector Assembly and Rear Jumper
- Tow/Haul Mode

**Included with:**

- Motorhome Prep Package (47M)

**NOTE 1:** This package does not include a Trailer Brake Controller (TBC) (67D). If a TBC is required, it must be added to initial order. Neither a Ford nor aftermarket TBC can be added later.

**NOTE 2:** This package does not include the frame mounted hitch receiver.

**MOTORHOME PREP PACKAGE (47M)****Availability:**

- Cutaway
- Not available with:
  - Right Hand Door Delete (60X)
  - 9,950lb GVWR configurations
  - E-Transit
- Includes:
  - SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
  - Tow/Haul Mode with Trailer Wiring Provisions (53D)
  - Dual AGM Batteries (63E)
  - Modified Vehicle Wiring System (53K)
  - Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger available on U6P/U8P only (21T)
  - Front Fog Lamps (55D)
  - Auxiliary Fuse Panel with High Spec Interface Connector (87E)

**Upgradeable Features/Options (additional charges may apply):**

- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218) (only applicable on 11,000 GVWR units)
- Black HID Headlamps (91C)

**SHUTTLE BUS PREP PACKAGE – (47S)****Availability:**

- Cutaway

**Not available with:**

- E-Transit

**Includes:**

- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist (65B) is selected

**Applicable Options (not part of Prep Package):**

- Right Hand Door Delete (60X)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" Display (58C)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC), Intersection Assist and 12" Display (58F)

**SCHOOL BUS PREP PACKAGE – (47C)****Availability:**

- Cutaway
- Fleet only

**Not available with:**

- Extended Length configurations (Gas Engines only)

**Includes:**

- Safety Glass
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn
- Modified Vehicle Wiring System (53K)

**NOTE:** Requires Passenger Seat Delete (21J) School Bus Yellow (BY) Paint

**MULTI-FUNCTION SCHOOL ACTIVITY BUS (MFSAB) PREP PACKAGE (47Q)****Availability:**

- Cutaway
- Fleet only

**Not available with:**

- Extended Length configurations (Gas Engines only)

**Includes:**

- Safety Glass
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn
- Modified Vehicle Wiring System (53K)

**NOTE:** Requires Passenger Seat Delete (21J) and Oxford White (YZ) Paint

**AMBULANCE PREP PACKAGE – CARGO VAN (47B)****Availability:**

- Medium High Roof Cargo Van with Sliding Passenger-side Cargo Door
- 3.5L EcoBoost® V6 (99G)

**Not available with:**

- Passenger Seat Delete (21J, 21K)
- E-Transit

**Includes:**

- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B)
- 3.73 Limited-Slip Axle (X7L)
- Modified Vehicle Wiring System (53K)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn

**Upgradeable Features/Options (for additional charge):**

- None

**AMBULANCE PREP PACKAGE – CUTAWAY (47F)****Availability:**

- Cutaway
- 3.5L EcoBoost® V6 (11,000lb GVWR configurations only) (99G)

**Not available with:**

- Passenger Seat Delete (21J, 21K and 211)
- Right Hand Door Delete (60X)

**Includes:**

- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist (65B) is selected
- Dual AGM Batteries (63E)
- Dual Alternator (250 amps each) (63C)
- 3.73 Limited-Slip Axle
- Spare Tire and Wheel (51D)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn
- Modified Vehicle Wiring System (53K)

**Upgradeable Features/Options (for additional charge):**

- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Exterior Mirror Delete (54X)

**NOTE 1:**

*Check with Upfitter on charge margin acceptability*

**REAR VIDEO CAMERA AND PREP KIT (61A)****Availability:**

- Cutaway and Chassis Cab

**Pre-installed Content Includes:**

- Cab Wiring
- Frame Wiring to the rear most cross member
- Will display in multi-function display

**Upfitters Kit Includes:**

- Camera with mounting bracket
- 20' Jumper wire
- Camera mounting and aiming instructions

**NOTE: NOTE:**

*For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation*

**UPFITTER PACKAGE (67C)****Availability:**

- Cargo Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

**Not Available with:**

- E-Transit

**Includes:**

- High Capacity Upfitter Switches
- Large Center Console (67E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)

**PARCEL DELIVERY PACKAGE (47G)****Availability:**

- Cargo Van
  - 3.5L PFDi V6 (998) (Medium/High Roof SRW and DRW Configuration F4X)
  - E-Transit (Long and Extended Lengths only)
- Cutaway
  - 3.5L PFDi V6 (998) (SRW configurations and DRW configuration F6P)
  - E-Transit

**Includes:**

- Center Console with Right-Side Shifter – Gas Engines only
- Full Rear Compartment Lighting (15F) – Cargo Van only
- Ebony Cloth 2-way manual Driver and 2-way manual Passenger seats without armrests (219)

**Additional Options to consider (may result in additional charges):**

- B-Pillar Assist Handle (41B) – Medium and High Roof Cargo Van only
- Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest (211) – Cutaway only and is included when Right Hand Door Delete (60X) is selected

**Not Available with:**

- Interior Upgrade Package – Cargo Van (96C)
- Load Area Protection Package (96D)
- Exterior Upgrade Package (18D/18L)
- Upfitter Package (67C)
- Trailer Brake Controller (67D)

**FLEET FUEL ECONOMY PACKAGE (98B)****Availability:**

- 3.5L PFDi V6 (998)
- Fleet Orders Only

**Includes:**

- Smart Acceleration Truncation
- Engine Idle Shutdown 5 minute timer
- 75-mph Governed Top Speed

**Upgradeable Features/Options (for additional charge):**

- Engine Idle Shutdown 10 Minute Timer (55F)
- Engine Idle Shutdown 20 Minute Timer (55H)
- 70-mph Governed Top Speed (52H)
- 65-mph Governed Top Speed (52M)

*NOTE 1: With this package, EcoMode is always on.*

**FLEET SAFETY PACKAGE (59C)****Availability:**

- Fleet Orders Only

**Includes:**

- Driver Alert
- Pre-Collision Assist with Automatic Emergency Braking (AEB)
- Lane Keeping Aid
- Auto High Beam
- Reverse Speed Limiter

**Additional Options to consider (may result in additional charges):**

- Lane Keeping system with Blind Spot Information System (BLIS®) on Vans (65A) or Blind Spot Information System (BLIS®) on CC/CA (65B).
- Reverse Brake Assist (43S)

*NOTE: With this package, the safety features are set to “ON” with no driver ability to change settings.*

**LIVERY PACKAGE (47L) (LIVERY FIN REQUIRED)\*****Availability:**

- Medium or High Roof Passenger Van XLT with Long or Extended Length
- Fleet only (Livery FIN)

**Not Available with:**

- Builder's Prep Package (47E)

**Includes:**

- Dark Palazzo Gray Cloth, 10-way power heated Driver and 10-way power heated Passenger seats (21Q)
- Chrome HID Headlamps (91A)
- Privacy Glass (92E)
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only) – SRW
- 16" Heavy-Duty Silver Steel with Exposed Lug Nuts, Standard and Heavy-Duty Front Axle configurations – DRW
- Keyless Entry Keypad (52C)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- Wheel Well Liners – Black (Front only) (15C)
- Upgradeable Features/Options (additional charges may apply):
- 16" Heavy-Duty Forged Aluminum Wheel – DRW (Heavy-Duty Front Axle configurations only) (76G)

**EMISSIONS REQUIREMENT LOCATIONS****CALIFORNIA EMISSIONS STATES**

CA, CT, DE, MA, MD, ME, NJ, NY, OR, PA, RI, VT, WA

**CROSS BORDER STATES**

AZ, DC, ID, NH, NV, OH, VA, WV

**FEDERAL EMISSIONS STATES**

Remaining States/Regions

**EMISSIONS STANDARD/OPTIONAL EQUIPMENT****50-STATE EMISSIONS SYSTEM .....** 425

Standard equipment on all Transit gas engine configurations.

**ZERO EVAPORATED EMISSIONS SYSTEM**

Standard equipment on all E-Transit configurations ..... 425

**MISCELLANEOUS**

COV Required ..... 79V

Priced DORA ..... C09

**VEHICLE SPECIAL ORDER (VSO)**

FLEET ONLY. See [www.fmcdealer.com](http://www.fmcdealer.com) for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email [vsomail@ford.com](mailto:vsomail@ford.com) or call 1.800.34.FLEET, menu 4 w/any VSO questions you may have.

**2025 TRANSIT  
POWERTRAIN  
FUEL ECONOMY**

TRUCKS W/GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

## ENGINE HORSEPOWER AND TORQUE RATINGS

| ENGINE                     | TRANSMISSION                 | NOMINAL COMPRESSION RATIO | 50-STATES      |               |
|----------------------------|------------------------------|---------------------------|----------------|---------------|
|                            |                              |                           | HORSEPOWER     | TORQUE        |
|                            |                              |                           | H.P. @ RPM     | LB.-FT. @ RPM |
| 3.5L PFDi V6               | 10-Speed Automatic Overdrive | 11.8:1                    | 275HP @ 6,250  | 260 @ 4,000   |
| 3.5L EcoBoost® V6          | 10-Speed Automatic Overdrive | 10.0:1                    | 310HP @ 5,000  | 400 @ 2,500   |
| Electric Motor (E-Transit) | Single-Speed                 | N/A                       | 198kW / 266 HP | 317 LB.-FT.   |