

Welcome, Shellie Sojourner

Thank you for trusting Women's Wellness of Mississippi with your care. This personalized wellness report is designed to help you understand your lab results and provides actionable steps to optimize your health. We've created a comprehensive plan tailored specifically to your unique needs.

YOUR LAB RESULTS AT A GLANCE

Test	Your Value	Target Range	Status	What This Means
Hemoglobin	14.3 g/dL	12-16 g/dL	Optimal	Hemoglobin carries oxygen in your blood to all your organs and tissues. Your oxygen-carrying capacity is healthy, supporting good energy levels.
Hematocrit	43.6 %	36-44%	Optimal	Hematocrit measures the percentage of red blood cells in your blood. Your red blood cell percentage is balanced, supporting healthy circulation.
MCV	93 fL	80-100 fL	Optimal	This result is within the healthy reference range.
Platelets	323 K/uL	150-400 K/uL	Optimal	Platelets help your blood clot to stop bleeding when you're injured. Your platelet count supports healthy blood clotting.
RBC	4.69 M/uL	4-5.2 M/uL	Optimal	This result is within the healthy reference range.
WBC	6.5 K/uL	Optimal 4.5-7.5 K/uL (Reference 3.5-10.5 K/uL)	Optimal	White blood cells fight infections and are part of your immune system. Your immune cell count is in the healthy range for fighting infections.
AST	20 U/L	<32 U/L	Optimal	AST is an enzyme found in your liver and muscles indicating tissue health. Your AST level suggests healthy liver and muscle tissue.
ALT	15 U/L	<32 U/L	Optimal	ALT is a liver enzyme that can indicate liver health status. Your liver enzyme levels suggest healthy liver function.
eGFR	60 mL/min	>=60 mL/min	Optimal	eGFR estimates how well your kidneys filter waste from your blood. Your kidney function is in the healthy range, effectively filtering waste.
Creatinine	1.14 mg/dL	<=1.0 mg/dL	Borderline	Creatinine is a waste product that indicates how well your kidneys are filtering. Elevated creatinine may indicate kidney stress. Hydration and reducing certain supplements may help.
Total Bilirubin	0.6 mg/dL	0.1-1.2 mg/dL	Optimal	This result is within the healthy reference range.
BUN	18 mg/dL	7-25 mg/dL	Optimal	This result is within the healthy reference range.
Sodium	139 mEq/L	136-145 mEq/L	Optimal	This result is within the healthy reference range.
Potassium	3.8 mEq/L	Optimal 4-4.8 mEq/L (Reference 3.5-5 mEq/L)	Borderline	This value is near the edge of normal. Lifestyle changes may help optimize it.
Chloride	104 mEq/L	Reference range	Optimal	This result is within the healthy reference range.

Test	Your Value	Target Range	Status	What This Means
		not configured		
CO2 (Bicarbonate)	23 mEq/L	Reference range not configured	Optimal	This result is within the healthy reference range.
Calcium	9.8 mg/dL	Reference range not configured	Optimal	This result is within the healthy reference range.
Albumin	4.9 g/dL	Reference range not configured	Optimal	This result is within the healthy reference range.
Total Protein	7 g/dL	Reference range not configured	Optimal	This result is within the healthy reference range.
Glucose	99 mg/dL	Optimal 72-90 mg/dL (Reference 70-99 mg/dL)	Borderline	Glucose is blood sugar, your body's main energy source. Higher glucose may indicate prediabetes. Diet and exercise are key interventions.
TSH	1.83 mIU/L	0.4-4.5 mIU/L	Optimal	TSH controls your thyroid, which regulates metabolism, energy, and weight. Your thyroid function appears balanced, supporting healthy metabolism.
Estradiol	35 pg/mL	60-100 pg/mL (HRT goal, >40 for bone)	Outside Range	Estradiol is your primary estrogen, vital for bone health, mood, and heart protection. Lower estrogen may cause hot flashes, mood changes, and bone loss. Target is 60-100 pg/mL (minimum >40 for bone protection). HRT adjustment may be beneficial.
Progesterone	3.21 ng/mL	8-10 ng/mL (HRT goal)	Outside Range	Progesterone balances estrogen and is essential for cycle regularity and sleep. Lower progesterone may cause PMS, irregular cycles, and sleep issues. Target is 8-10 ng/mL for optimal endometrial protection.
FSH	28.1 mIU/mL	3-20 mIU/mL (varies by phase)	Optimal	FSH controls ovarian function and egg development. Your FSH level is appropriate for your cycle phase and reproductive status.
Testosterone (Total)	166 ng/dL	75-125 ng/dL (HRT goal)	Outside Range	Testosterone in women supports energy, libido, muscle strength, and mood. Testosterone is above the HRT optimization goal. Your provider may adjust dosing to avoid androgenic side effects.
Free Testosterone	15 pg/mL	Optimal 3-10 pg/mL (Reference 0.1-6.4 pg/mL)	Outside Range	Testosterone in women supports energy, libido, muscle strength, and mood. Testosterone is above the HRT optimization goal. Your provider may adjust dosing to avoid androgenic side effects.
Bioavailable Testosterone	41 ng/dL	Reference range not configured	Optimal	Testosterone in women supports energy, libido, muscle strength, and mood. Your testosterone level is at the optimal HRT goal (75-125 ng/dL), supporting healthy energy, libido, and muscle function.
SHBG	84.9 nmol/L	Optimal 30-60 nmol/L (Reference 17-124 nmol/L)	Borderline	SHBG (Sex Hormone Binding Globulin) is a protein that controls how much testosterone and estrogen is available for your body to use. Higher SHBG binds more of your hormones, which can reduce the amount available for your body. This may contribute to symptoms like low energy or low libido even when total hormone levels appear normal.
Blood Pressure (Systolic)	122 mmHg	<120 mmHg (normal) 120-129 elevated 130-139 Stage 1 >=140 Stage 2 >=180 crisis	Borderline	This value is near the edge of normal. Lifestyle changes may help optimize it.
BMI (Body Mass Index)	20.6 kg/m	18.5-24.9 normal 25-29.9 overweight	Optimal	This result is within the healthy reference range.

Test	Your Value	Target Range	Status	What This Means
		30-34.9 class I 35-39.9 class II >=40 class III		

YOUR HORMONE HEALTH ASSESSMENT

Based on your lab results, your provider has identified the following hormone patterns. Understanding these patterns helps guide your personalized treatment, supplement, and lifestyle plan.

Low Progesterone (Phase Not Documented)

Progesterone is 3.21 ng/mL. Without documented cycle phase or sufficient estradiol/FSH context to identify a specific pattern, interpretation is limited. If drawn in the luteal phase, this level would indicate anovulation - a perimenopause marker.

Perimenopause Transition

FSH of 28.1 mIU/mL indicates perimenopause (menopausal transition). No specific symptoms reported at this time. Elevated FSH reflects decreased ovarian function and reduced estrogen production. This is a normal part of reproductive aging but may benefit from hormone optimization if symptomatic.

Above HRT Optimization Goal

Testosterone above HRT optimization goal (Total T: 166 ng/dL (above HRT optimization goal of 75-125 ng/dL); SHBG: 84.9 nmol/L; Free T: 15 pg/mL (elevated); Bioavailable T: 41 ng/dL (elevated)). The target range for testosterone on HRT is 75-125 ng/dL. At 166 ng/dL, the patient is above goal and significantly elevated - dose reduction should be prioritized.

Hypoestrogenic Pattern

Estradiol of 35 pg/mL with FSH of 28.1 mIU/mL indicates hypoestrogenic perimenopause - the "crash phase." Estrogen production has dropped significantly and the brain is signaling strongly (elevated FSH) trying to stimulate the ovaries.

Menopausal Transition

Clinical picture consistent with perimenopause or menopause. Hormonal shifts during this transition affect bone health, cardiovascular risk, mood, and quality of life.

YOUR METABOLIC HEALTH ASSESSMENT

The following metabolic patterns were identified based on your lab results. These patterns guide your personalized nutrition, supplement, and lifestyle recommendations.

Cellular Energy / Mito Score: 0 / 8 (0%)
Low evidence of cellular energy dysfunction

Primary Pattern: Nutrient Depletion Pattern

Key Recommendations:

- Prioritize protein intake (1.2-1.6 g/kg/day)
- Resistance training 2-4x/week
- Zone 2 cardiovascular activity as tolerated
- Optimize sleep quality (7-9 hours)

Not scored (missing): Inflammation, Iron Availability, B12, Folate, Vitamin D, Magnesium, Lipid / ApoB Burden

YOUR PERSONALIZED NUTRITION PLAN

Your Nutrition Goal

Your personalized nutrition goal is to protect bone health and support hormone balance during the perimenopausal "crash phase" by increasing estrogen-supportive nutrients, stabilizing blood sugar, and reducing inflammation. We also aim to support healthy body composition and blood pressure while avoiding foods that can worsen hot flashes or glucose regulation.

Recommended Diet

Recommended approach: Mediterranean + Bone-Supportive (Anti-Inflammatory) Diet. This pattern emphasizes whole foods, healthy fats, lean protein, calcium- and magnesium-rich choices, and fiber - all helpful for low estradiol, a borderline fasting glucose (99 mg/dL), and elevated systolic blood pressure. It's heart-healthy, supports bone density, and promotes more stable blood sugar and lower inflammation during perimenopause.

Foods To Emphasize

Food	Why It Helps You
Salmon	(2-3 servings/week) - High in omega-3s and vitamin D to reduce inflammation and support bone and cardiovascular health as estrogen declines.
Greek yogurt	(1 cup daily) - Provides calcium, protein and probiotics; helps bone strength and supports stable blood sugar when eaten with fruit or oats.
Leafy greens	(spinach, kale; 2-3 cups daily) - Excellent calcium, magnesium and vitamin K sources to support bone density in a hypoestrogenic state.
Tofu / Edamame (3-4 servings/week)	Soy isoflavones have mild estrogenic activity for some women and can ease perimenopausal symptoms while providing plant protein.
Oats / Steel-cut oats (1 serving da	High-fiber whole grain that stabilizes blood sugar and supports healthy gut bacteria involved in hormone recycling.
Lentils & beans	(3-4 servings/week) - Fiber-rich plant proteins that improve insulin sensitivity and bind excess hormones for elimination.
Walnuts or chia seeds	(1-2 tbsp daily) - Plant-based omega-3s for brain and heart support; helpful for mood and inflammation.
Berries	(1 cup daily) - Antioxidants support aging tissues and reduce oxidative stress that can accelerate

Food	Why It Helps You
------	------------------

bone breakdown.

YOUR SUPPLEMENT PROTOCOL

Supplement	What It Does	Dose & Timing
StayStrong+ 4in1 Collagen Whole Body Chews	Menopausal transition - estrogen decline accelerates collagen loss at 1-2% per year	2 chews daily

UltraFlora Complete Women's Probiotic	5-in-1 multi-benefit probiotic with Lactobacillus GR-1 and RC-14 for vaginal, urinary, digestive, and immune health. Includes vitamins B2, B6, and D. Works in 30 minutes, stays active 24 hours.	1 capsule daily
---------------------------------------	---	-----------------

LIFESTYLE RECOMMENDATIONS

Physical Activity	Sleep	Stress Management	Hydration
Strength & bone-loading: 2-3 sessions per week (30-45 minutes) of resistance training focused on major muscle groups (squats, lunges, deadlifts, rows, push-ups). These sessions directly counter bone loss associated with low estradiol and build strength to support metabolic health. Weight-bearing cardio: brisk walking or light jogging 30 minutes, 4-5 times per week to support cardiovascular health and lower systolic BP (122 mmHg). Balance & mobility: 10-15 minutes twice weekly (yoga, tai chi, single-leg stands) to reduce fall risk as bone density may decline. Intensity guidance: start moderate and progress gradually. If energy is low, split sessions into two 15-20 minute walks or a 20-minute resistance session plus a short walk.	Goal: 7-9 hours nightly with a consistent bedtime and wake time. Aim to be in bed and asleep by the same time each night. Routine: stop screens 60 minutes before bed, dim lights, have a warm non-caffeinated beverage, and do 10 minutes of gentle stretching or breathing. Helpful supplements/habits: magnesium glycinate 200-300 mg at night if you have trouble falling or staying asleep; avoid caffeine after 2:00 PM and limit alcohol. If hot flashes disrupt sleep, discuss targeted therapies with your clinician.	Daily micro-practice: 10 minutes of seated mindfulness or diaphragmatic breathing each morning (e.g., 4-second inhale, 6-8 second exhale) to reduce cortisol that can impact estrogen balance and blood sugar. Twice-weekly toolbox: 20-30 minutes of yoga or a guided relaxation session 2-3 times/week for nervous system regulation. Journaling: 5 minutes nightly to offload stressors and improve sleep onset. If overwhelmed: consider a short course of cognitive behavioral therapy or a menopause support group to manage transition-related mood or sleep issues.	Daily water goal: 64-80 ounces (about 8-10 cups). Increase by 8-16 ounces for every 30-45 minutes of moderate exercise. Tips: start each morning with 12-16 oz water, carry a refillable bottle, and include water with each meal. Adequate hydration supports kidney function (creatinine is borderline at 1.14 mg/dL), helps blood pressure, and aids metabolic processes for hormone clearance.

UNDERSTANDING YOUR RESULTS

What your key labs mean (plain language)

- Estradiol 35 pg/mL: Your estrogen level is below the commonly cited bone-protection threshold (40-60 pg/mL). This means bones are less protected and you may be at higher risk for bone loss if low estrogen persists.
- FSH 28.1 mIU/mL: Elevated FSH is a signal the brain is trying to stimulate the ovaries - this pattern indicates you are in perimenopause (the transition toward menopause).
- Progesterone 3.21 ng/mL: This level is low for a luteal (post-ovulation) phase; low progesterone in perimenopause is common and often reflects anovulatory cycles.
- Testosterone 166 ng/dL (Total) with elevated free/bioavailable T: Your testosterone is above the HRT optimization goal. This suggests current HRT dosing may be higher than needed and should be reviewed - excess can cause unwanted effects.

Why these values matter for women's health

- Low estrogen and progesterone affect bone health, sleep, mood, and vaginal/sexual health.
- Higher-than-desired testosterone during HRT can cause acne, hair changes, mood shifts, or metabolic effects and should be corrected by dose adjustment.
- Borderline glucose and slightly elevated systolic BP are early signals to improve diet, activity, and sleep to prevent progression.

How the plan helps improve numbers

- Diet rich in calcium, vitamin D, magnesium and protein plus strength training will directly support bone density.
- Anti-inflammatory foods, fiber and regular exercise will help lower fasting glucose and systolic BP.
- Probiotic plus fiber-rich diet support healthy estrogen metabolism; magnesium and sleep hygiene improve sleep and BP.
- Most importantly, coordinate with your provider to lower testosterone dosing - this is the highest-priority clinical action.

What to expect at your next lab check

- Plan hormone recheck 8-12 weeks after any HRT dose adjustments. Expect to see estradiol and progesterone move toward targeted ranges if therapy is optimized; testosterone should fall toward the 75-125 ng/dL goal after dose reduction.
- Ask your clinician to add Vitamin D, ferritin, lipid panel, A1c and repeat creatinine if clinically indicated.

Signs of improvement to watch for

- More stable sleep, fewer night sweats/hot flashes, steadier mood and energy, improved exercise performance, and gradual lowering of systolic BP. Subjective improvements may begin in 2-8 weeks; hormonal stabilization often takes 8-12 weeks.

When to contact the clinic

- Contact your provider promptly for sudden severe headaches, chest pain, shortness of breath, calf swelling, new or worsening hair loss, or rapid onset of skin changes. Also contact the clinic if you start new supplements and notice unusual side effects or if you are advised to change HRT - we'll help coordinate the follow-up labs and support.

YOUR ACTION CHECKLIST

- ☐ 1. Review this wellness report and highlight areas to focus on first
- ☐ 2. Start implementing dietary changes gradually - one new habit per week
- ☐ 3. Purchase recommended supplements from a quality source
- ☐ 4. Set up a supplement schedule (use a pill organizer if helpful)

- ☐ 5. Create a weekly meal prep plan using the meal ideas provided
- ☐ 6. Schedule time for exercise - even 10 minutes daily makes a difference
- ☐ 7. Track your progress - energy levels, sleep quality, mood
- ☐ 8. Schedule your follow-up lab work as discussed during your visit
- ☐ 9. Reach out to our clinic with any questions - we are here to help!

Additional Recommendations:

Your Follow-Up Plan:

Next Appointment:

Repeat Labs:

Additional Testing:

Notes:

We're Here For You

Your health journey is unique, and we are honored to be part of it. If you have questions about your results or wellness plan, please don't hesitate to contact our clinic. Small, consistent changes lead to remarkable results over time.