WOMEN'S WELLNESS OF MISSISSIPPI
120 FOUNTAINS BLVD, SUITE 2002
MADISON, MS 39110
P: 601-300-5886 F:769-206-4650

Pathgroup Laboratory Report

As of 12/29/2025, in ElationHealth

Patient Name: Susan K. Minninger

D.O.B.: 07/14/1984; 41 yrs, 5 mo at the time of printing this document
Sex at Birth: Female
Patient ID: 1148989634379777
Cared for by Morgan Pitts, NP-C

File Received: 12/24/2025 12:51 pm
Ordered By: Pitts,Morgan

Requisition No.: n/a

Test Name	Value	Reference Range	Loc
LIPID PANEL			
Lipid Panel Footnote	See Below		

```
*Based on optimal reference values.

Please refer to the DOS for additional information regarding diagnostic lipid
reference ranges, patient management based on the recently updated lipid
guidelines (American College of Cardiology/American Heart Association Task
Force on Clinical Practice Guidelines (2018), and pediatric diagnostic lipid
reference values (<18 years old).
```

Total Cholesterol	**236** H	< 200 mg/dL	
Triglycerides	**173** H	< 150 mg/dL	
HDL Cholesterol	79	> 50 mg/dL	
Total Cholesterol / HDL Ratio*	2.99	< 3.99 Ratio	
Non-HDL Cholesterol	**157** H	< 130 mg/dL	
LDL Cholesterol (Calculation)	**122** H	< 100 mg/dL	
LDL / HDL Ratio*	1.55	< 1.99 Ratio	

LDL Cholesterol Patient History

Test Date:	12/18/2025
LDL Results:	122
Units:	mg/dL
% Change:	-

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
B12 and Folate			
Vitamin B12	**1269** H	232 - 1245 pg/mL	
Folate	>20	> 4.59 ng/mL	

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
GENERAL HEALTH PANEL			
WBC	8.3	3.8 - 11.5 K/uL	
Red Blood Cell Count (RBC)	4.06	3.60 - 5.30 M/mm3	
Hemoglobin (Hgb)	12.7	11.5 - 15.5 gm/dL	
Hematocrit (HCT)	40.0	35.2 - 46.4 %	
MCV	98.5	79.0 - 99.0 fL	
MCH	31.3	26.9 - 35.0 pg	
MCHC	31.8	30.4 - 34.8 g/dL	
RDW	46.5	38.6 - 53.8 fL	
Platelet Count	**416** H	137 - 397 K/cumm	
Neutrophils Automated	69.8	41.0 - 77.0 %	
Lymphocytes Automated	21.2	14.0 - 48.0 %	
Monocytes Automated	6.5	4.0 - 13.0 %	
Eosinophils Automated	1.3	0.0 - 8.0 %	
Basophils Automated	1.2	0.0 - 1.5 %	
Sodium	142	135 - 145 mmol/L	
Potassium	3.6	3.5 - 5.3 mmol/L	
Chloride	100	97 - 108 mmol/L	
CO2	21	20 - 32 mmol/L	
Glucose	88	65 - 99 mg/dL	
BUN	**23** H	6 - 20 mg/dL	
Creatinine	**1.12** H	0.50 - 1.00 mg/dL	
Calcium	9.9	8.6 - 10.4 mg/dL	
eGFR by Creatinine	63	> 59 mL/min/1.73m2	
Protein	7.3	6.0 - 8.3 g/dL	
Albumin	4.4	3.5 - 5.3 g/dL	
Alkaline Phosphatase	82	41 - 145 IU/L	
ALT (SGPT)	33	<5-47 IU/L	
AST (SGOT)	34	<5-40 IU/L	
Bilirubin, Total	0.2	<0.2-1.2 mg/dL	
A/G Ratio	1.5	1.1 - 2.5	
TSH	3.09	0.43 - 5.25 mU/L	

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Percent Saturation with IRON and IBC			
Iron	52	37 - 145 ug/dL	
Iron Binding Cap	339	250 - 450 ug/dL	
Percent Saturation	15	15 - 50 %	

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Testosterone, Free, Bioavailable, and Total and SHBG			
Testosterone Total	SEE BELOW	8.00 - 48.00 ng/dL	
The result for testosterone is outside of the reportable range for this methodology and has automatically reflexed Testosterone, Total by LC/MS.			
Sex Hormone Binding Globulin (SHBG)	**339.0** H	24.6 - 122.0 nmol/L	
Free Testosterone, Percent	**0.28** L	1.60 - 2.90 %	
Free Testosterone (calculation)	**0** L	1 - 6 pg/mL	

Test Name	Value	Reference Range	Loc
Testosterone Bioavailable	**1** L	3 - 17 ng/dL	

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Vitamin D 25-Hydroxy			
Vitamin D 25-Hydroxy	33.2	30.0 - 100.0 ng/mL	

```
Interpretation of Vitamin D 25 OH:
         < 20 ng/mL - Deficiency
      20 - 29 ng/mL - Insufficiency
     30 - 100 ng/mL - Sufficiency
        > 100 ng/mL - Super-therapeutic- toxicity may occur above this level.
                      Clinical correlation required.
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Testosterone, Total by LC/MS			
Testosterone, Total by LC/MS	14.0	5.0 - 55.0 ng/dL	

```
Premenopausal        5-55 ng/dL
   (Greater than 18 years)
Postmenopausal       6-30 ng/dL

This test was developed and its performance characteristics were determined by
PathGroup clinical laboratories. It has not been cleared or approved by the
FDA. The laboratory is regulated under CLIA as qualified to perform
high-complexity testing. This test is used for clinical purposes and should not
be regarded as investigational or for research.
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Progesterone			
Progesterone	0.69	ng/mL	

```
Progesterone Reference Range
       Healthy women
         Follicular phase  0.057 - 0.893
         Ovulation phase   0.121 - 12.0
         Luteal phase       1.83 - 23.9
         Postmenopause     <0.05 - 0.126

       Healthy pregnant women
         1st trimester  11.0 - 44.3
         2nd trimester  25.4 - 83.3
         3rd trimester  58.7 - 214
```

Test Name	Value	Reference Range	Loc

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
FSH			
FSH	4.53	mIU/mL	

```
FSH Reference Range
     Men:    1.5 - 12.4
     Women:
       Follicular phase  3.5 - 12.5
       Ovulation phase   4.7 - 21.5
       Luteal phase      1.7 - 7.7
       Postmenopause    25.8 - 134.8
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Estradiol			
Estradiol	<5	pg/mL	

```
Estradiol Reference Range

Healthy women
  Follicular phase  12.4 - 233
  Ovulation phase   41.0 - 398
  Luteal phase      22.3 - 341
  Postmenopause       <5 - 138

Healthy pregnant women
  1st trimester      154 - 3243
  2nd trimester     1561 - 21280
  3rd trimester     8525 - >30000
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
MAGNESIUM			
Magnesium	2.0	1.6 - 2.4 mg/dL	

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
FERRITIN			
Ferritin	**174.0** H	13.0 - 150.0 ng/mL	

Test Name	Value	Reference Range	Loc

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Hemoglobin A1C			
Hemoglobin A1C	4.9	< 5.7 %	

```
The following HbA1c ranges recommended by the American Diabetes Association
(ADA) may be used as an aid in the diagnosis of diabetes mellitus.

                                    HbA1c            Suggested Diagnosis
                                    >=6.5%           Diabetic
                                    5.7% - 6.4%      Pre-Diabetic
                                    <5.7%            Non-Diabetic
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Estimated Average Glucose (eAG)			
Estimated Average Glucose (eAG)	94	mg/dL	

```
Estimated Average Glucose (eAG) is calculated using the equation eAG = (28.7 x
HbA1c) - 46.7 based on the guidelines established by the ADA.

If the patient has certain diseases including kidney disease, sickle cell
anemia, thalassemia, or is taking medications such as dapsone, erythropoietin,
or iron, eAG should not be evaluated.
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB — Collected: 12/18/2025 3:17 pm
Status: FINAL — Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
C-Reactive Protein (CRP), High Sensitivity			
C-Reactive Protein (CRP), High Sensitivity	0.30	< 3.01 mg/L	

```
For non-specific CRP usage, refer to reference range above. For CRP cardiac
risk assessment, refer to chart and test recommendation below.

CARDIOVASCULAR RISK ASSESSMENT
     RISK LEVEL   CRP(mg/L)   CRP(mg/dL)
       Low          <1.0        <0.10
      Average      1.0-3.0     0.10-0.30
       High         >3.0        >0.30

CRP is a non-specific marker of inflammation and a variety of conditions
including atherosclerosis may cause elevated concentrations. If the first
result is greater than 3.0 mg/L, repeat testing is recommended at least 2 weeks
later when patient is in a metabolically stable state, free of infection or
acute illness. The lower of the two results should be used to determine patient
risk.
```

Test Name	Value	Reference Range	Loc

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
Apolipoprotein B			
Apolipoprotein B	**98** H	< 90 mg/dL	

```
A desirable fasting serum Apo B concentration for the prevention
of atherosclerotic cardiovascular disease in adults is less than
90 mg/dL.  A fasting serum Apo B concentration of 130 mg/dL or
greater corresponds to an LDL cholesterol concentration greater
than 160 mg/dL and constitutes a risk enhancing factor for
atherosclerotic cardiovascular disease in adults.


Desirable:     <90 mg/dL
Increased:  90-129 mg/dL
Elevated:    >=130 mg/dL
```

Test performed by PathGroup Labs, LLC
1010 Airpark Center Dr., Suite C, Nashville, TN 37217
Nefize Sertac Kip MD, PhD, FCAP, Laboratory Director
CLIA: 44D1008678

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Test Name	Value	Reference Range	Loc
LIPOPROTEIN (A)			
Lipoprotein (a)	**209** H	<=29 mg/dL	

```
Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979
```

Accession No.: 25C2054D01LAB
Status: FINAL

Collected: 12/18/2025 3:17 pm
Completed: 12/24/2025 12:40 pm

Abnormal Value Legend:
H = Above high normal L = Below low normal

Signed electronically by Morgan Pitts, NP-C on 12/29/2025 12:52 pm in ElationHealth