
#### 04\_Main.Rmd


#### #install.packages("tidyverse")

```
## -- Attaching packages ------ tidyverse 1.3.0 --
## v ggplot2 3.3.3
                   v purrr
                             0.3.4
## v tibble 3.1.0
                    v dplyr
                             1.0.5
## v tidyr
          1.1.3
                    v stringr 1.4.0
## v readr
           1.4.0
                   v forcats 0.5.1
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                  masks stats::lag()
##
## Attaching package: 'lubridate'
## The following objects are masked from 'package:base':
##
      date, intersect, setdiff, union
##
##
## -- Column specification -----
## cols(
    .default = col_double(),
##
##
    date = col_date(format = ""),
    midday_filename = col_character(),
##
    snow_flag = col_logical(),
##
    outlierflag_gcc_mean = col_logical(),
##
    outlierflag_gcc_50 = col_logical(),
    outlierflag_gcc_75 = col_logical(),
    outlierflag_gcc_90 = col_logical()
##
## i Use `spec()` for the full column specifications.
## Warning: Removed 65 rows containing missing values (geom_point).
```

## U. Illinois Tall Grass Prairie (2015)



## U. Illinois Tall Grass Prairie (2015)



# U. Illinois Tall Grass Prairie (2015)

