```
l.com"
mariaradymska@mywebserver:~$ git config --global user.name
Maria Radymska
mariaradymska@mywebserver:~$ git config --global user.email
mariaradimska6@gmail.com
mariaradymska@mywebserver:~$
```

```
mariaradymska@mywebserver:~/LAB_1.1$ touch MyLocalData.txt
mariaradymska@mywebserver:~/LAB_1.1$ touch .gitignore
mariaradymska@mywebserver:~/LAB_1.1$ touch index.html
mariaradymska@mywebserver:~/LAB_1.1$ ls -ls
total 0
0 -rw-rw-r-- 1 mariaradymska mariaradymska 0 бер  3 19:59 index.html
0 -rw-rw-r-- 1 mariaradymska mariaradymska 0 бер  3 19:58 MyLocalData.txt
mariaradymska@mywebserver:~/LAB_1.1$
```

```
mariaradymska@mywebserver:~/LAB_1.1$ git add .
mariaradymska@mywebserver:~/LAB_1.1$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   MyLocalData.txt
        new file:   index.html

mariaradymska@mywebserver:~/LAB_1.1$ git commit -m "First Commit"
[master (root-commit) 7946f20] First Commit
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 .gitignore
 create mode 100644 MyLocalData.txt
 create mode 100644 index.html
mariaradymska@mywebserver:~/LAB_1.1$ git log
commit 7946f20e3ac0faed42f91b17b3d0bffad5326c4c (HEAD -> master)
Author: Maria Radymska <mariaradimska6@gmail.com>
Date:   Tue Mar 3 20:05:06 2026 +0200

    First Commit
mariaradymska@mywebserver:~/LAB_1.1$
```

HTML-код



список зроблених змін



Основи гілкування (branch)

```
mariaradymska@mywebserver:~/LAB_1.1$ git branch
* master
mariaradymska@mywebserver:~/LAB_1.1$ git branch -v
* master 46de950 First HTML Commit
mariaradymska@mywebserver:~/LAB_1.1$ git branch new_branch_1
mariaradymska@mywebserver:~/LAB_1.1$ git checkout new_branch_1
Switched to branch 'new_branch_1'
mariaradymska@mywebserver:~/LAB_1.1$ git commit -m "First paragraph in HTML Commit"
[new_branch_1 90e7f2b] First paragraph in HTML Commit
 1 file changed, 2 insertions(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1.1$ git checkout master
Switched to branch 'master'
mariaradymska@mywebserver:~/LAB_1.1$ git merge new_branch_1
Updating 46de950..90e7f2b
Fast-forward
 index.html | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1.1$
```

3. Вирішення конфліктів

```
mariaradymska@mywebserver:~/LAB_1.1$ git checkout -b new_branch_2
Switched to a new branch 'new_branch_2'
mariaradymska@mywebserver:~/LAB_1.1$ nano index.html
mariaradymska@mywebserver:~/LAB_1.1$ git commit -am "First Commit from new_branch_2"
[new_branch_2 1c0d0af] First Commit from new_branch_2
 1 file changed, 2 insertions(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1.1$ git checkout master
Switched to branch 'master'
mariaradymska@mywebserver:~/LAB_1.1$ git merge new_branch_2 -m "First merge from new_branch_2 to ma
ster Branch Commit"
Updating 90e7f2b..1c0d0af
Fast-forward (no commit created; -m option ignored)
 index.html | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1.1$ git checkout new_branch_1
Switched to branch 'new_branch_1'
mariaradymska@mywebserver:~/LAB_1.1$ nano index.html
mariaradymska@mywebserver:~/LAB_1.1$ git commit -am "This is new strong correct text with new commi
t text with new commit  from new_branch_1""
>
> ^C
mariaradymska@mywebserver:~/LAB_1.1$ git commit -am "This is new strong correct text with new commi
t text with new commit  from new_branch_1"
[new_branch_1 8851268] This is new strong correct text with new commit text with new commit  from n
ew_branch_1
 1 file changed, 2 insertions(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1.1$ git checkout master
Switched to branch 'master'
```

```
mariaradymska@mywebserver:~/LAB_1.1$ git merge new_branch_1 -m "This is new strong correct text wit
h new commit text with new commit  from new_branch_1"
Auto-merging index.html
CONFLICT (content): Merge conflict in index.html
Automatic merge failed; fix conflicts and then commit the result.
mariaradymska@mywebserver:~/LAB_1.1$
```

```
Terminal -
File  Edit  View  Terminal  Tabs  Help
  GNU nano 7.2                                   index.html
<!DOCTYPE html>
<html> lang="en">
<head>
<meta charset="utf-8">
<title>Hello World</title>
</head>
<body>
<h1>Hello World</h1>
<p>This is a website<br>with <em>br</em> element</p>
<<<<<<< HEAD
<p><strong>This is strong text with new commit</strong></p>
=======
<p><strong>This is new strong correct text with new commit</strong></p>
>>>>>>> new_branch_1
</body>
</html>
```

```
^C
mariaradymska@mywebserver:~/LAB_1.1$ git merge new_branch_1 -m "This is new strong correct text wit
h new commit text with new commit  from new_branch_1"
Auto-merging index.html
CONFLICT (content): Merge conflict in index.html
Automatic merge failed; fix conflicts and then commit the result.
mariaradymska@mywebserver:~/LAB_1.1$ nano index.html
mariaradymska@mywebserver:~/LAB_1.1$ git commit -am "This is RESOLVED CONFLICT in strong correct te
xt with new commit from new_branch_1"
[master a7a6b37] This is RESOLVED CONFLICT in strong correct text with new commit from new_branch_1
mariaradymska@mywebserver:~/LAB_1.1$
```

РОБОТА З ВІДДАЛЕНИМ РЕПОЗИТОРІЄМ

```
mariaradymska@mywebserver:~/LAB_1.1$ git remote add origin https://github.com/morieturm200/LAB_1.1.
git
mariaradymska@mywebserver:~/LAB_1.1$ git remote show origin
* remote origin
  Fetch URL: https://github.com/morieturm200/LAB_1.1.git
  Push  URL: https://github.com/morieturm200/LAB_1.1.git
  HEAD branch: (unknown)
mariaradymska@mywebserver:~/LAB_1.1$ git push -u origin master
Username for 'https://github.com': morieturm200
Password for 'https://morieturm200@github.com':
Enumerating objects: 21, done.
Counting objects: 100% (21/21), done.
Delta compression using up to 2 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (21/21), 1.87 KiB | 639.00 KiB/s, done.
Total 21 (delta 11), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (11/11), done.
To https://github.com/morieturm200/LAB_1.1.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
mariaradymska@mywebserver:~/LAB_1.1$
```



Створення запиту на злиття - Pull Request



```
mariaradymska@mywebserver:~/LAB_1.1$ git checkout master
Already on 'master'
Your branch is up to date with 'origin/master'.
mariaradymska@mywebserver:~/LAB_1.1$ git pull origin master
From https://github.com/morieturm200/LAB_1.1
 * branch            master     -> FETCH_HEAD
Already up to date.
mariaradymska@mywebserver:~/LAB_1.1$ git chekout -b new_pullrequest_1
git: 'chekout' is not a git command. See 'git --help'.

The most similar command is
        checkout
mariaradymska@mywebserver:~/LAB_1.1$ git checkout -b new_pullrequest_1
Switched to a new branch 'new_pullrequest_1'
mariaradymska@mywebserver:~/LAB_1.1$ nano index.html
mariaradymska@mywebserver:~/LAB_1.1$ git commit -am "My first Pull Request from branch new_pullrequ
est_1"
[new_pullrequest_1 ddbc323] My first Pull Request from branch new_pullrequest_1
 1 file changed, 2 insertions(+), 2 deletions(-)
mariaradymska@mywebserver:~/LAB_1.1$ git push -u origin new_pullrequest_1
Username for 'https://github.com': morieturm200
Password for 'https://morieturm200@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 402 bytes | 402.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'new_pullrequest_1' on GitHub by visiting:
remote:      https://github.com/morieturm200/LAB_1.1/pull/new/new_pullrequest_1
remote:
To https://github.com/morieturm200/LAB_1.1.git
 * [new branch]      new_pullrequest_1 -> new_pullrequest_1
branch 'new_pullrequest_1' set up to track 'origin/new_pullrequest_1'.
mariaradymska@mywebserver:~/LAB_1.1$
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more ab

base: master | compare: new_pullrequest_1 | ✓ **Able to merge.** These branches can be automatically merged.

Add a title *

My first Pull Request from branch new_pullrequest_1

Add a description

Write | Preview

Add your description here...

Markdown is supported | Paste, drop, or click to add files

Create pull request

Remember, contributions to this repository should follow our GitHub Community Guidelines.

Issues | Pull requests 1 | Actions | Projects | Wiki | Security | Insights | Settings

My first Pull Request from branch new_pullrequest_1 #1

Open | morieturm200 wants to merge 1 commit into `master` from `new_pullrequest_1`

Conversation 0 | Commits 1 | Checks 0 | Files changed 1

morieturm200 commented now — Owner

No description provided.

My first Pull Request from branch new_pullrequest_1 — ddbc323

No conflicts with base branch

Merging can be performed automatically.

Merge pull request | You can also merge this with the command line. View command line instructions.

Still in progress? Convert to draft

Add a comment

Write | Preview

equests | Actions | Projects | Wiki | Security | Insights | Settings

pullrequest2 #2

Merged | morieturm200 merged 5 commits into `new_pullrequest_2` from `master` | 18 minutes ago

Conversation 0 | Commits 5 | Checks 0 | Files changed 1

morieturm200 commented 18 minutes ago — Owner

No description provided.

morieturm200 added 5 commits 41 minutes ago

РОЗДІЛ IV «РОБОТА З ВІДДАЛЕНИМ РЕПОЗИТОРІЄМ У КОМАНДІ»

Етап 1. Створення проекту

```
File  Edit  View  Terminal  Tabs  Help
mariaradymska@mywebserver:~$ cd LAB_1_2
mariaradymska@mywebserver:~/LAB_1_2$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/mariaradymska/LAB_1_2/.git/
mariaradymska@mywebserver:~/LAB_1_2$ nano index.html
mariaradymska@mywebserver:~/LAB_1_2$ git add .
mariaradymska@mywebserver:~/LAB_1_2$ git commit -m "Initial commit LAB_1_2"
[master (root-commit) 79b7e68] Initial commit LAB_1_2
 1 file changed, 12 insertions(+)
 create mode 100644 index.html
mariaradymska@mywebserver:~/LAB_1_2$ git remote add origin https://github.com/morieturm200/LAB_1_2.
git
mariaradymska@mywebserver:~/LAB_1_2$ git remote -v
origin  https://github.com/morieturm200/LAB_1_2.git (fetch)
origin  https://github.com/morieturm200/LAB_1_2.git (push)
mariaradymska@mywebserver:~/LAB_1_2$ git branch -M master
mariaradymska@mywebserver:~/LAB_1_2$ git push -u origin master
Username for 'https://github.com': morieturm200
Password for 'https://morieturm200@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 410 bytes | 410.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/morieturm200/LAB_1_2.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
mariaradymska@mywebserver:~/LAB_1_2$
```



Етап 2. Синхронізація роботи

```
C:\WEBGIT>git clone https://github.com/morietur
m200/LAB_1_2.git
Cloning into 'LAB_1_2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0),
pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

C:\WEBGIT>cd LAB_1_2

C:\WEBGIT\LAB_1_2>git checkout -b DEV2
Switched to a new branch 'DEV2'

C:\WEBGIT\LAB_1_2>nano index.html
'nano' is not recognized as an internal or exte
rnal command,
operable program or batch file.

C:\WEBGIT\LAB_1_2>notepad index.html
```

Файл Редагувати Переглянути

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <title>Hello World LAB_1.2</title>
</head>
<body>
 <h1>Hello World</h1>
 <p>This is a website<br>with <em>br</em> element</p>
 <p><strong>This is LAB_1.2 with new commit</strong></p>
<a href="https://www.lnu.edu.ua">Visit us!</a>
</body>
</html>
```

Командний рядок

```
C:\WEBGIT\LAB_1_2>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

C:\WEBGIT\LAB_1_2>git pull origin master
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0),
pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 902 bytes | 451.
00 KiB/s, done.
From https://github.com/morieturm200/LAB_1_2
 * branch            master     -> FETCH_HEAD
   79b7e68..e4e3f65  master     -> origin/maste
r
Updating 79b7e68..e4e3f65
Fast-forward
 index.html | 14 ++++++++------
 1 file changed, 8 insertions(+), 6 deletions(-
)

C:\WEBGIT\LAB_1_2>
```

Merged morieturm200 merged 1 commit into master from DEV2
1 minute ago

Conversation 0 | Commits 1 | Checks 0 | Files changed

morieturm200 commented 1 minute ago — Owner

No description provided.

DEV2: ADDED LINK Visit us — 05967a9

morieturm200 merged commit e4e3f65 into master 1 minute ago — Revert

Pull request successfully merged and closed
You're all set — the DEV2 branch can be safely deleted.

Delete branch

Етап 3. Створення та вирішення конфлікту



```
 index.html | 14 ++++++++------
 1 file changed, 8 insertions(+), 6 deletions(-)
mariaradymska@mywebserver:~/LAB_1_2$ git checkout -b DEV1-update
Switched to a new branch 'DEV1-update'
mariaradymska@mywebserver:~/LAB_1_2$ nano index.html
mariaradymska@mywebserver:~/LAB_1_2$ git add .
mariaradymska@mywebserver:~/LAB_1_2$ git commit -m "DEV: updated link text"
[DEV1-update 9cd68a8] DEV: updated link text
 1 file changed, 1 insertion(+), 1 deletion(-)
mariaradymska@mywebserver:~/LAB_1_2$ git push -u origin DEV1-update
Username for 'https://github.com': morieturm200
Password for 'https://morieturm200@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 308 bytes | 308.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'DEV1-update' on GitHub by visiting:
remote:      https://github.com/morieturm200/LAB_1_2/pull/new/DEV1-update
remote:
To https://github.com/morieturm200/LAB_1_2.git
 * [new branch]      DEV1-update -> DEV1-update
branch 'DEV1-update' set up to track 'origin/DEV1-update'.
mariaradymska@mywebserver:~/LAB_1_2$
```



Командний рядок

```
Already up to date.

C:\WEBGIT\LAB_1_2>git checkout -b DEV2-update
fatal: a branch named 'DEV2-update' already exists

C:\WEBGIT\LAB_1_2>notepad index.html

C:\WEBGIT\LAB_1_2>git add .

C:\WEBGIT\LAB_1_2>git commit -m "DEV2: updated link text again"
[master b74c16e] DEV2: updated link text again
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\WEBGIT\LAB_1_2>git push -u origin DEV2-update
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 315 bytes | 315.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'DEV2-update' on GitHub by visiting:
remote:      https://github.com/morieturm200/LAB_1_2/pull/new/DEV2-update
remote:
To https://github.com/morieturm200/LAB_1_2.git
 * [new branch]      DEV2-update -> DEV2-update
branch 'DEV2-update' set up to track 'origin/DEV2-update'.

C:\WEBGIT\LAB_1_2>
```

git push -u origin DEV2-update

DEV2: updated link text again #3

Merged morieturm200 merged 1 commit into master from DEV2-update now

Conversation 0 | Commits 1 | Checks 0 | Files changed 1

morieturm200 commented now Owner

No description provided.

DEV2: updated link text again 8fab23f

morieturm200 merged commit b891094 into master now Revert

Pull request successfully merged and closed

You're all set — the DEV2-update branch can be safely deleted.

Delete branch

Reviewers
No reviews
Still in progress? Conv

Assignees
No one—assign yours

Labels
None yet

Projects
None yet

Milestone
No milestone

Development
Successfully merging t