

ExpressSQL API

NAME	METHOD	PATH	JSON BODY key: datatype
READ TABLE	GET	/	<ul style="list-style-type: none">- table: String- all: Boolean- selectColumn: {<i>cols</i>: [col_name], <i>present</i>: Boolean}- where: {<i>condition</i>: String, <i>present</i>: Boolean},- distinct: {condition: String, present: Boolean}
CREATE TABLE	POST	/create/table	<ul style="list-style-type: none">- name: String,- columns: [String]
UPDATE TABLE	PUT	/update/table	<ul style="list-style-type: none">- table: String,- type: add rename alter_type drop- name: String- oldName: String,- dataType: String,
DROP TABLE	DELETE	/drop/table	<ul style="list-style-type: none">- table: String
INSERT ROW	POST	/create/row	<ul style="list-style-type: none">- table: String- cols: Array[] of column names- values: Array[] of values
UPDATE ROW	PUT	/update/row	<ul style="list-style-type: none">- table: String,- cols: [col_names]- newValues = [values]- where: String,
DROP ROW	DELETE	/drop/row	<ul style="list-style-type: none">- table: String- where: String

Success Response

Status code: 200

Response Type: JSON

Response Data: {results: Array | Object}

Failure Response

Status code: 500

Response Type: JSON

Response Data: {error: String}

Link to repo: <https://github.com/morisst/ExpressSQL.git>