Contents

1 Lecture 27.01.2020

Class was cancelled

2 Lab 29.01.2020

- logging into the server or setting up the working environment
- we'll work with assembly files and then go ahead with stuff
- well do some linking and just optimizing a bit of asm
- `@plt` is some table that allows you to call functions from outside of your program
- topic is `position independent code`, look that up
- `plt` table has the locations of all the functions that you might want to call from you program
- `got` global offset table works with `plt` to make it happen
- `xor %eax, %eax` can also be used instead of `mov $0, %rax`, xor with itselg sets all the bits to zero in `%eax`
- `%eax` is half of `%rax`, meaning that we can set `%rax` to zero by calling `xor` on `%eax`
- well use `syscall` in lab 3 to do some stuff
- look at the `syscall` docs linked in lab 3
- number 03 will not be on the exam

3 Lecture notes 03.02.2020

- we are going to try to link the labs and the lectures together
- we're going to chapter 4 and x86-64 architecture
- learning an ISA
  - if you know how the processor works helps you understand how the whole computer works
  - understanding how CPUs work can help you write better code as well
  - helps one make decisions on hardware design
  - maybe some of us will work on actual CPU design
- registers are used as super fast short term storage
- program counter keeps track of the instructions that are being executed at the moment
- condition code
- status code indicates the overall state of the programs execution
- Y86 has immediate to memory, register to memory, memory to register, register to register moves
- logic gates are the basic components of a CPU and a PC in general, how they work is not to complicated at the basics, but it gets super complex if you have billions of them

`hello_world.c`

```c
#include <stdio.h>

int main() {
    puts("Hello, World!\n");
```

```
        return 0;
    }
```

hello_world.asm

```
    main:
        subq    $8,     %rsp
        movl    $.LC0, %edi
        call    puts
        movl    $0,     %eax
        addq    $8,     %rsp
        ret
```

sum.c

```
    long sum(long *start, long count) {
        long sum = 0;
        while (count) {
            sum += *start;
            start++;
            count--;
        }
        return sum;
    }
```

sum.asm

```
    sum:
        movl    $0,     %eax
        jmp     .L2
    .L2:
        addq    (%rdi), %rax
        addq    $8,     %rdi
        subq    $1,     %rsi
    .L3:
        testq   %rsi,   %rsi
        jne     .L3
        rep; ret
```